



Barker Logistics

ENERGY ANALYSIS

COUNTY OF RIVERSIDE

PREPARED BY:

Haseeb Qureshi, MES
hqureshi@urbanxroads.com
(949) 336-5987

Alyssa Tamase
atamase@urbanxroads.com
(949) 336-5988

JUNE 4, 2020

TABLE OF CONTENTS

TABLE OF CONTENTS	I
APPENDICES	II
LIST OF EXHIBITS	II
LIST OF TABLES	II
LIST OF ABBREVIATED TERMS	III
EXECUTIVE SUMMARY	1
1 INTRODUCTION	3
1.1 Site Location.....	3
1.2 Project Description	3
1.3 Energy Saving Features and Operational Programs	3
2 EXISTING CONDITIONS	8
2.1 Overview.....	8
2.2 Electricity	10
2.3 Natural Gas	11
2.4 Transportation Energy Resources.....	13
3 REGULATORY BACKGROUND	15
3.1 Federal Regulations	15
3.2 California Regulations	16
4 PROJECT ENERGY DEMANDS AND ENERGY EFFICIENCY MEASURES	19
4.1 Evaluation Criteria	19
4.2 Methodology	19
4.3 Construction Energy Demands	19
4.4 Operational Energy Demands.....	25
4.5 Summary	28
5 CONCLUSION	31
6 REFERENCES	33
7 CERTIFICATION	36

APPENDICES

- APPENDIX 3.1: CALEEMOD EMISSIONS MODEL OUTPUTS
- APPENDIX 3.2: EMFAC 2014 MODEL OUTPUTS

LIST OF EXHIBITS

EXHIBIT 1-A: LOCATION MAP4
EXHIBIT 1-B: SITE PLAN.....5

LIST OF TABLES

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS1
TABLE 1-1: CAP UPDATE MEASURES6
TABLE 2-1: TOTAL ELECTRICITY SYSTEM POWER (CALIFORNIA 2017)9
TABLE 2-2: SCE 2017 POWER CONTENT MIX11
TABLE 4-1: PROJECT CONSTRUCTION POWER COST20
TABLE 4-2: PROJECT CONSTRUCTION ELECTRICITY USAGE20
TABLE 4-3: CONSTRUCTION EQUIPMENT FUEL CONSUMPTION ESTIMATES.....21
TABLE 4-4: CONSTRUCTION WORKER FUEL CONSUMPTION ESTIMATES.....22
TABLE 4-5: CONSTRUCTION VENDOR FUEL CONSUMPTION ESTIMATES (MHD TRUCKS).....23
TABLE 4-6: CONSTRUCTION VENDOR/HAULING FUEL CONSUMPTION ESTIMATES (HHD TRUCKS).....23
TABLE 4-7: PROJECT-GENERATED PASSENGER CAR TRAFFIC ANNUAL FUEL CONSUMPTION.....26
TABLE 4-8: PROJECT-GENERATED LHD TRUCK TRAFFIC ANNUAL FUEL CONSUMPTION26
TABLE 4-9: PROJECT-GENERATED MHD TRUCK TRAFFIC ANNUAL FUEL CONSUMPTION27
TABLE 4-10: PROJECT-GENERATED HHD TRUCK TRAFFIC ANNUAL FUEL CONSUMPTION27
TABLE 4-11: PROJECT-GENERATED TRAFFIC ANNUAL FUEL CONSUMPTION (ALL VEHICLES)27
TABLE 4-12: PROJECT ANNUAL OPERATIONAL NATURAL GAS AND ENERGY DEMAND SUMMARY28

LIST OF ABBREVIATED TERMS

(1)	Reference
AQIA	AQIA
ARB	Air Resources Board
CalEEMod	California Emissions Estimator Model
CARB	California Air Resources Board
CEC	California Energy Commission
CPUC	California Public Utilities Commission
EVs	Electric Vehicles
EMFAC	Emissions Factor
FERC	Federal Energy Regulatory Commission
GPA	General Plan Amendment
GWh	Gigawatt Hour
HHD	Heavy-Heavy Duty
ISO	Independent Service Operator
ISTEA	Intermodal Surface Transportation Efficiency Act
ITE	Institute of Transportation Engineers
LHD	Light-Heavy Duty
MHD	Medium-Heavy Duty
Project	Barker Logistics
MPG	Miles Per Gallon
MPO	Metropolitan Planning Organization
SCE	Southern California Edison
SoCalGas	Southern California Gas
SF	Square Feet
TEA-21	Transportation Equity Act for the 21 st Century
VMT	Vehicle Miles Traveled

This page intentionally left blank

EXECUTIVE SUMMARY

The results of this *Barker Logistics Energy Analysis* is summarized below based on the significance criteria in Section 3 of this report consistent with Appendix G of the California Environmental Quality Act (CEQA) Guidelines (1). Table ES-1 shows the findings of significance for potential greenhouse gas impacts under CEQA.

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS

Analysis	Report Section	Significance Findings	
		Unmitigated	Mitigated
Energy Impact #1: Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation.	5.0	<i>Less Than Significant</i>	<i>n/a</i>
Energy Impact #2: Conflict with or obstruct a state or local plan for renewable energy or energy efficiency.	5.0	<i>Less Than Significant</i>	<i>n/a</i>

This page intentionally left blank

1 INTRODUCTION

This report presents the results of the energy analysis prepared by Urban Crossroads, Inc., for the proposed Barker Logistics (referred to as “Project”). The purpose of this report is to ensure that energy implication is considered by the County of Riverside, as the lead agency, and to quantify anticipated energy usage associated with construction and operation of the proposed Project, determine if the usage amounts are efficient, typical, or wasteful for the land use type, and to emphasize avoiding or reducing inefficient, wasteful, and unnecessary consumption of energy.

1.1 SITE LOCATION

The proposed Barker Logistics site is located on the northeast corner of Patterson Avenue and Placentia Street, in unincorporated County of Riverside, as shown on Exhibit 1-A.

The Project site is currently vacant. Existing land uses near the site include residential homes located north, south, east, and west of the Project site. Existing and future-designated Business Park use is located east of the Project site. Interstate 215 (I-215) is located approximately 1,600 feet east of the Project site; Burlington National Santa Fe (BNSF) railroad lines are located roughly 1,500 feet east of the Project site; and the March Air Reserve Base/Inland Port Airport (MARB/IPA) is located roughly 2.5 miles northeast of the Project site.

1.2 PROJECT DESCRIPTION

The Project is proposed to consist of up to 699,630 square feet (sf) of high-cube fulfillment center use, as shown on Exhibit 1-B. The Project is anticipated to be constructed in a single phase by the year 2021.

1.3 ENERGY-SAVING FEATURES AND OPERATIONAL PROGRAMS

The Project would implement energy-saving features and operational programs, consistent with the reduction measures set forth in the County of Riverside 2019 Riverside Climate Action Plan Update (CAP Update), and would comply with the California Green Building Standards Code (CALGreen; CCR, Title 24, Part 11) as implemented by the County of Riverside. The Project also incorporates and expresses the following design features and attributes promoting energy efficiency and sustainability. The specific CAP Update Measures listed at Table 1-1 (following) may be substituted for feasibility so long as they achieve an equal level of total reductions/points pursuant to the County CAP Update.

EXHIBIT 1-A: LOCATION MAP



EXHIBIT 1-B: SITE PLAN




TABLE 1-1: CAP Update Measures

Measure	Description	Points
EE10.A.1 Insulation	Enhanced Insulation (rigid wall insulation R-13, roof/attic R-38)	11
EE10.A.2 Windows	Greatly Enhanced Window Insulation (0.28 or less U-factor, 0.22 or less Solar Heat Gain Coefficient [SHGC])	7
EE10.A.3 Cool Roofs	Modest Cool Roof (Cool Roof Rating Council [CRRC] Rated 0.15 aged solar reflectance, 0.75 thermal emittance)	7
EE10.A.4 Air Infiltration	Blower Door Home Energy Rating System (HERS) Verified Envelope Leakage of equivalent	6
EE10.B.1 Heating/Cooling Distribution System	Model Duct Insulation (R-6)	5
EE10.B.2 Space Heating/Cooling Equipment	Improved Efficiency Heating, Ventilation, and Air Conditioning (HVAC) (Energy Efficiency Ratio [EER] 14/78% Annual Fuel Utilization Efficiency [AFUE] or 8 Heating Seasonal Performance Factor [HSPF])	4
EE10.B.4 Water Heaters	High Efficiency Water Heater (0.72 Energy Factor)	10
EE10.B.5 Daylighting	All rooms daylighted	1
EE10.B.6 Artificial Lighting	High Efficiency Lights (50% of in-unit fixtures are high efficiency)	7
W2.E.2 Toilets	Water Efficient Toilets/Urinals (1.5 gallons per minute [gpm])	6
	Waterless Urinals (note that commercial buildings having both waterless urinals and high efficiency toilets will have a combined point value of 6 points)	
W2.E.3 Faucets	Water Efficient faucets (1.28 gpm)	2
T4.B.1 Electric Vehicle (EV) Recharging	Install EV charging stations in garages/parking areas	40*
TOTAL POINTS EARNED BY INDUSTRIAL PROJECT		106
Notes: *The Project is anticipated to include 5 electric vehicle charging stations. Per the Screening Tables, each station is 8 points.		

This page intentionally left blank

2 EXISTING CONDITIONS

This section provides an overview of the existing energy conditions in the Project area and region.

2.1 OVERVIEW

The most recent data for California's estimated annual energy use is from 2016 and included:

- Approximately 7,830 trillion British Thermal Unit (BTU) of energy was consumed; (2);
- Approximately 2,115 billion cubic feet of natural gas (2); and
- Approximately 15.8 billion gallons of transportation fuel (for the year 2017) (3)

The most recent data provided by the United States Energy Information Administration (EIA) is from 2016 and illustrates energy use in California by demand sector as follows:

- Approximately 39.8 percent transportation;
- Approximately 23.7 percent industrial;
- Approximately 17.7 percent residential; and
- Approximately 18.9 percent commercial (4)

In 2017, total system electric generation for California was 292,039 gigawatt-hours (GWh). California's massive electricity in-state generation system generated approximately 206,336 GWh which accounted for approximately 71% of the electricity it uses; the rest was imported from the Pacific Northwest (14%) and the U.S. Southwest (16%) (5). Natural gas is the main source for electricity generation at 50% of the total in-state electric generation system power as shown in Table 2-1.

TABLE 2-1: TOTAL ELECTRICITY SYSTEM POWER (CALIFORNIA 2017)

Fuel Type	California In-State Generation (GWh)	Percent of California In-State Generation	Northwest Imports (GWh)	Southwest Imports (GWh)	California Power Mix (GWh)	Percent California Power Mix
Coal	302	0.15%	409	11,364	12,075	4.13%
Large Hydro	36,920	17.89%	4531	1,536	42,987	14.72%
Natural Gas	89,564	43.40%	46	8,705	98,315	33.67%
Nuclear	17,925	8.69%	0	8,594	26,519	9.08%
Oil	33	0.02%	0	0	33	0.01%
Other	409	0.20%	0	0	409	0.14%
Renewables	61,183	29.65%	12,502	10,999	84,684	29.00%
Biomass	5,827	2.82%	1,015	32	6,874	2.35%
Geothermal	11,745	5.69%	23	937	12,705	4.35%
Small Hydro	6,413	3.11%	1449	5	7,867	2.70%
Solar	24,331	11.79%	0	5,465	29,796	10.20%
Wind	12,867	6.24%	10,015	4,560	27,442	9.40%
Unspecified Sources of Power	N/A	N/A	22,385	4,632	27,017	9.25%
Total	206,336	100%	39,873	45,830	292,039	100%

Source: https://www.energy.ca.gov/almanac/electricity_data/total_system_power.html

A summary of, and context for energy consumption and energy demands within the State is presented in “U.S. Energy Information Administration, California State Profile and Energy Estimates, Quick Facts” excerpted below:

- California was the fourth-largest producer of crude oil among the 50 states in 2017, after Texas, North Dakota, and Alaska, and, as of January 2018, third in oil refining capacity after Texas and Louisiana.
- California is the largest consumer of jet fuel among the 50 states and accounted for one-fifth of the nation’s jet fuel consumption in 2016.
- California's total energy consumption is second-highest in the nation, but, in 2016, the state's per capita energy consumption ranked 48th, due in part to its mild climate and its energy efficiency programs.
- In 2017, California ranked second in the nation in conventional hydroelectric generation and first as a producer of electricity from solar, geothermal, and biomass resources.
- In 2017, solar PV and solar thermal installations provided about 16% of California’s net electricity generation (6).

As indicated above, California is one of the nation’s leading energy-producing states, and California per capita energy use is among the nation’s most efficient. Given the nature of the proposed Project being industrial, the remainder of this discussion will focus on the three sources

of energy that are most relevant to the project—namely, electricity, natural gas, and transportation fuel for vehicle trips associated with industrial uses planned for the Project.

2.2 ELECTRICITY

The Southern California region's electricity reliability has been of concern for the past several years due to the planned retirement of aging facilities that depend upon once-through cooling technologies, as well as the June 2013 retirement of the San Onofre Nuclear Generating Station (San Onofre). While the once-through cooling phase-out has been ongoing since the May 2010 adoption of the State Water Resources Control Board's once-through cooling policy, the retirement of San Onofre complicated the situation. California ISO studies had revealed the extent to which the Southern California Air Basin (SCAB) and the San Diego Air Basin (SDAB) region were vulnerable to low-voltage and post-transient voltage instability concerns. A preliminary plan to address these issues was detailed in the 2013 Integrative Energy Policy Report (2013 IEPR) after a collaborative process with other energy agencies, utilities, and air districts (7). If the resource development outlined in the preliminary plan continues as detailed, reliability in Southern California would likely be assured; however, tight resource margins have led energy agencies and the ARB to develop a contingency plan. This contingency plan was discussed at a public workshop in Los Angeles on August 20, 2014 and is detailed within this Section (8).

Electricity is provided to the Project by Southern California Edison (SCE). SCE provides electric power to more than 14 million persons in 15 counties and in 180 incorporated cities, within a service area encompassing approximately 50,000 square miles. SCE derives electricity from varied energy resources including: fossil fuels, hydroelectric generators, nuclear power plants, geothermal power plants, solar power generation, and wind farms. SCE also purchases from independent power producers and utilities, including out-of-state suppliers (9).

California's electricity industry is an organization of traditional utilities, private generating companies, and state agencies, each with a variety of roles and responsibilities to ensure that electrical power is provided to consumers. The California Independent Service Operator ("ISO") is a nonprofit public benefit corporation and is the impartial operator of the State's wholesale power grid and is charged with maintaining grid reliability, and to direct uninterrupted electrical energy supplies to California's homes and communities. While utilities [such as SCE] still own transmission assets, the ISO routes electrical power along these assets, maximizing the use of the transmission system and its power generation resources. The ISO matches buyers and sellers of electricity to ensure that sufficient power is available to meet demand. To these ends, every five minutes the ISO forecasts electrical demands, accounts for operating reserves, and assigns the lowest cost power plant unit to meet demands while ensuring adequate system transmission capacities and capabilities (10).

Part of the ISO's charge is to plan and coordinate grid enhancements to ensure that electrical power is provided to California consumers. To this end, transmission owners (investor-owned utilities such as SCE) file annual transmission expansion/modification plans to accommodate the State's growing electrical needs. The ISO reviews and either approves or denies the proposed additions. In addition, and perhaps most importantly, the ISO works with other areas in the western United States electrical grid to ensure that adequate power supplies are available to the

State. In this manner, continuing reliable and affordable electrical power is assured to existing and new consumers throughout the State.

Table 2-2 identifies SCE's specific proportional shares of electricity sources in 2017. As indicated in Table 2-2, the 2017 SCE Power Mix has renewable energy at 32% of the overall energy resources. Geothermal resources are at 8%, wind power is at 10%, large hydroelectric sources are at 8%, solar energy is at 13%, and coal is at 0%. Biomass and waste sources have decreased to 0% from 1% in 2016. Natural gas is at 20% having decreased from 19% in 2016 (11).

TABLE 2-2: SCE 2017 POWER CONTENT MIX

Energy Resources	2016 SCE Power Mix
Eligible Renewable	32%
Biomass & waste	0%
Geothermal	8%
Small Hydroelectric	1%
Solar	13%
Wind	10%
Coal	0%
Large Hydroelectric	8%
Natural Gas	20%
Nuclear	6%
Other	0%
Unspecified Sources of power*	34%
Total	100%

* "Unspecified sources of power" means electricity from transactions that are not traceable to specific generation sources

2.3 NATURAL GAS

The usage associated with natural gas use were calculated using the CalEEMod model. The following summary of natural gas resources and service providers, delivery systems, and associated regulation is excerpted from information provided by the California Public Utilities Commission (CPUC).

"The California Public Utilities Commission (PUC) regulates natural gas utility service for approximately 10.8 million customers that receive natural gas from Pacific Gas and Electric (PG&E), Southern California Gas (SoCalGas), San Diego Gas & Electric (SDG&E), Southwest Gas, and several smaller natural gas utilities. The CPUC also regulates independent storage operators: Lodi Gas Storage, Wild Goose Storage, Central Valley Storage and Gill Ranch Storage.

The vast majority of California's natural gas customers are residential and small commercial customers, referred to as "core" customers, who accounted for approximately 32% of the natural gas delivered by California utilities in 2012. Large consumers, like electric generators and industrial customers, referred to as "noncore"

customers, accounted for approximately 68% of the natural gas delivered by California utilities in 2012.

The PUC regulates the California utilities' natural gas rates and natural gas services, including in-state transportation over the utilities' transmission and distribution pipeline systems, storage, procurement, metering and billing. Most of the natural gas used in California comes from out-of-state natural gas basins. In 2012, California customers received 35% of their natural gas supply from basins located in the Southwest, 16% from Canada, 40% from the Rocky Mountains, and 9% from basins located within California. California gas utilities may soon also begin receiving biogas into their pipeline systems.

Natural gas from out-of-state production basins is delivered into California via the interstate natural gas pipeline system. The major interstate pipelines that deliver out-of-state natural gas to California consumers are the Gas Transmission Northwest Pipeline, Kern River Pipeline, Transwestern Pipeline, El Paso Pipeline, Ruby Pipeline, Questar Southern Trails and Mojave Pipeline. Another pipeline, the North Baja – Baja Norte Pipeline, takes gas off the El Paso Pipeline at the California/Arizona border, and delivers that gas through California into Mexico. While the Federal Energy Regulatory Commission (FERC) regulates the transportation of natural gas on the interstate pipelines, the PUC often participates in FERC regulatory proceedings to represent the interests of California natural gas consumers.

Most of the natural gas transported via the interstate pipelines, as well as some of the California-produced natural gas, is delivered into the PG&E and SoCalGas intrastate natural gas transmission pipeline systems (commonly referred to as California's "backbone" natural gas pipeline system). Natural gas on the utilities' backbone pipeline systems is then delivered into the local transmission and distribution pipeline systems, or to natural gas storage fields. Some large noncore customers take natural gas directly off the high-pressure backbone pipeline systems, while core customers and other noncore customers take natural gas off the utilities' distribution pipeline systems. The PUC has regulatory jurisdiction over 150,000 miles of utility-owned natural gas pipelines, which transported 82% of the total amount of natural gas delivered to California's gas consumers in 2012.

SDG&E and Southwest Gas' southern division are wholesale customers of SoCalGas, and currently receive all of their natural gas from the SoCalGas system (Southwest Gas also provides natural gas distribution service in the Lake Tahoe area). Some other municipal wholesale customers are the cities of Palo Alto, Long Beach, and Vernon, which are not regulated by the CPUC.

Some of the natural gas delivered to California customers may be delivered directly to them without being transported over the regulated utility systems. For example, the Kern River/Mojave pipeline system can deliver natural gas directly to some large customers, "bypassing" the utilities' systems. Much of California-produced natural gas is also delivered directly to large consumers.

PG&E and SoCalGas own and operate several natural gas storage fields that are located in northern and southern California. These storage fields, and four independently owned storage utilities – Lodi Gas Storage, Wild Goose Storage, Central Valley Storage, and Gill Ranch Storage – help meet peak seasonal natural gas demand and allow California natural gas customers to secure natural gas supplies more efficiently. (A portion of the Gill Ranch facility is owned by PG&E).

California’s regulated utilities do not own any natural gas production facilities. All of the natural gas sold by these utilities must be purchased from suppliers and/or marketers. The price of natural gas sold by suppliers and marketers was deregulated by the FERC in the mid-1980’s and is determined by “market forces.” However, the PUC decides whether California’s utilities have taken reasonable steps in order to minimize the cost of natural gas purchased on behalf of their core customers.” (12)

As indicated in the preceding discussions, natural gas is available from a variety of in-state and out-of-state sources and is provided throughout the state in response to market supply and demand. Complementing available natural gas resources, biogas may soon be available via existing delivery systems, thereby increasing the availability and reliability of resources in total. The PUC oversees utility purchases and transmission of natural gas to ensure reliable and affordable natural gas deliveries to existing and new consumers throughout the State.

2.4 TRANSPORTATION ENERGY RESOURCES

The Project would generate additional vehicle trips with resulting consumption of energy resources, predominantly gasoline and diesel fuel. In March 2018, the Department of Motor Vehicles (DMV) identified 35 million registered vehicles in California (13), and those vehicles (as noted previously) consume an estimated 19 billion gallons of fuel each year¹. Gasoline (and other vehicle fuels) are commercially-provided commodities and would be available to the Project patrons and employees via commercial outlets.

California’s on-road transportation system includes 170,000 miles of highways and major roadways, more than 27 million passenger vehicles and light trucks, and almost 8 million medium- and heavy-duty vehicles (13). While gasoline consumption has been declining since 2008 it is still by far the dominant fuel. Petroleum comprises about 92 percent of all transportation energy use, excluding fuel consumed for aviation and most marine vessels (14). Nearly 19 billion gallons of on-highway fuel are burned each year, including 15.1 billion gallons of gasoline (including ethanol) and 3.9 billion gallons of diesel fuel (including biodiesel and renewable diesel). In 2016, Californians also used 194 million therms of natural gas as a transportation fuel (15), or the equivalent of 155 million gallons of gasoline.

¹ Fuel consumptions estimated utilizing information from EMFAC2014.

This page intentionally left blank

3 REGULATORY BACKGROUND

Federal and state agencies regulate energy use and consumption through various means and programs. On the federal level, the United States Department of Transportation, the United States Department of Energy, and the United States Environmental Protection Agency are three federal agencies with substantial influence over energy policies and programs. On the state level, the PUC and the California Energy Commissions (CEC) are two agencies with authority over different aspects of energy. Relevant federal and state energy-related laws and plans are summarized below. Project consistency with applicable federal and state regulations is also presented in *italicized* text.

3.1 FEDERAL REGULATIONS

Intermodal Surface Transportation Efficiency Act of 1991 (ISTEA)

The Intermodal Surface Transportation Efficiency Act of 1991 (ISTEA) promoted the development of inter-modal transportation systems to maximize mobility as well as address national and local interests in air quality and energy. ISTEA contained factors that Metropolitan Planning Organizations (MPOs) were to address in developing transportation plans and programs, including some energy-related factors. To meet the new ISTEA requirements, MPOs adopted explicit policies defining the social, economic, energy, and environmental values guiding transportation decisions. *Transportation and access to the Project site is provided primarily by the local and regional roadway systems. The Project would not interfere with, nor otherwise obstruct intermodal transportation plans or projects that may be realized pursuant to the ISTEA because SCAG is not planning for intermodal facilities on or through the Project site.*

The Transportation Equity Act for the 21st Century (TEA-21)

The Transportation Equity Act for the 21st Century (TEA-21) was signed into law in 1998 and builds upon the initiatives established in the ISTEA legislation, discussed above. TEA-21 authorizes highway, highway safety, transit, and other efficient surface transportation programs. TEA-21 continues the program structure established for highways and transit under ISTEA, such as flexibility in the use of funds, emphasis on measures to improve the environment, and focus on a strong planning process as the foundation of good transportation decisions. TEA-21 also provides for investment in research and its application to maximize the performance of the transportation system through, for example, deployment of Intelligent Transportation Systems, to help improve operations and management of transportation systems and vehicle safety. *The Project site is located along major transportation corridors with proximate access to the Interstate freeway system. The site selected for the Project facilitates access, acts to reduce vehicle miles traveled, takes advantage of existing infrastructure systems, and promotes land use compatibilities through collocation of similar uses. The Project supports the strong planning processes emphasized under TEA-21. The Project is therefore consistent with, and would not otherwise interfere with, nor obstruct implementation of TEA-21.*

3.2 CALIFORNIA REGULATIONS

Integrated Energy Policy Report

Senate Bill 1389 (Bowen, Chapter 568, Statutes of 2002) requires the California Energy Commission to prepare a biennial integrated energy policy report that assesses major energy trends and issues facing the state's electricity, natural gas, and transportation fuel sectors and provides policy recommendations to conserve resources; protect the environment; ensure reliable, secure, and diverse energy supplies; enhance the state's economy; and protect public health and safety (Public Resources Code § 25301a). The Energy Commission prepares these assessments and associated policy recommendations every two years, with updates in alternate years, as part of the Integrated Energy Policy Report.

The 2016 Integrated Energy Policy Report (2016 IEPR) was published in February 2017, and continues to work towards improving electricity, natural gas, and transportation fuel energy use in California. The 2016 IEPR focuses on a variety of topics such as including the environmental performance of the electricity generation system, landscape-scale planning, the response to the gas leak at the Aliso Canyon natural gas storage facility, transportation fuel supply reliability issues, updates on Southern California electricity reliability, methane leakage, climate adaptation activities for the energy sector, climate and sea level rise scenarios, and the California Energy Demand Forecast (16). *Electricity would be provided to the Project by Southern California Edison (SCE). SCE's Clean Power and Electrification Pathway (CPEP) white paper builds on existing state programs and policies. As such, the Project is consistent with, and would not otherwise interfere with, nor obstruct implementation the goals presented in the 2016 IEPR.*

State of California Energy Plan

The CEC is responsible for preparing the State Energy Plan, which identifies emerging trends related to energy supply, demand, conservation, public health and safety, and the maintenance of a healthy economy. The Plan calls for the state to assist in the transformation of the transportation system to improve air quality, reduce congestion, and increase the efficient use of fuel supplies with the least environmental and energy costs. To further this policy, the plan identifies a number of strategies, including assistance to public agencies and fleet operators and encouragement of urban designs that reduce vehicle miles traveled and accommodate pedestrian and bicycle access. *The Project site is located along major transportation corridors with proximate access to the Interstate freeway system. The site selected for the Project facilitates access, acts to reduce vehicle miles traveled, takes advantage of existing infrastructure systems, and promotes land use compatibilities through the introduction of industrial uses on a business park-designated site. The Project therefore supports urban design and planning processes identified under the State of California Energy Plan, is consistent with, and would not otherwise interfere with, nor obstruct implementation of the State of California Energy Plan.*

California Code Title 24, Part 6, Energy Efficiency Standards

California Code of Regulations Title 24 Part 6: California's Energy Efficiency Standards for Residential and Nonresidential Buildings, was first adopted in 1978 in response to a legislative mandate to reduce California's energy consumption. The standards are updated periodically to

allow consideration and possible incorporation of new energy efficient technologies and methods. Energy efficient buildings require less electricity; therefore, increased energy efficiency reduces fossil fuel consumption and decreases GHG emissions. The 2016 version of Title 24 was adopted by the California Energy Commission (CEC) and became effective on January 1, 2017 and is applicable to the Project.

The CEC indicates that the 2019 Title 24 standards will require solar photovoltaic systems for new homes, establish requirements for newly constructed healthcare facilities, encourage demand responsive technologies for residential buildings, update indoor and outdoor lighting for nonresidential buildings. The CEC anticipates that single-family homes built with the 2019 standards will use approximately 7 percent less energy compared to the residential homes built under the 2016 standards. Additionally, after implementation of solar photovoltaic systems, homes built under the 2019 standards will about 53 percent less energy than homes built under the 2016 standards. Nonresidential buildings will use approximately 30 percent less energy due to lighting upgrades (17). *The Project will design building shells and building components, such as windows; roof systems: electrical and lighting systems: and heating, ventilating, and air conditioning systems to meet the incumbent Title 24 Standard.*

This page intentionally left blank

4 PROJECT ENERGY DEMANDS AND ENERGY EFFICIENCY MEASURES

4.1 EVALUATION CRITERIA

In compliance with Appendix G of the *State CEQA Guidelines* (1), this report analyzes the project's anticipated energy use to determine if the Project would:

- Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation; or
- Conflict with or obstruct a state or local plan for renewable energy or energy efficiency

In addition, Appendix F of the *State CEQA Guidelines* (18), states that the means of achieving the goal of energy conservation includes the following:

- Decreasing overall per capita energy consumption;
- Decreasing reliance on fossil fuels such as coal, natural gas and oil; and
- Increasing reliance on renewable energy sources.

4.2 METHODOLOGY

Information from the CalEEMod 2016.3.2 outputs for the *Barker Logistics AQIA* (Urban Crossroads, 2019) (19) was utilized in this analysis, detailing Project related construction equipment, transportation energy demands, and facility energy demands. These outputs can be referenced in Appendix 3.1.

4.3 CONSTRUCTION ENERGY DEMANDS

4.3.1 CONSTRUCTION EQUIPMENT ELECTRICITY USAGE ESTIMATES

The focus within this section is the energy implications of the construction process, specifically the power cost from on-site electricity consumption during construction of the proposed Project. Based on the 2017 National Construction Estimator, Richard Pray (2017) (20), the typical power cost per 1,000 square feet of building construction per month is estimated to be \$2.32. For the Barker Logistics development, the Project consists of 699,630 square feet (sf) of high-cube fulfillment center use. Based on Table 4-1, the total power cost of the on-site electricity usage during the construction of the proposed Project is estimated to be approximately \$25,970.27. Additionally, as of June 1, 2018, SCE's general service rate schedule (GS-1) for industrial land uses is \$0.07 per kWh of electricity (21). As shown on Table 4-2, the total electricity usage from on-site Project construction related activities is estimated to be approximately 371,004 kWh.

TABLE 4-1: PROJECT CONSTRUCTION POWER COST

Land Use	Power Cost (per 1,000 SF of building per month of construction)	Total Building Size (1,000 SF)	Construction Duration (months)	Project Construction Power Cost
High-Cube Fulfillment Center Warehouse	\$2.32	699.630	16	\$25,970.27
TOTAL PROJECT CONSTRUCTION POWER COST				\$25,970.27

TABLE 4-2: PROJECT CONSTRUCTION ELECTRICITY USAGE

Land Use	Cost per kWh	Project Construction Electricity Usage (kWh)
High-Cube Fulfillment Center Warehouse	\$0.07	371,004
TOTAL PROJECT CONSTRUCTION ELECTRICITY USAGE (kWh)		371,004

4.3.2 CONSTRUCTION EQUIPMENT FUEL ESTIMATES

Fuel consumed by construction equipment would be the primary energy resource expended over the course of Project construction. Project construction activity timeline estimates, construction equipment schedules, equipment power ratings, load factors, and associated fuel consumption estimates are presented in Table 4-3. Eight-hour daily use of all equipment is assumed. The aggregate fuel consumption rate for all equipment is estimated at 18.5 hp-hr-gal., obtained from California Air Resources Board (ARB) 2018 Emissions Factors Tables and cited fuel consumption rate factors presented in Table D-24 of the Moyer guidelines (22). For the purposes of this analysis, the calculations are based on all construction equipment being diesel-powered which is standard practice consistent with industry standards. Diesel fuel would be supplied by existing commercial fuel providers serving the County and region.

As presented in Table 4-3, Project construction activities would consume an estimated 56,780 gallons of diesel fuel. Project construction would represent a “single-event” diesel fuel demand and would not require on-going or permanent commitment of diesel fuel resources for this purpose.

TABLE 4-3: CONSTRUCTION EQUIPMENT FUEL CONSUMPTION ESTIMATES

Activity/Duration	Equipment	HP Rating	Quantity	Usage Hours	Load Factor	HP-hrs/day	Total Fuel Consumption (gal. diesel fuel)
Site Preparation (10 days)	Rubber Tired Dozers	247	3	8	0.40	2,371	1,282
	Tractors/Loaders/Backhoes	97	4	8	0.37	1,148	621
Grading (45 days)	Excavators	158	2	8	0.38	961	2,337
	Graders	187	1	8	0.41	613	1,492
	Rubber Tired Dozers	247	1	8	0.40	790	1,923
	Scrapers	367	2	8	0.48	2,819	6,856
	Tractors/Loaders/Backhoes	97	2	8	0.37	574	1,397
Building Construction (270 days)	Cranes	231	1	8	0.29	536	7,822
	Forklifts	89	3	8	0.20	427	6,235
	Generator Sets	84	1	8	0.74	497	7,258
	Tractors/Loaders/Backhoes	97	3	8	0.37	861	12,571
	Welders	46	1	8	0.45	166	2,417
Paving (30 days)	Pavers	130	2	8	0.42	874	1,417
	Paving Equipment	132	2	8	0.36	760	1,233
	Rollers	80	2	8	0.38	486	789
Architectural Coating (70 days)	Air Compressors	78	1	8	0.48	300	1,133
CONSTRUCTION FUEL DEMAND (GALLONS DIESEL FUEL)							56,780

4.3.3 CONSTRUCTION WORKER FUEL ESTIMATES

It is assumed that all construction worker trips are from light duty autos (LDA) along area roadways. With respect to estimated VMT, the construction worker trips would generate an estimated 2,326,569 VMT (19). Data regarding Project related construction worker trips were based on CalEEMod 2016.3.2 model defaults utilized within the AQIA.

Vehicle fuel efficiencies for LDA were estimated using information generated within the 2014 version of the Emissions FACTor model (EMFAC) developed by the Air Resources Board (ARB). EMFAC 2014 is a mathematical model that was developed to calculate emission rates, fuel consumption, and VMT from motor vehicles that operate on highways, freeways, and local roads in California and is commonly used by the ARB to project changes in future emissions from on-road mobile sources (23). EMFAC 2014 was run for the LDA vehicle class within the California sub-area for a 2021 calendar year. Data from EMFAC 2014 is shown in Appendix 3.2.

As generated by EMFAC 2014, an aggregated fuel economy of LDAs ranging from model year 1974 to model year 2021 are estimated to have a fuel efficiency of 29.67 miles per gallon (mpg). Table 4-4 provides an estimated annual fuel consumption resulting from the Project generated by light duty autos related to construction worker trips. Based on Table 4-4, it is estimated that 78,409 gallons of fuel will be consumed related to construction worker trips during full construction of the proposed Project. Project construction worker trips would represent a “single-event” gasoline fuel demand and would not require on-going or permanent commitment of fuel resources for this purpose.

TABLE 4-4: CONSTRUCTION WORKER FUEL CONSUMPTION ESTIMATES

Construction Activity	Worker Trips / Day	Trip Length (miles)	Vehicle Miles Traveled	Average Vehicle Fuel Economy (mpg)	Estimated Fuel Consumption (gallons)
Vendor					
Site Preparation (10 days)	18	14.7	2,646	29.67	89
Grading (45 days)	20	14.7	13,230	29.67	446
Building Construction (270 days)	552	14.7	2,190,888	29.67	73,836
Paving (30 days)	15	14.7	6,615	29.67	223
Architectural Coating (70 days)	110	14.7	113,190	29.67	3,815
TOTAL CONSTRUCTION WORKER FUEL CONSUMPTION					78,409

4.3.4 CONSTRUCTION VENDOR/HAULING FUEL ESTIMATES

With respect to estimated VMT, the construction vendor/hauling trips would generate an estimated 2,089,908 VMT along area roadways (19). It is assumed that 50% of all vendor trips are from medium-heavy duty trucks (MHD) and 50% are from heavy-heavy duty trucks (HHD). It is assumed that 100% of all hauling trips are from HHD. These assumptions are consistent with the 2016.3.2 CalEEMod defaults utilized within the within the AQIA (19). Vehicle fuel efficiencies for MHD and HHD trucks were estimated using information generated within EMFAC 2014. For purposes of this analysis, EMFAC 2014 was run for the MHD and HHD vehicle class within the California sub-area for a 2021 calendar year. Data from EMFAC 2014 is shown in Appendix 3.2.

As generated by EMFAC 2014, an aggregated fuel economy of MHD trucks ranging from model year 1974 to model year 2021 are estimated to have a fuel efficiency of 8.52 mpg. Additionally, HHD trucks are estimated to have a fuel efficiency of 5.92 mpg. Based on Table 4-5, it is estimated that 12,445 gallons of fuel will be consumed related to construction vendor trips (medium duty trucks) during full construction of the proposed Project. Table 4-6 shows the estimated fuel economy of HHD trucks accessing the Project site. Based on Table 4-6, fuel consumption from construction vendor and hauling trips (heavy duty trucks) will total approximately 319,265 gallons. The total fuel consumption from construction vendor and hauling trips (medium and heavy-duty trucks) is 342,877 gallons. Project construction vendor trips would represent a “single-event” diesel fuel demand and would not require on-going or permanent commitment of diesel fuel resources for this purpose.

TABLE 4-5: CONSTRUCTION VENDOR FUEL CONSUMPTION ESTIMATES (MHD TRUCKS)

Construction Activity	Vendor Trips / Day	Trip Length (miles)	Vehicle Miles Traveled	Average Vehicle Fuel Economy (mpg)	Estimated Fuel Consumption (gallons)
Vendor					
Building Construction (270 days)	108	6.9	201,204	8.52	23,613
PROJECT MEDIUM DUTY TRUCK TOTAL					12,445

TABLE 4-6: CONSTRUCTION VENDOR/HAULING FUEL CONSUMPTION ESTIMATES (HHD TRUCKS)

Construction Activity	Vendor Trips / Day	Trip Length (miles)	Vehicle Miles Traveled	Average Vehicle Fuel Economy (mpg)	Estimated Fuel Consumption (gallons)
Vendor					
Building Construction (270 days)	108	6.9	201,204	5.92	34,011
Hauling					
Grading (45 days)	1875	20	1,687,500	5.92	285,253
PROJECT HEAVY DUTY TRUCK TOTAL					342,877

4.3.5 CONSTRUCTION ENERGY EFFICIENCY/CONSERVATION MEASURES

The equipment used for Project construction would conform to CARB regulations and CA emissions standards. There are no unusual Project characteristics or construction processes that would require the use of equipment that would be more energy intensive than is used for comparable activities; or equipment that would not conform to current emissions standards (and related fuel efficiencies). Equipment employed in construction of the Project would therefore not result in inefficient wasteful, or unnecessary consumption of fuel.

The Project would utilize construction contractors which practice compliance with applicable CARB regulation regarding retrofiting, repowering, or replacement of diesel off-road construction equipment. Additionally, CARB has adopted the Airborne Toxic Control Measure to limit heavy-duty diesel motor vehicle idling in order to reduce public exposure to diesel particulate matter and other Toxic Air Contaminants. Compliance with anti-idling and emissions regulations would result in a more efficient use of construction-related energy and the minimization or elimination of wasteful or unnecessary consumption of energy. Idling restrictions and the use of newer engines and equipment would result in less fuel combustion and energy consumption.

Additionally, certain incidental construction-source energy efficiencies would likely accrue through implementation of California regulations and best available control measures (BACM). More specifically, California Code of Regulations Title 13, Motor Vehicles, section 2449(d)(3) Idling, limits idling times of construction vehicles to no more than five minutes, thereby precluding unnecessary and wasteful consumption of fuel due to unproductive idling of construction equipment. To this end, "grading plans shall reference the requirement that a sign shall be posted on-site stating that construction workers need to shut off engines at or before five minutes of idling." In this manner, construction equipment operators are informed that engines are to be turned off at or prior to five minutes of idling. Enforcement of idling limitations is realized through periodic site inspections conducted by City building officials, and/or in response to citizen complaints.

Indirectly, construction energy efficiencies and energy conservation would be achieved for the proposed development through energy efficiencies realized from bulk purchase, transport and use of construction materials.

A full analysis related to the energy needed to form construction materials is not included in this analysis due to a lack of detailed Project-specific information on construction materials. At this time, an analysis of the energy needed to create Project-related construction materials would be extremely speculative and thus has not been prepared.

In general, the construction processes promote conservation and efficient use of energy by reducing raw materials demands, with related reduction in energy demands associated with raw materials extraction, transportation, processing and refinement. Use of materials in bulk reduces energy demands associated with preparation and transport of construction materials as well as the transport and disposal of construction waste and solid waste in general, with corollary

reduced demands on area landfill capacities and energy consumed by waste transport and landfill operations.

4.3.6 SUMMARY

The estimated power cost of on-site electricity usage during the construction of the proposed Project is assumed to be around \$25,970.27. Additionally, based on the assumed power cost, it is estimated that the total electricity usage during construction, after full Project build-out, is calculated to be around 371,004 kWh.

Construction equipment used by the Project would result in single event consumption of approximately 56,780 gallons of diesel fuel. Construction equipment use of fuel would not be atypical for the type of construction proposed because there are no aspects of the Project's proposed construction process that are unusual or energy-intensive, and Project construction equipment would conform to the applicable CARB emissions standards, acting to promote equipment fuel efficiencies.

CCR Title 13, Title 13, Motor Vehicles, section 2449(d)(3) Idling, limits idling times of construction vehicles to no more than 5 minutes, thereby precluding unnecessary and wasteful consumption of fuel due to unproductive idling of construction equipment. Best available control measures inform construction equipment operators of this requirement. Enforcement of idling limitations is realized through periodic site inspections conducted by County building officials, and/or in response to citizen complaints.

Construction worker trips for full construction of the proposed Project would result in the estimated fuel consumption of 78,409 gallons of fuel. Additionally, fuel consumption from construction vendor trips (medium and heavy-duty trucks) will total approximately 342,877 gallons. Diesel fuel would be supplied by County and regional commercial vendors. Indirectly, construction energy efficiencies and energy conservation would be achieved through the use of bulk purchases, transport and use of construction materials. The 2016 IEPR released by the California Energy Commission has shown that fuel efficiencies are getting better within on and off-road vehicle engines due to more stringent government requirements (24). As supported by the preceding discussions, Project construction energy consumption would not be considered inefficient, wasteful, or otherwise unnecessary.

4.4 OPERATIONAL ENERGY DEMANDS

Energy consumption in support of or related to Project operations would include transportation energy demands (energy consumed by employee and patron vehicles accessing the Project site) and facilities energy demands (energy consumed by building operations and site maintenance activities).

4.4.1 TRANSPORTATION ENERGY DEMANDS

Energy that would be consumed by Project-generated traffic is a function of total VMT and estimated vehicle fuel economies of vehicles accessing the Project site.

LIGHT DUTY AUTOS

With respect to estimated VMT, and based on the trip frequency and trip length methodologies cited in the Project's AQIA, the Project would generate an estimated 7,677,039 annual VMT along area roadways for all passenger cars with full build-out of the Project (19). As generated by EMFAC 2014, an aggregated fuel economy of LDAs ranging from model year 1974 to model year 2021 are estimated to have a fuel efficiency of 29.67 mpg. Table 4-7 provides an estimated range of annual fuel consumption resulting from Project generated LDAs. Based on Table 4-7, it is estimated that 258,727 gallons of fuel will be consumed from Project generated LDA trips.

TABLE 4-7: PROJECT-GENERATED PASSENGER CAR TRAFFIC ANNUAL FUEL CONSUMPTION

Annual Vehicle Miles Traveled	Average Vehicle Fuel Economy (mpg)	Estimated Annual Fuel Consumption (gallons)
7,677,039	29.67	258,727

LIGHT-HEAVY DUTY TRUCKS

With respect to estimated VMT, and based on the trip frequency and trip length methodologies cited in the Project's AQIA, the Project would generate an estimated 1,291,077 annual VMT along area roadways for all LHD trucks with full build-out of the Project (19). As generated by EMFAC 2014, an aggregated fuel economy of LHD trucks ranging from model year 1974 to model year 2021 are estimated to have a fuel efficiency of 14.32 mpg. Table 4-8 provides an estimated range of annual fuel consumption resulting from Project generated LHD trucks. Based on Table 4-8, it is estimated that 90,151 gallons of fuel will be consumed from Project generated LHD truck trips.

TABLE 4-8: PROJECT-GENERATED LHD TRUCK TRAFFIC ANNUAL FUEL CONSUMPTION

Annual Vehicle Miles Traveled	Average Vehicle Fuel Economy (mpg)	Estimated Annual Fuel Consumption (gallons)
1,291,077	14.32	90,151

MEDIUM-HEAVY DUTY TRUCKS

With respect to estimated VMT, and based on the trip frequency and trip length methodologies cited in the Project's AQIA, the Project would generate an estimated 1,291,077 annual VMT along area roadways for all MHD trucks with full build-out of the Project (19). As generated by EMFAC 2014, an aggregated fuel economy of MHD trucks ranging from model year 1974 to model year 2021 are estimated to have a fuel efficiency of 8.52 mpg. Table 4-9 provides an estimated range of annual fuel consumption resulting from Project generated MHD trucks. Based on Table 4-9, it is estimated that 151,517 gallons of fuel will be consumed from Project generated MHD truck trips.

TABLE 4-9: PROJECT-GENERATED MHD TRUCK TRAFFIC ANNUAL FUEL CONSUMPTION

Annual Vehicle Miles Traveled	Average Vehicle Fuel Economy (mpg)	Estimated Annual Fuel Consumption (gallons)
1,291,077	8.52	151,517

HEAVY-HEAVY DUTY TRUCKS

With respect to estimated VMT, and based on the trip frequency and trip length methodologies cited in the Project's AQIA, the Project would generate an estimated 3,422,855 annual VMT along area roadways for all HHD trucks with full build-out of the Project (19). As generated by EMFAC 2014, an aggregated fuel economy of HHD trucks ranging from model year 1974 to model year 2021 are estimated to have a fuel efficiency of 5.92 mpg. Table 4-10 provides an estimated range of annual fuel consumption resulting from Project generated HHD trucks. Based on Table 4-10, it is estimated that 578,596 gallons of fuel will be consumed from Project generated HHD truck trips.

TABLE 4-10: PROJECT-GENERATED HHD TRUCK TRAFFIC ANNUAL FUEL CONSUMPTION

Annual Vehicle Miles Traveled	Average Vehicle Fuel Economy (mpg)	Estimated Annual Fuel Consumption (gallons)
3,422,855	5.92	578,596

As summarized on Table 4-11, the Project will result in 13,682,047 annual VMT and an estimated annual fuel consumption of 1,078,991 gallons of fuel.

TABLE 4-11: PROJECT-GENERATED TRAFFIC ANNUAL FUEL CONSUMPTION (ALL VEHICLES)

Vehicle Type	Annual Miles Traveled	Estimated Annual Fuel Consumption (gallons)
Light Duty Autos	7,677,039	258,727
LHD Trucks	1,291,077	90,151
MHD Trucks	1,291,077	151,517
HHD Trucks	3,422,855	578,596
Total (All Vehicles)	13,682,047	1,078,991

4.4.2 FACILITY ENERGY DEMANDS

Project building operations and Project site maintenance activities would result in the consumption of natural gas and electricity. Natural gas would be supplied to the Project by Southern California Gas Company; electricity would be supplied to the Project by Southern California Edison. Annual natural gas and electricity demands of the Project are summarized in Table 4-12.

Energy use in buildings is divided into energy consumed by the built environment and energy consumed by uses that are independent of the construction of the building such as in plug-in appliances. In California, the California Building Standards Code Title 24 governs energy

consumed by the built environment, mechanical systems, and some types of fixed lighting (25). Non-building energy use, or “plug-in” energy use can be further subdivided by specific end-use (refrigeration, cooking, appliances, etc.).

TABLE 4-12: PROJECT ANNUAL OPERATIONAL NATURAL GAS AND ENERGY DEMAND SUMMARY

Natural Gas Demand	kBTU/year
Other Non-Asphalt Surfaces	0
Parking Lot	0
High-Cube Fulfillment Center Warehouse	1,420,250
TOTAL PROJECT NATURAL GAS DEMAND	1,420,250
Electricity Demand	kBTU/year
Other Non-Asphalt Surfaces	0
Parking Lot	160,158
High-Cube Fulfillment Center Warehouse	1,651,130
TOTAL PROJECT ELECTRICITY DEMAND	1,811,288

4.4.3 OPERATIONAL ENERGY EFFICIENCY/CONSERVATION MEASURES

Energy efficient/energy conserving design features and operational programs that would be implemented under the Project are summarized below. Also noted in the following discussions, energy efficiency/energy conservation attributes of the Project would be complemented by increasingly stringent state and federal regulatory actions addressing vehicle fuel economies and vehicle emissions standards; and enhanced building/utilities energy efficiencies mandated under California building codes (e.g., Title24, California Green Building Standards Code).

The Project would also not result in a substantial increase in demand or transmission service, resulting in the need for new or expanded sources of energy supply or new or expanded energy delivery systems or infrastructure.

Enhanced Vehicle Fuel Efficiencies

Estimated annual fuel consumption estimates presented previously in Tables 4-11 represent likely potential maximums that would occur in the Project. Under subsequent future conditions, average fuel economies of vehicles accessing the Project site can be expected to improve as older, less fuel-efficient vehicles are removed from circulation, and in response to fuel economy and emissions standards imposed on newer vehicles entering the circulation system.

4.5 SUMMARY

4.5.1 TRANSPORTATION ENERGY DEMANDS

Annual vehicular trips and related VMT generated by the Project would result in an estimated 258,727 gallons of fuel consumption per year for LDAs. Additionally, the Project would result in an estimated 90,151 gallons of fuel consumption per year for LHD trucks. For MHD trucks, the Project would result in an estimated 151,517 gallons of fuel consumption per year. For HHD

trucks an estimated 578,596 gallons of fuel consumption per year is estimated for the year 2021. The total estimated annual fuel consumption from Project generated VMT would result in a fuel demand 1,078,991 gallons of fuel.

Fuel would be provided by current and future commercial vendors. Trip generation and VMT generated by the Project are consistent with other warehouse uses of similar scale and configuration, as reflected respectively in the Institute of Transportation Engineers (ITE) Trip Generation Manual (10th Ed., 2017); and California Emissions Estimator Model (CalEEMod) v2016.3.2. That is, the Project does not propose uses or operations that would inherently result in excessive and wasteful vehicle trips and VMT, nor associated excess and wasteful vehicle energy consumption.

Enhanced fuel economies realized pursuant to federal and state regulatory actions, and related transition of LDAs and LHDs to alternative energy sources (e.g., electricity, natural gas, bio fuels, hydrogen cells) would likely decrease future gasoline fuel demands per VMT. Location of the Project proximate to regional and local roadway systems tends to reduce VMT within the region, acting to reduce regional vehicle energy demands. As supported by the preceding discussions, Project transportation energy consumption would not be considered inefficient, wasteful, or otherwise unnecessary.

4.5.2 FACILITY ENERGY DEMANDS

Project facility operational energy demands are estimated at: 1,420,250 kBTU/year of natural gas; and 1,811,288 kWh/year of electricity. Natural gas would be supplied to the Project by Southern California Gas Company; electricity would be supplied by Southern California Edison. The Project proposes conventional industrial uses reflecting contemporary energy efficient/energy conserving designs and operational programs. Uses proposed by the Project are not inherently energy intensive, and the Project energy demands in total would be comparable to, or less than, other industrial projects of similar scale and configuration.

This page intentionally left blank

5 CONCLUSION

Impact Energy-1: Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation.

As supported by the preceding analyses, Project construction and operations would not result in the inefficient, wasteful or unnecessary consumption of energy. Further, the energy demands of the Project can be accommodated within the context of available resources and energy delivery systems. The Project would therefore not cause or result in the need for additional energy producing or transmission facilities. The Project would not engage in wasteful or inefficient uses of energy and aims to achieve energy conservations goals within the State of California.

Impact Energy-2: Conflict with or obstruct a state or local plan for renewable energy or energy efficiency.

The Project would implement energy-saving features and operational programs, consistent with the reduction measures set forth in the CAP Update. The Project would also comply with the California Green Building Standards Code (CALGreen; CCR, Title 24, Part 11) as implemented by the County of Riverside.

As previously discussed, the Project would provide for, and promote, energy efficiencies beyond those required under other applicable federal and State of California standards and regulations, and in so doing would meet or exceed all California Building Standards Code Title 24 standards. Moreover, energy consumed by the Project’s operation is calculated to be comparable to, or less than, energy consumed by other industrial uses of similar scale and intensity that are constructed and operating in California. On this basis, the Project would not result in the inefficient, wasteful, or unnecessary consumption of energy. Further, the Project would not cause or result in the need for additional energy producing facilities or energy delivery systems.

This page intentionally left blank

6 REFERENCES

1. **Association of Environmental Professionals.** *2018 CEQA California Environmental Quality Act.* 2018.
2. **Administration, U.S. Energy Information.** California State Profile and Energy Estimates. [Online] <https://www.eia.gov/state/?sid=CA#tabs-3>.
3. **California Energy Commission.** *Transportation Energy Demand Forecast 2018-2030.* 2018.
4. **U.S. Energy Information Administration.** California Energy Consumption by End-Use Sector. *California State Profile and Energy Estimates.* [Online] <https://www.eia.gov/state/?sid=CA#tabs-2>.
5. **California Energy Commission.** Total System Electric Generation. *CA.gov.* [Online] https://www.energy.ca.gov/almanac/electricity_data/total_system_power.html.
6. **U.S. Energy Information Administration.** State Profile and Energy Estimates. *Independent Statistics and Analysis.* [Online] <http://www.eia.gov/state/?sid=CA#tabs2..>
7. **California Energy Commission.** 2013 Integrated Energy Policy Report. [Online] 2013. <http://www.energy.ca.gov/2013publications/CEC-100-2013-001/CEC-100-2013-001-CMF.pdf>.
8. —. *2014 IEPR Update.* 2014.
9. —. California Energy Almanac. *Utility Energy Supply Plans from 2013.* [Online] https://www.energy.ca.gov/almanac/electricity_data/s-2_supply_forms_2013/.
10. **California ISO.** Understanding the ISO. [Online] <http://www.caiso.com/about/Pages/OurBusiness/UnderstandingtheISO/default.aspx>.
11. **Southern California Edison.** 2017 Power Content Label. *Southern California Edison.* [Online] 2017. https://www.sce.com/sites/default/files/inline-files/2017PCL_0.pdf.
12. **California Public Utilities Commission.** Natural Gas and California. [Online] <http://www.cpuc.ca.gov/general.aspx?id=4802>.
13. **Department of Motor Vehicles.** *State of California Department of Motor Vehicles Statistics For Publication January Through December 2017.* 2018.
14. **U.S. Energy Information Administration.** Use of Energy in the United States Explained Energy Use for Transportation. [Online] https://www.eia.gov/energyexplained/?page=us_energy_transportation.
15. —. Natural Gas Consumption by End Use. [Online] https://www.eia.gov/dnav/ng/ng_cons_sum_dcu_SCA_a.htm.
16. **California Energy Commission Staff.** *2016 Integrated Energy Policy Report Update.* 2016.
17. **The California Energy Commission.** 2019 Building Energy Efficiency Standards . *California Energy Commission.* [Online] 2018. https://www.energy.ca.gov/title24/2019standards/documents/2018_Title_24_2019_Building_Standards_FAQ.pdf.
18. **State of California.** *California Environmental Quality Act Guideline, California Public Resources Code, Title 14, Division 6, Chapter 3.*
19. **Urban Crossroads, Inc.** *Barker Logistics Air Quality Impact Analysis.* 2019.
20. **Pray, Richard.** *2017 National Construction Estimator.* Carlsbad : Craftsman Book Company, 2017.
21. **Southern California Edison.** Schedule GS-1 General Service. *Regulatory Information - Rates Pricing.* [Online] <https://www1.sce.com/NR/sc3/tm2/pdf/ce74-12.pdf>.

22. **California Air Resources Board.** *Methods to Find the Cost-Effectiveness of Funding Air Quality Projects For Evaluating Motor Vehicle Registration Fee Projects And Congestion Mitigation and Air Quality Improvement (CMAQ) Projects, Emission Factor Tables.* 2018.
23. **California Department of Transportation.** EMFAC Software. [Online]
<http://www.dot.ca.gov/hq/env/air/pages/emfac.htm>.
24. **California Energy Commission.** *2016 Integrated Energy Policy Report.* 2016.
25. **State of California.** Title 24, Part 6, of the California Code of Regulations. *California's Energy Efficiency Standards for Residential and Nonresidential Buildings.* [Online]
<http://www.energy.ca.gov/title24/>.

This page intentionally left blank

7 CERTIFICATION

The contents of this energy analysis report represent an accurate depiction of the environmental impacts associated with the proposed Barker Logistics Project. The information contained in this energy analysis report is based on the best available data at the time of preparation. If you have any questions, please contact me directly at (949) 336-5987.

Haseeb Qureshi
Senior Associate
URBAN CROSSROADS, INC.
260 E. Baker, Suite 200
Costa Mesa, CA 92626
(949) 336-5987
hqureshi@urbanxroads.com

EDUCATION

Master of Science in Environmental Studies
California State University, Fullerton • May, 2010

Bachelor of Arts in Environmental Analysis and Design
University of California, Irvine • June, 2006

PROFESSIONAL AFFILIATIONS

AEP – Association of Environmental Planners
AWMA – Air and Waste Management Association
ASTM – American Society for Testing and Materials

PROFESSIONAL CERTIFICATIONS

Environmental Site Assessment – American Society for Testing and Materials • June 2013
Planned Communities and Urban Infill – Urban Land Institute • June 2011
Indoor Air Quality and Industrial Hygiene – EMSL Analytical • April 2008
Principles of Ambient Air Monitoring – California Air Resources Board • August 2007
AB2588 Regulatory Standards – Trinity Consultants • November 2006
Air Dispersion Modeling – Lakes Environmental • June 2006

This page intentionally left blank

APPENDIX 3.1:
CALEEMOD EMISSIONS MODEL OUTPUTS

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

Barker Logistics (Construction - Unmitigated)
Riverside-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Unrefrigerated Warehouse-No Rail	699.63	1000sqft	16.06	699,630.00	0
Other Non-Asphalt Surfaces	157.88	1000sqft	3.62	157,878.00	0
Parking Lot	633.00	Space	10.50	457,594.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.4	Precipitation Freq (Days)	28
Climate Zone	10			Operational Year	2021
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

Project Characteristics -

Land Use - As per the Site Plan, the Project Gross Project Land Area is 1,315,102 square feet (30.19 acres)

Construction Phase - Architectural Coating activities to occur concurrent with Paving activities.

Off-road Equipment - Hours per day are based on an 8-hour workday.

Off-road Equipment -

Off-road Equipment - Hours per day are based on an 8-hour workday.

Grading - Based on the Equipment List the total acres graded per day is 1.5 acres for site preparation activities and 3.0 acres for grading activities.

Architectural Coating - Rule 1113

Vehicle Trips - Construction Run Only.

Energy Use - Construction Run Only.

Water And Wastewater - Construction Run Only.

Solid Waste - Construction Run Only.

Construction Off-road Equipment Mitigation - Rule 403

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	EF_Nonresidential_Exterior	100.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	100.00	50.00
tblArchitecturalCoating	EF_Parking	100.00	50.00
tblConstructionPhase	NumDays	35.00	70.00
tblConstructionPhase	NumDays	500.00	270.00
tblConstructionPhase	NumDays	35.00	30.00
tblConstructionPhase	NumDays	20.00	10.00
tblConstructionPhase	PhaseEndDate	10/18/2022	8/10/2021
tblConstructionPhase	PhaseEndDate	7/12/2022	6/29/2021
tblConstructionPhase	PhaseEndDate	8/11/2020	6/16/2020
tblConstructionPhase	PhaseEndDate	8/30/2022	8/10/2021
tblConstructionPhase	PhaseEndDate	6/9/2020	4/14/2020

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

tblConstructionPhase	PhaseStartDate	8/31/2022	8/11/2021
tblConstructionPhase	PhaseStartDate	8/12/2020	6/17/2020
tblConstructionPhase	PhaseStartDate	6/10/2020	4/15/2020
tblConstructionPhase	PhaseStartDate	7/13/2022	6/30/2021
tblConstructionPhase	PhaseStartDate	5/13/2020	4/1/2020
tblEnergyUse	LightingElect	0.35	0.00
tblEnergyUse	LightingElect	1.17	0.00
tblEnergyUse	NT24E	0.82	0.00
tblEnergyUse	NT24NG	0.03	0.00
tblEnergyUse	T24E	0.37	0.00
tblEnergyUse	T24NG	2.00	0.00
tblGrading	AcresOfGrading	112.50	180.00
tblGrading	AcresOfGrading	0.00	35.00
tblGrading	MaterialImported	0.00	15,000.00
tblLandUse	LandUseSquareFeet	253,200.00	457,594.00
tblLandUse	LotAcreage	5.70	10.50
tblOffRoadEquipment	UsageHours	6.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblSolidWaste	SolidWasteGenerationRate	657.65	0.00
tblVehicleTrips	CC_TL	8.40	0.00
tblVehicleTrips	CC_TL	8.40	0.00
tblVehicleTrips	CC_TL	8.40	0.00
tblVehicleTrips	CNW_TL	6.90	0.00
tblVehicleTrips	CNW_TL	6.90	0.00
tblVehicleTrips	CNW_TL	6.90	0.00
tblVehicleTrips	CNW_TTP	41.00	0.00

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

tblVehicleTrips	CW_TL	16.60	0.00
tblVehicleTrips	CW_TL	16.60	0.00
tblVehicleTrips	CW_TL	16.60	0.00
tblVehicleTrips	CW_TTP	59.00	0.00
tblVehicleTrips	DV_TP	5.00	0.00
tblVehicleTrips	PB_TP	3.00	0.00
tblVehicleTrips	PR_TP	92.00	0.00
tblVehicleTrips	ST_TR	1.68	0.00
tblVehicleTrips	SU_TR	1.68	0.00
tblVehicleTrips	WD_TR	1.68	0.00
tblWater	IndoorWaterUseRate	161,789,437.50	0.00

2.0 Emissions Summary

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	4-1-2020	6-30-2020	1.9442	1.9442
2	7-1-2020	9-30-2020	1.6495	1.6495
3	10-1-2020	12-31-2020	1.6467	1.6467
4	1-1-2021	3-31-2021	1.4539	1.4539
5	4-1-2021	6-30-2021	1.4638	1.4638
6	7-1-2021	9-30-2021	0.2226	0.2226
		Highest	1.9442	1.9442

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Waste						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Water						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	2.9025	1.8000e-004	0.0191	0.0000	0.0000	7.0000e-005	7.0000e-005	0.0000	7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Waste						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Water						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	2.9025	1.8000e-004	0.0191	0.0000	0.0000	7.0000e-005	7.0000e-005	0.0000	7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	4/1/2020	4/14/2020	5	10	
2	Grading	Grading	4/15/2020	6/16/2020	5	45	
3	Building Construction	Building Construction	6/17/2020	6/29/2021	5	270	
4	Paving	Paving	6/30/2021	8/10/2021	5	30	
5	Architectural Coating	Architectural Coating	8/11/2021	8/10/2021	5	70	

Acres of Grading (Site Preparation Phase): 35

Acres of Grading (Grading Phase): 180

Acres of Paving: 14.12

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 1,049,445; Non-Residential Outdoor: 349,815; Striped Parking Area: 36,928 (Architectural Coating – sqft)

OffRoad Equipment

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Architectural Coating	Air Compressors	1	8.00	78	0.48
Grading	Excavators	2	8.00	158	0.38
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Paving	Pavers	2	8.00	130	0.42
Paving	Rollers	2	8.00	80	0.38
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Building Construction	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Grading	Graders	1	8.00	187	0.41
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving	Paving Equipment	2	8.00	132	0.36
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Building Construction	Welders	1	8.00	46	0.45

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	1,875.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	552.00	216.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	110.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

3.1 Mitigation Measures Construction

Water Exposed Area

3.2 Site Preparation - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1089	0.0000	0.1089	0.0517	0.0000	0.0517	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0204	0.2121	0.1076	1.9000e-004		0.0110	0.0110		0.0101	0.0101	0.0000	16.7153	16.7153	5.4100e-003	0.0000	16.8505
Total	0.0204	0.2121	0.1076	1.9000e-004	0.1089	0.0110	0.1199	0.0517	0.0101	0.0618	0.0000	16.7153	16.7153	5.4100e-003	0.0000	16.8505

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

3.2 Site Preparation - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.1000e-004	2.9000e-004	3.0900e-003	1.0000e-005	9.9000e-004	1.0000e-005	1.0000e-003	2.6000e-004	1.0000e-005	2.7000e-004	0.0000	0.8276	0.8276	2.0000e-005	0.0000	0.8282
Total	4.1000e-004	2.9000e-004	3.0900e-003	1.0000e-005	9.9000e-004	1.0000e-005	1.0000e-003	2.6000e-004	1.0000e-005	2.7000e-004	0.0000	0.8276	0.8276	2.0000e-005	0.0000	0.8282

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0425	0.0000	0.0425	0.0202	0.0000	0.0202	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0204	0.2121	0.1076	1.9000e-004		0.0110	0.0110		0.0101	0.0101	0.0000	16.7153	16.7153	5.4100e-003	0.0000	16.8505
Total	0.0204	0.2121	0.1076	1.9000e-004	0.0425	0.0110	0.0535	0.0202	0.0101	0.0303	0.0000	16.7153	16.7153	5.4100e-003	0.0000	16.8505

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

3.2 Site Preparation - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.1000e-004	2.9000e-004	3.0900e-003	1.0000e-005	9.9000e-004	1.0000e-005	1.0000e-003	2.6000e-004	1.0000e-005	2.7000e-004	0.0000	0.8276	0.8276	2.0000e-005	0.0000	0.8282
Total	4.1000e-004	2.9000e-004	3.0900e-003	1.0000e-005	9.9000e-004	1.0000e-005	1.0000e-003	2.6000e-004	1.0000e-005	2.7000e-004	0.0000	0.8276	0.8276	2.0000e-005	0.0000	0.8282

3.3 Grading - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.2319	0.0000	0.2319	0.0849	0.0000	0.0849	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.1001	1.1294	0.7191	1.4000e-003		0.0489	0.0489		0.0450	0.0450	0.0000	122.5897	122.5897	0.0397	0.0000	123.5809
Total	0.1001	1.1294	0.7191	1.4000e-003	0.2319	0.0489	0.2808	0.0849	0.0450	0.1299	0.0000	122.5897	122.5897	0.0397	0.0000	123.5809

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

3.3 Grading - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	4.9300e-003	0.2273	0.0294	7.1000e-004	0.0162	7.1000e-004	0.0169	4.4400e-003	6.8000e-004	5.1200e-003	0.0000	67.9776	67.9776	4.2600e-003	0.0000	68.0841
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.0700e-003	1.4500e-003	0.0155	5.0000e-005	4.9500e-003	3.0000e-005	4.9800e-003	1.3100e-003	3.0000e-005	1.3400e-003	0.0000	4.1382	4.1382	1.0000e-004	0.0000	4.1408
Total	7.0000e-003	0.2288	0.0449	7.6000e-004	0.0211	7.4000e-004	0.0219	5.7500e-003	7.1000e-004	6.4600e-003	0.0000	72.1157	72.1157	4.3600e-003	0.0000	72.2248

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0904	0.0000	0.0904	0.0331	0.0000	0.0331	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.1001	1.1294	0.7191	1.4000e-003		0.0489	0.0489		0.0450	0.0450	0.0000	122.5895	122.5895	0.0397	0.0000	123.5807
Total	0.1001	1.1294	0.7191	1.4000e-003	0.0904	0.0489	0.1394	0.0331	0.0450	0.0781	0.0000	122.5895	122.5895	0.0397	0.0000	123.5807

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

3.3 Grading - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	4.9300e-003	0.2273	0.0294	7.1000e-004	0.0162	7.1000e-004	0.0169	4.4400e-003	6.8000e-004	5.1200e-003	0.0000	67.9776	67.9776	4.2600e-003	0.0000	68.0841
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.0700e-003	1.4500e-003	0.0155	5.0000e-005	4.9500e-003	3.0000e-005	4.9800e-003	1.3100e-003	3.0000e-005	1.3400e-003	0.0000	4.1382	4.1382	1.0000e-004	0.0000	4.1408
Total	7.0000e-003	0.2288	0.0449	7.6000e-004	0.0211	7.4000e-004	0.0219	5.7500e-003	7.1000e-004	6.4600e-003	0.0000	72.1157	72.1157	4.3600e-003	0.0000	72.2248

3.4 Building Construction - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1601	1.4661	1.2757	2.0400e-003		0.0848	0.0848		0.0797	0.0797	0.0000	176.2068	176.2068	0.0439	0.0000	177.3048
Total	0.1601	1.4661	1.2757	2.0400e-003		0.0848	0.0848		0.0797	0.0797	0.0000	176.2068	176.2068	0.0439	0.0000	177.3048

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

3.4 Building Construction - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0436	1.5951	0.3121	3.9400e-003	0.0969	9.0200e-003	0.1059	0.0280	8.6300e-003	0.0366	0.0000	377.0933	377.0933	0.0301	0.0000	377.8469
Worker	0.1801	0.1262	1.3476	3.9900e-003	0.4308	2.6500e-003	0.4334	0.1144	2.4400e-003	0.1168	0.0000	360.4067	360.4067	9.0200e-003	0.0000	360.6323
Total	0.2237	1.7213	1.6597	7.9300e-003	0.5276	0.0117	0.5393	0.1423	0.0111	0.1534	0.0000	737.5000	737.5000	0.0392	0.0000	738.4792

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1601	1.4661	1.2757	2.0400e-003		0.0848	0.0848		0.0797	0.0797	0.0000	176.2065	176.2065	0.0439	0.0000	177.3046
Total	0.1601	1.4661	1.2757	2.0400e-003		0.0848	0.0848		0.0797	0.0797	0.0000	176.2065	176.2065	0.0439	0.0000	177.3046

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

3.4 Building Construction - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0436	1.5951	0.3121	3.9400e-003	0.0969	9.0200e-003	0.1059	0.0280	8.6300e-003	0.0366	0.0000	377.0933	377.0933	0.0301	0.0000	377.8469
Worker	0.1801	0.1262	1.3476	3.9900e-003	0.4308	2.6500e-003	0.4334	0.1144	2.4400e-003	0.1168	0.0000	360.4067	360.4067	9.0200e-003	0.0000	360.6323
Total	0.2237	1.7213	1.6597	7.9300e-003	0.5276	0.0117	0.5393	0.1423	0.0111	0.1534	0.0000	737.5000	737.5000	0.0392	0.0000	738.4792

3.4 Building Construction - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1295	1.2000	1.1309	1.8400e-003		0.0656	0.0656		0.0616	0.0616	0.0000	158.8542	158.8542	0.0392	0.0000	159.8341
Total	0.1295	1.2000	1.1309	1.8400e-003		0.0656	0.0656		0.0616	0.0616	0.0000	158.8542	158.8542	0.0392	0.0000	159.8341

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

3.4 Building Construction - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0330	1.2890	0.2480	3.5300e-003	0.0873	2.4600e-003	0.0898	0.0252	2.3600e-003	0.0276	0.0000	337.2685	337.2685	0.0257	0.0000	337.9118
Worker	0.1515	0.1021	1.1121	3.4700e-003	0.3883	2.3300e-003	0.3906	0.1031	2.1400e-003	0.1053	0.0000	314.0117	314.0117	7.3100e-003	0.0000	314.1945
Total	0.1845	1.3911	1.3601	7.0000e-003	0.4756	4.7900e-003	0.4804	0.1283	4.5000e-003	0.1328	0.0000	651.2802	651.2802	0.0330	0.0000	652.1063

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1295	1.2000	1.1309	1.8400e-003		0.0656	0.0656		0.0616	0.0616	0.0000	158.8540	158.8540	0.0392	0.0000	159.8339
Total	0.1295	1.2000	1.1309	1.8400e-003		0.0656	0.0656		0.0616	0.0616	0.0000	158.8540	158.8540	0.0392	0.0000	159.8339

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

3.4 Building Construction - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0330	1.2890	0.2480	3.5300e-003	0.0873	2.4600e-003	0.0898	0.0252	2.3600e-003	0.0276	0.0000	337.2685	337.2685	0.0257	0.0000	337.9118
Worker	0.1515	0.1021	1.1121	3.4700e-003	0.3883	2.3300e-003	0.3906	0.1031	2.1400e-003	0.1053	0.0000	314.0117	314.0117	7.3100e-003	0.0000	314.1945
Total	0.1845	1.3911	1.3601	7.0000e-003	0.4756	4.7900e-003	0.4804	0.1283	4.5000e-003	0.1328	0.0000	651.2802	651.2802	0.0330	0.0000	652.1063

3.5 Paving - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0188	0.1938	0.2198	3.4000e-004		0.0102	0.0102		9.3500e-003	9.3500e-003	0.0000	30.0352	30.0352	9.7100e-003	0.0000	30.2781
Paving	0.0138					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0326	0.1938	0.2198	3.4000e-004		0.0102	0.0102		9.3500e-003	9.3500e-003	0.0000	30.0352	30.0352	9.7100e-003	0.0000	30.2781

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

3.5 Paving - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.6000e-004	6.5000e-004	7.0800e-003	2.0000e-005	2.4700e-003	1.0000e-005	2.4900e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9999	1.9999	5.0000e-005	0.0000	2.0011
Total	9.6000e-004	6.5000e-004	7.0800e-003	2.0000e-005	2.4700e-003	1.0000e-005	2.4900e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9999	1.9999	5.0000e-005	0.0000	2.0011

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0188	0.1938	0.2198	3.4000e-004		0.0102	0.0102		9.3500e-003	9.3500e-003	0.0000	30.0352	30.0352	9.7100e-003	0.0000	30.2780
Paving	0.0138					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0326	0.1938	0.2198	3.4000e-004		0.0102	0.0102		9.3500e-003	9.3500e-003	0.0000	30.0352	30.0352	9.7100e-003	0.0000	30.2780

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

3.6 Architectural Coating - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00		
Total	0.00	0.00	0.00		

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Unmitigated	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.3328					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	2.5679					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.7800e-003	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Total	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.3328					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	2.5679					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.7800e-003	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Total	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395

7.0 Water Detail

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

7.1 Mitigation Measures Water

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

7.2 Water by Land Use

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

8.0 Waste Detail

8.1 Mitigation Measures Waste

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

8.2 Waste by Land Use

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

Barker Logistics (Construction - Unmitigated) - Riverside-South Coast County, Annual

11.0 Vegetation

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

Barker Logistics (Operations - Passenger Cars)
Riverside-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Unrefrigerated Warehouse-No Rail	699.63	1000sqft	16.06	699,630.00	0
Other Non-Asphalt Surfaces	157.88	1000sqft	3.62	157,878.00	0
Parking Lot	633.00	Space	10.50	457,594.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.4	Precipitation Freq (Days)	28
Climate Zone	10			Operational Year	2021
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

Project Characteristics -

Land Use - As per the Site Plan, the Project Gross Project Land Area is 1,315,102 square feet (30.19 acres)

Construction Phase - Operations Run Only.

Off-road Equipment - Operations Run Only.

Trips and VMT - Operations Run Only.

Vehicle Trips - Trip Rates based on information provided in the TIA by Urban Crossroads, Inc. (2019)

Energy Mitigation -

Operational Off-Road Equipment - Based on the latest available information from SCAQMD.

Fleet Mix - Operations Run Only.

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	20.00	1.00
tblFleetMix	HHD	0.07	0.00
tblFleetMix	LDA	0.54	1.00
tblFleetMix	LDT1	0.04	0.00
tblFleetMix	LDT2	0.19	0.00
tblFleetMix	LHD1	0.02	0.00
tblFleetMix	LHD2	5.1410e-003	0.00
tblFleetMix	MCY	4.5820e-003	0.00
tblFleetMix	MDV	0.12	0.00
tblFleetMix	MH	1.0380e-003	0.00
tblFleetMix	MHD	0.02	0.00
tblFleetMix	OBUS	1.3830e-003	0.00
tblFleetMix	SBUS	9.4500e-004	0.00
tblFleetMix	UBUS	1.1830e-003	0.00
tblLandUse	LandUseSquareFeet	253,200.00	457,594.00
tblLandUse	LotAcreage	5.70	10.50

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblOperationalOffRoadEquipment	OperDaysPerYear	260.00	365.00
tblOperationalOffRoadEquipment	OperFuelType	Diesel	CNG
tblOperationalOffRoadEquipment	OperHorsePower	97.00	200.00
tblOperationalOffRoadEquipment	OperHoursPerDay	8.00	4.00
tblOperationalOffRoadEquipment	OperOffRoadEquipmentNumber	0.00	3.00
tblVehicleTrips	CNW_TTP	41.00	0.00
tblVehicleTrips	CW_TTP	59.00	100.00
tblVehicleTrips	DV_TP	5.00	0.00
tblVehicleTrips	PB_TP	3.00	0.00
tblVehicleTrips	PR_TP	92.00	100.00
tblVehicleTrips	ST_TR	1.68	1.82
tblVehicleTrips	SU_TR	1.68	1.82
tblVehicleTrips	WD_TR	1.68	1.82

2.0 Emissions Summary

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
		Highest		

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Energy	7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	652.9040	652.9040	0.0253	6.3200e-003	655.4190
Mobile	0.2425	0.4563	5.4583	0.0220	2.8675	0.0148	2.8823	0.7611	0.0136	0.7747	0.0000	1,989.4726	1,989.4726	0.0335	0.0000	1,990.3107
Offroad	0.0748	0.8465	0.4238	1.7400e-003		0.0286	0.0286		0.0263	0.0263	0.0000	152.5217	152.5217	0.0493	0.0000	153.7549
Waste						0.0000	0.0000		0.0000	0.0000	133.4970	0.0000	133.4970	7.8895	0.0000	330.7332
Water						0.0000	0.0000		0.0000	0.0000	51.3283	671.2271	722.5554	5.2996	0.1302	893.8499
Total	3.2275	1.3726	5.9597	0.0241	2.8675	0.0487	2.9162	0.7611	0.0453	0.8064	184.8253	3,466.1623	3,650.9877	13.2973	0.1365	4,024.1072

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Energy	7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	537.4812	537.4812	0.0205	5.3300e-003	539.5833
Mobile	0.2425	0.4563	5.4583	0.0220	2.8675	0.0148	2.8823	0.7611	0.0136	0.7747	0.0000	1,989.4726	1,989.4726	0.0335	0.0000	1,990.3107
Offroad	0.0748	0.8465	0.4238	1.7400e-003		0.0286	0.0286		0.0263	0.0263	0.0000	152.5217	152.5217	0.0493	0.0000	153.7549
Waste						0.0000	0.0000		0.0000	0.0000	133.4970	0.0000	133.4970	7.8895	0.0000	330.7332
Water						0.0000	0.0000		0.0000	0.0000	51.3283	671.2271	722.5554	5.2996	0.1302	893.8499
Total	3.2275	1.3726	5.9597	0.0241	2.8675	0.0487	2.9162	0.7611	0.0453	0.8064	184.8253	3,350.7395	3,535.5648	13.2925	0.1355	3,908.2715

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.33	3.16	0.04	0.73	2.88

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	4/1/2020	4/1/2020	5	1	

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 14.12

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	0	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	0	0.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

3.2 Site Preparation - 2020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

4.0 Operational Detail - Mobile

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.2425	0.4563	5.4583	0.0220	2.8675	0.0148	2.8823	0.7611	0.0136	0.7747	0.0000	1,989.4726	1,989.4726	0.0335	0.0000	1,990.3107
Unmitigated	0.2425	0.4563	5.4583	0.0220	2.8675	0.0148	2.8823	0.7611	0.0136	0.7747	0.0000	1,989.4726	1,989.4726	0.0335	0.0000	1,990.3107

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Unrefrigerated Warehouse-No Rail	1,270.53	1,270.53	1,270.53	7,677,039	7,677,039
Total	1,270.53	1,270.53	1,270.53	7,677,039	7,677,039

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No	16.60	8.40	6.90	100.00	0.00	0.00	100	0	0

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Other Non-Asphalt Surfaces	0.542116	0.037578	0.185203	0.118503	0.016241	0.005141	0.017392	0.068695	0.001383	0.001183	0.004582	0.000945	0.001038
Parking Lot	0.542116	0.037578	0.185203	0.118503	0.016241	0.005141	0.017392	0.068695	0.001383	0.001183	0.004582	0.000945	0.001038
Unrefrigerated Warehouse-No Rail	1.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	461.6913	461.6913	0.0191	3.9400e-003	463.3430
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	577.1141	577.1141	0.0238	4.9300e-003	579.1788
Natural Gas Mitigated	7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	75.7899	75.7899	1.4500e-003	1.3900e-003	76.2403
Natural Gas Unmitigated	7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	75.7899	75.7899	1.4500e-003	1.3900e-003	76.2403

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1.42025e+006	7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	75.7899	75.7899	1.4500e-003	1.3900e-003	76.2403
Total		7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	75.7899	75.7899	1.4500e-003	1.3900e-003	76.2403

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1.42025e+006	7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	75.7899	75.7899	1.4500e-003	1.3900e-003	76.2403
Total		7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	75.7899	75.7899	1.4500e-003	1.3900e-003	76.2403

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	160158	51.0297	2.1100e-003	4.4000e-004	51.2123
Unrefrigerated Warehouse-No Rail	1.65113e+006	526.0844	0.0217	4.4900e-003	527.9665
Total		577.1141	0.0238	4.9300e-003	579.1788

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	128126	40.8238	1.6900e-003	3.5000e-004	40.9698
Unrefrigerated Warehouse-No Rail	1.3209e+006	420.8675	0.0174	3.5900e-003	422.3732
Total		461.6913	0.0191	3.9400e-003	463.3430

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Unmitigated	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.3328					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	2.5679					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.7800e-003	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Total	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.3328					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	2.5679					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.7800e-003	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Total	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395

7.0 Water Detail

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

7.1 Mitigation Measures Water

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	722.5554	5.2996	0.1302	893.8499
Unmitigated	722.5554	5.2996	0.1302	893.8499

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	161.789 / 0	722.5554	5.2996	0.1302	893.8499
Total		722.5554	5.2996	0.1302	893.8499

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

7.2 Water by Land Use**Mitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	161.789 / 0	722.5554	5.2996	0.1302	893.8499
Total		722.5554	5.2996	0.1302	893.8499

8.0 Waste Detail**8.1 Mitigation Measures Waste**

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	133.4970	7.8895	0.0000	330.7332
Unmitigated	133.4970	7.8895	0.0000	330.7332

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	657.65	133.4970	7.8895	0.0000	330.7332
Total		133.4970	7.8895	0.0000	330.7332

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

8.2 Waste by Land Use

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	657.65	133.4970	7.8895	0.0000	330.7332
Total		133.4970	7.8895	0.0000	330.7332

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
Tractors/Loaders/Backhoes	3	4.00	365	200	0.37	CNG

Barker Logistics (Operations - Passenger Cars) - Riverside-South Coast County, Annual

UnMitigated/Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Equipment Type	tons/yr										MT/yr					
Tractors/Loaders/Backhoes	0.0748	0.8465	0.4238	1.7400e-003		0.0286	0.0286		0.0263	0.0263	0.0000	152.5217	152.5217	0.0493	0.0000	153.7549
Total	0.0748	0.8465	0.4238	1.7400e-003		0.0286	0.0286		0.0263	0.0263	0.0000	152.5217	152.5217	0.0493	0.0000	153.7549

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

Barker Logistics (Operations - Trucks)
Riverside-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Unrefrigerated Warehouse-No Rail	699.63	1000sqft	16.06	699,630.00	0
Other Non-Asphalt Surfaces	157.88	1000sqft	3.62	157,878.00	0
Parking Lot	633.00	Space	10.50	457,594.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.4	Precipitation Freq (Days)	28
Climate Zone	10			Operational Year	2021
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

Project Characteristics -

Land Use - As per the Site Plan, the Project Gross Project Land Area is 1,315,102 square feet (30.19 acres)

Construction Phase - Operations Run Only.

Off-road Equipment - Operations Run Only.

Trips and VMT - Operations Run Only.

Vehicle Trips - Trip Rates based on information provided in the TIA by Urban Crossroads, Inc. (2019)

Energy Mitigation -

Operational Off-Road Equipment - Based on the latest available information from SCAQMD.

Fleet Mix - Operations Run Only.

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	20.00	1.00
tblFleetMix	HHD	0.07	0.57
tblFleetMix	LDA	0.54	0.00
tblFleetMix	LDT1	0.04	0.00
tblFleetMix	LDT2	0.19	0.00
tblFleetMix	LHD1	0.02	0.22
tblFleetMix	LHD2	5.1410e-003	0.00
tblFleetMix	MCY	4.5820e-003	0.00
tblFleetMix	MDV	0.12	0.00
tblFleetMix	MH	1.0380e-003	0.00
tblFleetMix	MHD	0.02	0.22
tblFleetMix	OBUS	1.3830e-003	0.00
tblFleetMix	SBUS	9.4500e-004	0.00
tblFleetMix	UBUS	1.1830e-003	0.00
tblLandUse	LandUseSquareFeet	253,200.00	457,594.00
tblLandUse	LotAcreage	5.70	10.50

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblOperationalOffRoadEquipment	OperDaysPerYear	260.00	365.00
tblOperationalOffRoadEquipment	OperFuelType	Diesel	CNG
tblOperationalOffRoadEquipment	OperHorsePower	97.00	200.00
tblOperationalOffRoadEquipment	OperHoursPerDay	8.00	4.00
tblOperationalOffRoadEquipment	OperOffRoadEquipmentNumber	0.00	3.00
tblVehicleTrips	CNW_TTP	41.00	0.00
tblVehicleTrips	CW_TL	16.60	60.00
tblVehicleTrips	CW_TTP	59.00	100.00
tblVehicleTrips	DV_TP	5.00	0.00
tblVehicleTrips	PB_TP	3.00	0.00
tblVehicleTrips	PR_TP	92.00	100.00
tblVehicleTrips	ST_TR	1.68	0.39
tblVehicleTrips	SU_TR	1.68	0.39
tblVehicleTrips	WD_TR	1.68	0.39

2.0 Emissions Summary

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
		Highest		

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Energy	7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	652.9040	652.9040	0.0253	6.3200e-003	655.4190
Mobile	0.4944	17.9243	3.9794	0.0788	2.6363	0.0843	2.7206	0.7438	0.0806	0.8244	0.0000	7,532.5362	7,532.5362	0.2197	0.0000	7,538.0287
Offroad	0.0748	0.8465	0.4238	1.7400e-003		0.0286	0.0286		0.0263	0.0263	0.0000	152.5217	152.5217	0.0493	0.0000	153.7549
Waste						0.0000	0.0000		0.0000	0.0000	133.4970	0.0000	133.4970	7.8895	0.0000	330.7332
Water						0.0000	0.0000		0.0000	0.0000	51.3283	671.2271	722.5554	5.2996	0.1302	893.8499
Total	3.4794	18.8406	4.4808	0.0809	2.6363	0.1182	2.7545	0.7438	0.1123	0.8561	184.8253	9,009.2259	9,194.0513	13.4835	0.1365	9,571.8251

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Energy	7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	537.4812	537.4812	0.0205	5.3300e-003	539.5833
Mobile	0.4944	17.9243	3.9794	0.0788	2.6363	0.0843	2.7206	0.7438	0.0806	0.8244	0.0000	7,532.5362	7,532.5362	0.2197	0.0000	7,538.0287
Offroad	0.0748	0.8465	0.4238	1.7400e-003		0.0286	0.0286		0.0263	0.0263	0.0000	152.5217	152.5217	0.0493	0.0000	153.7549
Waste						0.0000	0.0000		0.0000	0.0000	133.4970	0.0000	133.4970	7.8895	0.0000	330.7332
Water						0.0000	0.0000		0.0000	0.0000	51.3283	671.2271	722.5554	5.2996	0.1302	893.8499
Total	3.4794	18.8406	4.4808	0.0809	2.6363	0.1182	2.7545	0.7438	0.1123	0.8561	184.8253	8,893.8031	9,078.6284	13.4787	0.1355	9,455.9894

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.28	1.26	0.04	0.73	1.21

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	4/1/2020	4/1/2020	5	1	

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 14.12

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	0	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	0	0.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

3.2 Site Preparation - 2020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

4.0 Operational Detail - Mobile

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.4944	17.9243	3.9794	0.0788	2.6363	0.0843	2.7206	0.7438	0.0806	0.8244	0.0000	7,532.5362	7,532.5362	0.2197	0.0000	7,538.0287
Unmitigated	0.4944	17.9243	3.9794	0.0788	2.6363	0.0843	2.7206	0.7438	0.0806	0.8244	0.0000	7,532.5362	7,532.5362	0.2197	0.0000	7,538.0287

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Unrefrigerated Warehouse-No Rail	274.95	274.95	274.95	6,005,008	6,005,008
Total	274.95	274.95	274.95	6,005,008	6,005,008

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No	60.00	8.40	6.90	100.00	0.00	0.00	100	0	0

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Other Non-Asphalt Surfaces	0.542116	0.037578	0.185203	0.118503	0.016241	0.005141	0.017392	0.068695	0.001383	0.001183	0.004582	0.000945	0.001038
Parking Lot	0.542116	0.037578	0.185203	0.118503	0.016241	0.005141	0.017392	0.068695	0.001383	0.001183	0.004582	0.000945	0.001038
Unrefrigerated Warehouse-No Rail	0.000000	0.000000	0.000000	0.000000	0.215000	0.000000	0.215000	0.570000	0.000000	0.000000	0.000000	0.000000	0.000000

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	461.6913	461.6913	0.0191	3.9400e-003	463.3430
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	577.1141	577.1141	0.0238	4.9300e-003	579.1788
NaturalGas Mitigated	7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	75.7899	75.7899	1.4500e-003	1.3900e-003	76.2403
NaturalGas Unmitigated	7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	75.7899	75.7899	1.4500e-003	1.3900e-003	76.2403

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1.42025e+006	7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	75.7899	75.7899	1.4500e-003	1.3900e-003	76.2403
Total		7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	75.7899	75.7899	1.4500e-003	1.3900e-003	76.2403

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1.42025e+006	7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	75.7899	75.7899	1.4500e-003	1.3900e-003	76.2403
Total		7.6600e-003	0.0696	0.0585	4.2000e-004		5.2900e-003	5.2900e-003		5.2900e-003	5.2900e-003	0.0000	75.7899	75.7899	1.4500e-003	1.3900e-003	76.2403

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	160158	51.0297	2.1100e-003	4.4000e-004	51.2123
Unrefrigerated Warehouse-No Rail	1.65113e+006	526.0844	0.0217	4.4900e-003	527.9665
Total		577.1141	0.0238	4.9300e-003	579.1788

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	128126	40.8238	1.6900e-003	3.5000e-004	40.9698
Unrefrigerated Warehouse-No Rail	1.3209e+006	420.8675	0.0174	3.5900e-003	422.3732
Total		461.6913	0.0191	3.9400e-003	463.3430

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Unmitigated	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.3328					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	2.5679					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.7800e-003	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Total	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.3328					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	2.5679					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.7800e-003	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395
Total	2.9025	1.8000e-004	0.0191	0.0000		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	0.0370	0.0370	1.0000e-004	0.0000	0.0395

7.0 Water Detail

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

7.1 Mitigation Measures Water

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	722.5554	5.2996	0.1302	893.8499
Unmitigated	722.5554	5.2996	0.1302	893.8499

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	161.789 / 0	722.5554	5.2996	0.1302	893.8499
Total		722.5554	5.2996	0.1302	893.8499

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

7.2 Water by Land Use

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	161.789 / 0	722.5554	5.2996	0.1302	893.8499
Total		722.5554	5.2996	0.1302	893.8499

8.0 Waste Detail

8.1 Mitigation Measures Waste

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	133.4970	7.8895	0.0000	330.7332
Unmitigated	133.4970	7.8895	0.0000	330.7332

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	657.65	133.4970	7.8895	0.0000	330.7332
Total		133.4970	7.8895	0.0000	330.7332

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

8.2 Waste by Land Use

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	657.65	133.4970	7.8895	0.0000	330.7332
Total		133.4970	7.8895	0.0000	330.7332

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
Tractors/Loaders/Backhoes	3	4.00	365	200	0.37	CNG

Barker Logistics (Operations - Trucks) - Riverside-South Coast County, Annual

UnMitigated/Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Equipment Type	tons/yr										MT/yr					
Tractors/Loaders/Backhoes	0.0748	0.8465	0.4238	1.7400e-003		0.0286	0.0286		0.0263	0.0263	0.0000	152.5217	152.5217	0.0493	0.0000	153.7549
Total	0.0748	0.8465	0.4238	1.7400e-003		0.0286	0.0286		0.0263	0.0263	0.0000	152.5217	152.5217	0.0493	0.0000	153.7549

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

This page intentionally left blank

APPENDIX 3.2:
EMFAC 2014 MODEL OUTPUTS

EMFAC2014 (v1.0.7) Emissions Inventory

Region Type: Air District

Region: South Coast AQMD

Calendar Year: 2021

Season: Annual

Vehicle Classification: EMFAC2007 Categories

Units: miles/day for VMT, trips/day for Trips, tons/day for Emissions, 1000 gallons/day for Fuel Consumption

Region	CalYr	VehClass	MdlYr	Speed	Fuel	Population	VMT	Fuel_Const	Fuel_Consump	Total Fuel	VMT	Total VMT	Miles per C	Vehicle Class
South Coas	2021	HHDT	Aggregator	Aggregator	GAS	823.2087286	107176.6194	22.53679	22536.79335	2343109.906	107176.6194	13861359	5.92	HHDT
South Coas	2021	HHDT	Aggregator	Aggregator	DSL	96532.34077	13754182.38	2320.573	2320573.113		13754182.38			
South Coas	2021	LDA	Aggregator	Aggregator	GAS	6317233.309	216223383.6	7598.558	7598558.222	7658378.318		227241915.2	29.67	LDA
South Coas	2021	LDA	Aggregator	Aggregator	DSL	62692.86424	2281927.742	59.8201	59820.09573		2281927.742			
South Coas	2021	LDA	Aggregator	Aggregator	ELEC	191261.1143	8736603.92	0	0		8736603.92			
South Coas	2021	LDT1	Aggregator	Aggregator	GAS	532419.0891	17871995.66	748.4599	748459.8882	749078.2841	17871995.66	17900479.43	23.90	LDT1
South Coas	2021	LDT1	Aggregator	Aggregator	DSL	629.2325464	16738.35936	0.618396	618.395876		16738.35936			
South Coas	2021	LDT1	Aggregator	Aggregator	ELEC	378.2539503	11745.41472	0	0		11745.41472			
South Coas	2021	LDT2	Aggregator	Aggregator	GAS	2246896.256	82938079.96	3878.76	3878759.636	3884273.531	82938079.96	83097894.63	21.39	LDT2
South Coas	2021	LDT2	Aggregator	Aggregator	DSL	4026.382278	159814.6683	5.513895	5513.895108		159814.6683			
South Coas	2021	LHDT1	Aggregator	Aggregator	GAS	116651.7345	3313778.02	302.6623	302662.2652	466352.0589	3313778.02	6678747.181	14.32	LHDT1
South Coas	2021	LHDT1	Aggregator	Aggregator	DSL	95358.85299	3364969.161	163.6898	163689.7937		3364969.161			
South Coas	2021	LHDT2	Aggregator	Aggregator	GAS	24680.39897	848738.0102	82.97672	82976.71564	166309.6851	848738.0102	2422282.882	14.56	LHDT2
South Coas	2021	LHDT2	Aggregator	Aggregator	DSL	40538.55589	1573544.872	83.33297	83332.9695		1573544.872			
South Coas	2021	MCY	Aggregator	Aggregator	GAS	299528.9631	1994547.45	56.55392	56553.92012	56553.92012	1994547.45	1994547.45	35.27	MCY
South Coas	2021	MDV	Aggregator	Aggregator	GAS	1480778.261	48862748.54	3101.693	3101692.646	3144042.809	48862748.54	49811100.13	15.84	MDV
South Coas	2021	MDV	Aggregator	Aggregator	DSL	24741.89842	948351.5843	42.35016	42350.1627		948351.5843			MDV
South Coas	2021	MH	Aggregator	Aggregator	GAS	37097.0846	299720.0104	40.36956	40369.55598	48460.52457	299720.0104	382793.4097	7.90	MH
South Coas	2021	MH	Aggregator	Aggregator	DSL	9926.141785	83073.39932	8.090969	8090.96859		83073.39932			
South Coas	2021	MHDT	Aggregator	Aggregator	GAS	19823.91624	978719.6762	138.7205	138720.4598	1022038.62	978719.6762	8708816.564	8.52	MHDT
South Coas	2021	MHDT	Aggregator	Aggregator	DSL	136163.7888	7730096.888	883.3182	883318.1598		7730096.888			
South Coas	2021	OBUS	Aggregator	Aggregator	GAS	8678.564136	398409.1994	55.0461	55046.10291	117544.7516	398409.1994	857150.4655	7.29	OBUS
South Coas	2021	OBUS	Aggregator	Aggregator	DSL	5588.947652	458741.2662	62.49865	62498.64869		458741.2662			
South Coas	2021	SBUS	Aggregator	Aggregator	GAS	2380.066929	90130.13325	7.906256	7906.256443	35881.76852	90130.13325	292571.4414	8.15	SBUS
South Coas	2021	SBUS	Aggregator	Aggregator	DSL	5323.894429	202441.3082	27.97551	27975.51208		202441.3082			
South Coas	2021	UBUS	Aggregator	Aggregator	GAS	2393.684296	272429.2967	54.17494	54174.93545	158735.2646	272429.2967	777296.1424	4.90	UBUS
South Coas	2021	UBUS	Aggregator	Aggregator	DSL	4433.195051	504866.8458	104.5603	104560.3292		504866.8458			