June 9, 2022

Ms. Jerrica Harding
T&B Planning, Inc.
4909 Murphy Canyon Road, Suite 405
San Diego, CA 92123

KELLER CROSSING SPECIFIC PLAN AIR QUALITY AND GREENHOUSE GAS ASSESSMENT EVALUATION

Ms. Jerrica Harding,

Urban Crossroads, Inc. is pleased to provide the following Air Quality and Greenhouse Gas Assessment Evaluation (referred to as Memo) for Keller Crossing Specific Plan development which is located on the northwest corner of Winchester Road (SR-79) and Keller Road in the County of Riverside.

BACKGROUND

In May 2022, the California Air Pollution Control Officers Association (CAPCOA) in conjunction with other California air districts, including SCAQMD, released the latest version of the CalEEMod Version 2022. The purpose of this model is to calculate construction-source and operational-source criteria pollutant (VOCs, NO_X, SO_X, CO, PM_{10}, and $PM_{2.5}$) and GHG emissions from direct and indirect sources; and quantify applicable air quality and GHG reductions achieved from MMs.

The previously completed Keller Crossing Specific Plan Air Quality Impact Analysis (dated October 8, 2021) and Keller Crossing Specific Plan Greenhouse Gas Analysis (dated October 14, 2021) (referred to herein as "technical studies") were prepared before the release of CalEEMod Version 2022.1. Accordingly, the latest version of CalEEMod has been used for this Project to determine construction and operational emissions. Output from the model runs for both construction and operational activity are provided in Attachments A through C.

Construction emissions were modeled in CalEEMod 2022 utilizing the construction schedule, phasing, and equipment assumptions detailed in the previous technical studies. Operational emissions were modeled assuming a Project opening year of 2028. However, in order to remain conservative, the construction schedule has not been modified from the previous analysis, which assumed that construction would begin in November 2022 and be completed by the end of 2024.

As shown on Tables 1 through 4, use of CalEEMod 2022.1 would result in an exceedance of the SCAQMD regional significance threshold for emissions of VOCs during the operational phase of the proposed Project. It is important to note that a majority of the operational-source VOC

emissions would be generated by mobile sources (vehicle exhaust) and cannot meaningfully be controlled or mitigated by the Project applicant.

PROJECT AIR QUALITY EMISSIONS SUMMARY

TABLE 1: CONSTRUCTION EMISSIONS SUMMARY

Source	Emissions (lbs/day)					
	VOC	NO_X	CO	SO_X	PM_{10}	$PM_{2.5}$
	Summer					
2022	4.08	29.70	51.50	0.07	5.05	2.05
2023	69.30	37.50	66.40	0.08	6.20	2.54
	Winter					
2022	9.94	95.80	76.80	0.11	13.90	8.33
2023	4.32	41.10	46.20	0.07	5.05	2.86
2024	69.20	37.90	60.20	0.08	6.20	2.54
Maximum Daily Emissions	**69.30**	**95.80**	**76.80**	**0.11**	**13.90**	**8.33**
SCAQMD Regional Threshold	75	100	550	150	150	55
Threshold Exceeded?	**NO**	**NO**	**NO**	**NO**	**NO**	**NO**

TABLE 2: OPERATIONAL EMISSIONS SUMMARY (1 OF 2)

Source	Emissions (lbs/day)					
	VOC	NO_X	CO	SO_X	PM_{10}	$PM_{2.5}$
	Summer					
Area Source	26.8	6.82	35.00	0.04	0.55	0.55
Energy Source	0.49	8.45	4.17	0.05	0.68	0.68
Mobile Source	73.40	25.30	242.00	0.61	22.10	4.27
Total Maximum Daily Emissions	**100.69**	**40.57**	**281.17**	**0.70**	**23.33**	**5.50**
SCAQMD Regional Threshold	55	55	550	150	150	55
Threshold Exceeded?	**YES**	**NO**	**NO**	**NO**	**NO**	**NO**

TABLE 2: OPERATIONAL EMISSIONS SUMMARY (2 OF 2)

Source	Emissions (lbs/day)					
	VOC	NO_X	CO	SO_X	PM_{10}	$PM_{2.5}$
Winter						
Area Source	23.20	6.50	2.77	0.04	0.53	0.53
Energy Source	0.49	8.45	4.17	0.05	0.68	0.68
Mobile Source	71.30	27.00	205.00	0.58	22.10	4.27
Total Maximum Daily Emissions	**94.99**	**41.95**	**211.94**	**0.67**	**23.31**	**5.48**
SCAQMD Regional Threshold	55	55	550	150	150	55
Threshold Exceeded?	**YES**	**NO**	**NO**	**NO**	**NO**	**NO**

LOCALIZED EMISSIONS SUMMARY

BACKGROUND

The analysis makes use of methodology included in the SCAQMD Final Localized Significance Threshold Methodology (LST Methodology). The SCAQMD has established that impacts to air quality are significant if there is a potential to contribute or cause localized exceedances of the federal and/or state ambient air quality standards (NAAQS/CAAQS). Collectively, these are referred to as Localized Significance Thresholds (LSTs).

The SCAQMD established LSTs in response to the SCAQMD Governing Board's Environmental Justice Initiative I-41. LSTs represent the maximum emissions from a project that would not cause or contribute to an exceedance of the most stringent applicable federal or state ambient air quality standards at the nearest residence or sensitive receptor. The SCAQMD states that lead agencies can use LSTs as another indicator of significance in its air quality impact analyses.

LSTs were developed in response to environmental justice and health concerns raised by the public regarding exposure of individuals to criteria pollutants in local communities. To address the issue of localized significance, the SCAQMD adopted LSTs that show whether a project would cause or contribute to localized air quality impacts and thereby cause or contribute to potential localized adverse health effects. The analysis makes use of methodology included in the LST

[1] The purpose of SCAQMD's Environmental Justice program is to ensure that everyone has the right to equal protection from air pollution and fair access to the decision-making process that works to improve the quality of air within their communities. Further, the SCAQMD defines Environmental Justice as "…equitable environmental policymaking and enforcement to protect the health of all residents, regardless of age, culture, ethnicity, gender, race, socioeconomic status, or geographic location, from the health effects of air pollution."

Methodology. Based on SCAQMD's guidance, LSTs only apply to concentrations of CO, NO_2, PM_{10}, and $PM_{2.5}$.

EMISSIONS CONSIDERED

Based on SCAQMD's LST Methodology, emissions for concern during construction activities are on-site NO_X, CO, $PM_{2.5}$, and PM_{10}. The LST Methodology clearly states (page 1-4) that "off-site mobile emissions from the Project should not be included in the emissions compared to LSTs." As such, for purposes of the construction LST analysis, only emissions included in the CalEEMod "on-site" emissions outputs were considered.

DISPERSION MODELING

In order to estimate localized pollutant concentrations resulting from Project construction, the SCAQMD-approved AERMOD dispersion model was utilized. The modeling approach utilized is discussed as follows:

SOURCES

It should be noted that to model worst-case conditions, the highest daily peak on-site emissions resulting from overlapping construction activity were modeled.

A ground level release height and a 1 meter (~3.28 feet) initial vertical dimension (sigma z) were utilized for emissions of PM_{10} and $PM_{2.5}$ consistent with SCAQMD's LST guidance.

In order to account for equipment exhaust emissions of NO_2 and CO, a release height of 5.0 meters was utilized consistent with SCAQMD's LST guidance.

METEOROLOGICAL DATA AND MODEL OPTIONS

To account for meteorological conditions at the Project site, meteorological data from the SCAQMD's Perris monitoring station was utilized, as this is the nearest station to the Project site for which meteorological data is available. Additionally, a receptor height of 2 meters and regulatory default options were utilized consistent with SCAQMD's LST guidance.

RECEPTORS

As previously stated, LSTs represent the maximum emissions from a project that would not cause or contribute to an exceedance of the most stringent applicable NAAQS and CAAQS at the nearest residence or sensitive receptor. Receptor locations are off-site locations where individuals may be exposed to emissions from Project activities.

Some people are especially sensitive to air pollution and are given special consideration when evaluating air quality impacts from projects. These groups of people include children, the elderly, and individuals with pre-existing respiratory or cardiovascular illness. Structures that house these persons or places where they gather are defined as "sensitive receptors." These structures typically include uses such as residences, schools, hotels, and hospitals where an individual can

remain for 24 hours. Consistent with the LST Methodology, the nearest land use where an individual could remain for 24 hours to the Project site will be used to determine construction and operational air quality impacts for emissions of PM_{10} and $PM_{2.5}$, since PM_{10} and $PM_{2.5}$ thresholds are based on a 24-hour averaging time.

LSTs apply, even for non-sensitive land uses, consistent with *LST Methodology* and SCAQMD guidance. Per the *LST Methodology*, commercial and industrial facilities are not included in the definition of sensitive receptor because employees and patrons do not typically remain onsite for a full 24 hours but are typically onsite for 8 hours or less. However, *LST Methodology* explicitly states that "*LSTs based on shorter averaging periods, such as the NO_2 and CO LSTs, could also be applied to receptors such as industrial or commercial facilities since it is reasonable to assume that a worker at these sites could be present for periods of one to eight hours* (11)." Therefore, any adjacent land use where an individual could remain for 1 or 8-hours, which is located at a closer distance to the Project site than the receptor used for PM_{10} and $PM_{2.5}$ analysis, must be considered to determine construction and operational LST air impacts for emissions of NO_2 and CO since these pollutants have shorter averaging times of 1 or 8-hours.

CONSTRUCTION-SOURCE LOCALIZED EMISSIONS

Emissions during peak construction activity will not exceed the SCAQMD's localized significance thresholds as illustrated on Table 3. As such, the Project's localized impacts during construction activity would be less than significant. Outputs from the model runs for construction LSTs are provided in Attachment D.

TABLE 3: LOCALIZED SIGNIFICANCE SUMMARY CONSTRUCTION

Peak Construction	CO		NO_2	PM_{10}	$PM_{2.5}$
	Averaging Time				
	1-Hour	8-Hours	1-Hour	24-Hours	24-Hours
Localized Emissions	0.02	0.01	0.02	0.66	0.36
Concentration[A]	2.6	2.4	0.06	N/A	N/A
Total Concentration	**2.62**	**2.41**	**0.08**	**0.66**	**0.36**
SCAQMD Localized Significance Threshold	20	9	0.18	10.4	10.4
Threshold Exceeded?	**NO**	**NO**	**NO**	**NO**	**NO**

[A] Highest background concentration from the last three years of available data.

Note: PM_{10} and $PM_{2.5}$ concentrations are expressed in $\mu g/m^3$. All others are expressed in ppm

OPERATIONAL-SOURCE LOCALIZED EMISSIONS

The LST analysis generally includes on-site sources (including area, energy, on-site mobile, and on-site cargo handling equipment, as discussed in the AQIA). However, it should be noted that

the CalEEMod outputs do not separate on-site and off-site emissions from mobile sources. As such, to establish a maximum potential impact scenario for analytic purposes, the modeled emissions include all on-site Project-related stationary (area) sources and 10% of the Project-related mobile sources.

Emissions during the peak operational activity will not exceed the SCAQMD's localized significance thresholds as illustrated on Table 4. As such, the Project's localized impacts during operational activity would be less than significant. Outputs from the model runs for operational LSTs are provided in Attachment D.

TABLE 4: LOCALIZED SIGNIFICANCE SUMMARY PEAK OPERATION

Peak Operation	CO		NO_2	PM_{10}	$PM_{2.5}$
	Averaging Time				
	1-Hour	8-Hours	1-Hour	24-Hours	24-Hours
Localized Emissions	6.72E-03	4.91E-03	1.15E-03	0.22	0.11
Concentration[A]	2.6	2.4	0.06	N/A	N/A
Total Concentration	**2.61**	**2.40**	**0.06**	**0.22**	**0.11**
SCAQMD Localized Significance Threshold	20	9	0.18	2.5	2.5
Threshold Exceeded?	**NO**	**NO**	**NO**	**NO**	**NO**

[A] Highest background concentration from the last three years of available data.

Note: PM_{10} and $PM_{2.5}$ concentrations are expressed in $\mu g/m^3$. All others are expressed in ppm

PROJECT GHG ANALYSIS

Greenhouse gas emissions resulting from construction and operation of the proposed Project was also modeled using CalEEMod 2022. For the operational phase of the proposed Project, an opening year of 2028 has been assumed as previously noted. However, all other assumptions and inputs remain consistent with the previous technical studies.

Tables 5 and 6 below present the construction and operational GHG emissions from CalEEMod 2022.

TABLE 5: CONSTRUCTION GHG EMISSIONS SUMMARY

Year	Emissions (MT/yr)				
	CO_2	CH_4	N_2O	R	Total CO_2E
2022	196.00	0.01	< 0.005	0.02	197.00
2023	1,245.00	0.05	0.06	1.02	1,264.00
2024	1,412.00	0.05	0.06	1.12	1,433.00
Total Annual Construction Emissions	2,853.00	0.11	0.12	2.16	2,894.00
Amortized Construction Emissions ($MTCO_2E$)	**95.10**	**3.67E-03**	**4.00E-03**	**0.07**	**96.47**

TABLE 6: OPERATIONAL GHG EMISSIONS SUMMARY (2028 OPENING YEAR)

Source	Emissions (MT/yr)				
	CO_2	CH_4	N_20	R	Total CO_2E
Annual construction-related emissions amortized over 30 years	95.10	3.67E-03	4.00E-03	0.07	96.47
Area	105.00	< 0.005	< 0.005	N/A	105.00
Energy	2,854.00	0.26	0.02	N/A	2,865.00
Mobile	6,276.00	0.31	0.31	8.26	6,385.00
Waste	64.80	6.48	0.00	N/A	227.00
Water	120.00	1.05	0.03	N/A	154.00
Refrigerants	N/A	N/A	N/A	67.70	67.70
Total CO_2E (All Sources)	**9,900.17**				

According to Appendix D-1 of the County of Riverside CAP, if a Project can demonstrate an efficiency equal to or greater than the 25% GHG efficiency identified in the CAP when comparing the emissions estimate of the Project assuming efficiency levels in 2020, the Project is considered to consistent with the reduction quantities anticipated in the County of Riverside CAP for the land use located at the site. As shown above in Table 6, the Project as proposed will result in 9,900.17 MT CO_2E/yr. As shown below in Table 7, under a 2020 scenario the Project would result in 13,307.47 MT CO_2E/yr. Thus, the Project as proposed would be approximately 26% ([13,307.47-9,900.17]/13,307.47 = 25.6%) more efficient than the County of Riverside's CAP projected reductions through 2030. Therefore, impacts would be less than significant.

TABLE 7: OPERATIONAL GHG EMISSIONS SUMMARY (2020 EFFICIENCY)

Source	Emissions (MT/yr)				
	CO_2	CH_4	N_20	R	Total CO_2E
Annual construction-related emissions amortized over 30 years	95.10	3.67E-03	4.00E-03	0.07	96.47
Area	105.00	< 0.005	< 0.005	N/A	105.00
Energy	3,442.00	0.26	0.02	N/A	3,453.00
Mobile	7,345.00	0.44	0.40	16.80	7,493.00
Waste	64.80	6.48	0.00	N/A	227.00
Water	179.00	1.05	0.03	N/A	213.00
Refrigerants	N/A	N/A	N/A	1,720.00	1,270.00
Total CO_2E (All Sources)	**13,307.47**				

ATTACHMENT A

CALEEMOD 2022 PROPOSED PROJECT EMISSIONS MODEL OUTPUTS – CONSTRUCTION

Keller Crossing Construction Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

2.2. Construction Emissions by Year, Unmitigated

3. Construction Emissions Details

3.1. Site Preparation (2022) - Unmitigated

3.3. Grading (2022) - Unmitigated

3.5. Grading (2023) - Unmitigated

3.7. Building Construction (2023) - Unmitigated

3.9. Building Construction (2024) - Unmitigated

3.11. Paving (2024) - Unmitigated

3.13. Architectural Coating (2024) - Unmitigated

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	Keller Crossing Construction
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	14.0
Location	33.63226674287439, -117.09626207992557
County	Riverside-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5545
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Pharmacy/Drugstore w/o Drive Thru	14.0	1000sqft	0.32	14,000	0.00	—	—	—
Other Non-Asphalt Surfaces	48.3	Acre	48.3	0.00	0.00	—	—	—

City Park	6.50	Acre	6.50	0.00	283,140	283,140	—	—
Fast Food Restaurant with Drive Thru	10.5	1000sqft	0.24	10,500	0.00	—	—	—
Retirement Community	80.0	Dwelling Unit	16.0	84,800	0.00	—	258	—
Single Family Housing	356	Dwelling Unit	116	694,200	4,169,777	—	1,150	—
Strip Mall	102	1000sqft	3.31	101,500	0.00	—	—	—
Supermarket	50.0	1000sqft	1.15	50,000	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	6.16	69.3	37.5	66.4	0.08	1.54	4.66	6.20	1.42	1.12	2.54	—	13,708	13,708	0.52	0.56	24.1	13,912
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	11.8	69.2	95.8	76.8	0.11	4.90	9.02	13.9	4.51	3.83	8.33	—	13,352	13,352	0.53	0.56	0.63	13,533
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	3.70	24.2	23.3	37.4	0.05	0.93	2.96	3.88	0.86	0.71	1.57	—	8,530	8,530	0.33	0.38	6.78	8,658

Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.67	4.41	4.25	6.82	0.01	0.17	0.54	0.71	0.16	0.13	0.29	—	1,412	1,412	0.05	0.06	1.12	1,433

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2023	4.78	4.08	29.7	51.5	0.07	1.23	3.82	5.05	1.13	0.92	2.05	—	11,202	11,202	0.41	0.52	21.9	11,388
2024	6.16	69.3	37.5	66.4	0.08	1.54	4.66	6.20	1.42	1.12	2.54	—	13,708	13,708	0.52	0.56	24.1	13,912
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2022	11.8	9.94	95.8	76.8	0.11	4.90	9.02	13.9	4.51	3.83	8.33	—	12,959	12,959	0.53	0.13	0.09	13,010
2023	5.13	4.32	41.1	46.2	0.07	1.96	3.82	5.05	1.80	1.06	2.86	—	10,913	10,913	0.42	0.52	0.57	11,078
2024	6.07	69.2	37.9	60.2	0.08	1.54	4.66	6.20	1.42	1.12	2.54	—	13,352	13,352	0.53	0.56	0.63	13,533
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2022	1.08	0.91	8.78	7.06	0.01	0.45	0.83	1.28	0.41	0.35	0.77	—	1,186	1,186	0.05	0.01	0.14	1,191
2023	3.37	2.86	22.1	32.5	0.05	0.92	2.64	3.56	0.85	0.66	1.51	—	7,523	7,523	0.29	0.34	6.13	7,636
2024	3.70	24.2	23.3	37.4	0.05	0.93	2.96	3.88	0.86	0.71	1.57	—	8,530	8,530	0.33	0.38	6.78	8,658
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2022	0.20	0.17	1.60	1.29	< 0.005	0.08	0.15	0.23	0.08	0.06	0.14	—	196	196	0.01	< 0.005	0.02	197
2023	0.62	0.52	4.03	5.94	0.01	0.17	0.48	0.65	0.15	0.12	0.28	—	1,245	1,245	0.05	0.06	1.02	1,264
2024	0.67	4.41	4.25	6.82	0.01	0.17	0.54	0.71	0.16	0.13	0.29	—	1,412	1,412	0.05	0.06	1.12	1,433

3. Construction Emissions Details

3.1. Site Preparation (2022) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	6.21	5.22	51.1	39.3	0.05	2.76	—	2.76	2.54	—	2.54	—	5,526	5,526	0.22	0.04	—	5,545
Dust From Material Movement	—	—	—	—	—	—	5.66	5.66	—	2.69	2.69	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.58	0.49	4.76	3.66	< 0.005	0.26	—	0.26	0.24	—	0.24	—	515	515	0.02	< 0.005	—	517
Dust From Material Movement	—	—	—	—	—	—	0.53	0.53	—	0.25	0.25	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.11	0.09	0.87	0.67	< 0.005	0.05	—	0.05	0.04	—	0.04	—	85.2	85.2	< 0.005	< 0.005	—	85.5

Dust From Material Movement	—	—	—	—	—	—	0.10	0.10	—	0.05	0.05	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.17	0.14	0.18	2.05	0.00	0.00	0.02	0.02	0.00	0.00	0.00	—	378	378	0.02	0.01	0.05	383
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.01	0.02	0.20	0.00	0.00	< 0.005	< 0.005	0.00	0.00	0.00	—	35.7	35.7	< 0.005	< 0.005	0.08	36.2
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	< 0.005	< 0.005	0.00	0.00	0.00	—	5.91	5.91	< 0.005	< 0.005	0.01	5.99
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Grading (2022) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	5.29	4.44	44.3	33.6	0.06	2.14	—	2.14	1.97	—	1.97	—	6,711	6,711	0.27	0.05	—	6,734
Dust From Material Movement	—	—	—	—	—	—	2.67	2.67	—	0.98	0.98	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.48	0.40	3.99	3.02	0.01	0.19	—	0.19	0.18	—	0.18	—	604	604	0.02	< 0.005	—	606
Dust From Material Movement	—	—	—	—	—	—	0.24	0.24	—	0.09	0.09	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.09	0.07	0.73	0.55	< 0.005	0.04	—	0.04	0.03	—	0.03	—	100	100	< 0.005	< 0.005	—	100
Dust From Material Movement	—	—	—	—	—	—	0.04	0.04	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.15	0.13	0.17	1.86	0.00	0.00	0.02	0.02	0.00	0.00	0.00	—	344	344	0.02	0.01	0.04	348
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.02	0.18	0.00	0.00	< 0.005	< 0.005	0.00	0.00	0.00	—	31.4	31.4	< 0.005	< 0.005	0.07	31.8
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	< 0.005	< 0.005	0.00	0.00	0.00	—	5.19	5.19	< 0.005	< 0.005	0.01	5.27
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Grading (2023) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	5.00	4.20	40.9	32.7	0.06	1.96	—	1.96	1.80	—	1.80	—	6,715	6,715	0.27	0.05	—	6,738

Dust From Material Movement	—	—	—	—	—	—	2.67	2.67	—	0.98	0.98	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.33	0.28	2.72	2.17	< 0.005	0.13	—	0.13	0.12	—	0.12	—	447	447	0.02	< 0.005	—	448
Dust From Material Movement	—	—	—	—	—	—	0.18	0.18	—	0.07	0.07	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.06	0.05	0.50	0.40	< 0.005	0.02	—	0.02	0.02	—	0.02	—	74.0	74.0	< 0.005	< 0.005	—	74.2
Dust From Material Movement	—	—	—	—	—	—	0.03	0.03	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.14	0.13	0.15	1.72	0.00	0.00	0.02	0.02	0.00	0.00	0.00	—	337	337	0.02	0.01	0.04	342
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.12	0.00	0.00	< 0.005	< 0.005	0.00	0.00	0.00	—	22.7	22.7	< 0.005	< 0.005	0.05	23.1
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	0.00	0.00	—	3.76	3.76	< 0.005	< 0.005	0.01	3.82
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Building Construction (2023) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.24	2.71	25.6	28.6	0.05	1.19	—	1.19	1.10	—	1.10	—	5,260	5,260	0.21	0.04	—	5,278
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.24	2.71	25.6	28.6	0.05	1.19	—	1.19	1.10	—	1.10	—	5,260	5,260	0.21	0.04	—	5,278
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	2.08	1.74	16.5	18.4	0.03	0.77	—	0.77	0.71	—	0.71	—	3,387	3,387	0.14	0.03	—	3,398
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.38	0.32	3.01	3.36	0.01	0.14	—	0.14	0.13	—	0.13	—	561	561	0.02	< 0.005	—	563
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.42	1.30	1.28	22.0	0.00	0.00	0.20	0.20	0.00	0.00	0.00	—	3,572	3,572	0.15	0.12	15.3	3,627
Vendor	0.12	0.07	2.76	0.86	0.02	0.03	0.14	0.17	0.03	0.05	0.08	—	2,370	2,370	0.05	0.35	6.60	2,483
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.36	1.23	1.49	16.7	0.00	0.00	0.20	0.20	0.00	0.00	0.00	—	3,282	3,282	0.16	0.12	0.40	3,322
Vendor	0.12	0.07	2.90	0.89	0.02	0.03	0.14	0.17	0.03	0.05	0.08	—	2,371	2,371	0.05	0.35	0.17	2,478
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.87	0.79	0.96	11.3	0.00	0.00	0.13	0.13	0.00	0.00	0.00	—	2,140	2,140	0.10	0.08	4.25	2,170
Vendor	0.08	0.04	1.88	0.56	0.01	0.02	0.09	0.11	0.02	0.03	0.05	—	1,526	1,526	0.03	0.23	1.84	1,597
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.16	0.14	0.18	2.06	0.00	0.00	0.02	0.02	0.00	0.00	0.00	—	354	354	0.02	0.01	0.70	359
Vendor	0.01	0.01	0.34	0.10	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	253	253	0.01	0.04	0.31	264
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Building Construction (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.10	2.59	24.3	28.5	0.05	1.08	—	1.08	0.99	—	0.99	—	5,261	5,261	0.21	0.04	—	5,279
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.10	2.59	24.3	28.5	0.05	1.08	—	1.08	0.99	—	0.99	—	5,261	5,261	0.21	0.04	—	5,279
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	2.19	1.84	17.2	20.2	0.04	0.76	—	0.76	0.70	—	0.70	—	3,727	3,727	0.15	0.03	—	3,740
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.40	0.34	3.15	3.68	0.01	0.14	—	0.14	0.13	—	0.13	—	617	617	0.03	0.01	—	619
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.37	1.25	1.17	20.3	0.00	0.00	0.20	0.20	0.00	0.00	0.00	—	3,499	3,499	0.15	0.12	13.9	3,553
Vendor	0.11	0.07	2.66	0.83	0.02	0.03	0.14	0.17	0.03	0.05	0.08	—	2,343	2,343	0.05	0.35	6.60	2,455
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.30	1.17	1.38	15.3	0.00	0.00	0.20	0.20	0.00	0.00	0.00	—	3,216	3,216	0.15	0.12	0.36	3,256
Vendor	0.10	0.07	2.78	0.85	0.02	0.03	0.14	0.17	0.03	0.05	0.08	—	2,344	2,344	0.05	0.35	0.17	2,451
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.92	0.83	0.98	11.4	0.00	0.00	0.14	0.14	0.00	0.00	0.00	—	2,307	2,307	0.11	0.09	4.25	2,340
Vendor	0.07	0.05	1.97	0.59	0.01	0.02	0.10	0.12	0.02	0.04	0.06	—	1,660	1,660	0.04	0.25	2.01	1,737
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.17	0.15	0.18	2.09	0.00	0.00	0.03	0.03	0.00	0.00	0.00	—	382	382	0.02	0.01	0.70	387
Vendor	0.01	0.01	0.36	0.11	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	275	275	0.01	0.04	0.33	288
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Paving (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	1.01	0.85	7.81	10.0	0.01	0.39	—	0.39	0.36	—	0.36	—	1,512	1,512	0.06	0.01	—	1,517
Paving	—	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.01	0.85	7.81	10.0	0.01	0.39	—	0.39	0.36	—	0.36	—	1,512	1,512	0.06	0.01	—	1,517
Paving	—	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.33	0.28	2.57	3.30	< 0.005	0.13	—	0.13	0.12	—	0.12	—	497	497	0.02	< 0.005	—	499
Paving	—	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.06	0.05	0.47	0.60	< 0.005	0.02	—	0.02	0.02	—	0.02	—	82.3	82.3	< 0.005	< 0.005	—	82.6
Paving	—	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.08	0.07	1.25	0.00	0.00	0.01	0.01	0.00	0.00	0.00	—	216	216	0.01	0.01	0.86	219
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.07	0.09	0.95	0.00	0.00	0.01	0.01	0.00	0.00	0.00	—	198	198	0.01	0.01	0.02	201
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.02	0.03	0.33	0.00	0.00	< 0.005	< 0.005	0.00	0.00	0.00	—	66.1	66.1	< 0.005	< 0.005	0.12	67.0
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	0.01	0.06	0.00	0.00	< 0.005	< 0.005	0.00	0.00	0.00	—	10.9	10.9	< 0.005	< 0.005	0.02	11.1
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Architectural Coating (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.22	0.18	1.21	1.53	< 0.005	0.04	—	0.04	0.04	—	0.04	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	—	64.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.22	0.18	1.21	1.53	< 0.005	0.04	—	0.04	0.04	—	0.04	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	—	64.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.07	0.06	0.40	0.50	< 0.005	0.01	—	0.01	0.01	—	0.01	—	58.5	58.5	< 0.005	< 0.005	—	58.7
Architectural Coatings	—	21.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.07	0.09	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	9.69	9.69	< 0.005	< 0.005	—	9.72
Architectural Coatings	—	3.84	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.27	0.25	0.23	4.06	0.00	0.00	0.04	0.04	0.00	0.00	0.00	—	700	700	0.03	0.02	2.78	711

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.26	0.23	0.28	3.07	0.00	0.00	0.04	0.04	0.00	0.00	0.00	—	643	643	0.03	0.02	0.07	651
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.08	0.09	1.06	0.00	0.00	0.01	0.01	0.00	0.00	0.00	—	214	214	0.01	0.01	0.39	217
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.01	0.02	0.19	0.00	0.00	< 0.005	< 0.005	0.00	0.00	0.00	—	35.5	35.5	< 0.005	< 0.005	0.07	36.0
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Sequest	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Site Preparation	Site Preparation	11/1/2022	12/16/2022	5.00	34.0	—
Grading	Grading	11/16/2022	2/3/2023	5.00	58.0	—
Building Construction	Building Construction	2/6/2023	12/27/2024	5.00	495	—
Paving	Paving	7/15/2024	12/27/2024	5.00	120	—
Architectural Coating	Architectural Coating	7/15/2024	12/27/2024	5.00	120	—

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Site Preparation	Rubber Tired Dozers	Diesel	Average	3.00	8.00	367	0.40
Grading	Graders	Diesel	Average	1.00	8.00	148	0.41
Grading	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Grading	Scrapers	Diesel	Average	2.00	8.00	423	0.48
Building Construction	Cranes	Diesel	Average	2.00	8.00	367	0.29
Building Construction	Forklifts	Diesel	Average	6.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	2.00	8.00	14.0	0.74
Building Construction	Tractors/Loaders/Backhoes	Diesel	Average	6.00	8.00	84.0	0.37
Building Construction	Welders	Diesel	Average	2.00	8.00	46.0	0.45
Paving	Pavers	Diesel	Average	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Average	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38

Architectural Coating	Air Compressors	Diesel	Average	1.00	8.00	37.0	0.48
Site Preparation	Crawler Tractors	Diesel	Average	4.00	8.00	87.0	0.43
Grading	Crawler Tractors	Diesel	Average	2.00	8.00	87.0	0.43
Grading	Excavators	Diesel	Average	2.00	8.00	36.0	0.38

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Site Preparation	—	—	—	—
Site Preparation	Worker	27.5	18.5	LDA,LDT1,LDT2
Site Preparation	Vendor	—	10.2	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	25.0	18.5	LDA,LDT1,LDT2
Grading	Vendor	—	10.2	HHDT,MHDT
Grading	Hauling	0.00	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	243	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	75.5	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	—	10.2	HHDT,MHDT

Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	48.6	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	—	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	1,577,475	525,825	358,678	119,559	126,237

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Site Preparation	0.00	0.00	119	0.00	—
Grading	0.00	0.00	232	0.00	—
Paving	0.00	0.00	0.00	0.00	52.2

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction

Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Pharmacy/Drugstore w/o Drive Thru	0.00	0%
Other Non-Asphalt Surfaces	48.3	0%
City Park	0.00	0%
Fast Food Restaurant with Drive Thru	0.00	0%
Retirement Community	—	0%
Single Family Housing	3.92	0%
Strip Mall	0.00	0%
Supermarket	0.00	0%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2022	0.00	349	0.03	< 0.005
2023	0.00	349	0.03	< 0.005
2024	0.00	349	0.03	< 0.005

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	28.9	annual days of extreme heat
Extreme Precipitation	2.65	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	27.9	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack	N/A	N/A	N/A	N/A
Air Quality	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack	N/A	N/A	N/A	N/A

Air Quality	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	80.0
AQ-PM	37.9
AQ-DPM	44.4
Drinking Water	10.2
Lead Risk Housing	9.44
Pesticides	0.00
Toxic Releases	14.8
Traffic	16.4
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	5.57
Impaired Water Bodies	58.7
Solid Waste	0.00

Sensitive Population	—
Asthma	29.8
Cardio-vascular	78.4
Low Birth Weights	36.1
Socioeconomic Factor Indicators	—
Education	27.6
Housing	13.6
Linguistic	17.3
Poverty	41.5
Unemployment	87.4

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	73.36070833
Employed	15.11612986
Education	—
Bachelor's or higher	49.0183498
High school enrollment	9.611189529
Preschool enrollment	44.32182728
Transportation	—
Auto Access	92.6344155
Active commuting	1.039394328
Social	—
2-parent households	67.89426408
Voting	50.86616194

Neighborhood	—
Alcohol availability	97.0101373
Park access	2.194276915
Retail density	3.195175157
Supermarket access	12.42140382
Tree canopy	3.284999358
Housing	—
Homeownership	79.76389067
Housing habitability	86.52636982
Low-inc homeowner severe housing cost burden	61.08045682
Low-inc renter severe housing cost burden	79.71256256
Uncrowded housing	59.34813294
Health Outcomes	—
Insured adults	89.88836135
Arthritis	14.6
Asthma ER Admissions	91.2
High Blood Pressure	23.1
Cancer (excluding skin)	16.1
Asthma	49.0
Coronary Heart Disease	25.9
Chronic Obstructive Pulmonary Disease	35.3
Diagnosed Diabetes	68.9
Life Expectancy at Birth	59.4
Cognitively Disabled	68.5
Physically Disabled	41.1
Heart Attack ER Admissions	13.8
Mental Health Not Good	60.0

Chronic Kidney Disease	55.3
Obesity	44.9
Pedestrian Injuries	58.6
Physical Health Not Good	57.2
Stroke	51.7
Health Risk Behaviors	—
Binge Drinking	15.4
Current Smoker	54.4
No Leisure Time for Physical Activity	70.6
Climate Change Exposures	—
Wildfire Risk	4.5
SLR Inundation Area	0.0
Children	3.5
Elderly	83.1
English Speaking	72.6
Foreign-born	27.2
Outdoor Workers	51.2
Climate Change Adaptive Capacity	—
Impervious Surface Cover	68.6
Traffic Density	14.8
Traffic Access	23.0
Other Indices	—
Hardship	36.3
Other Decision Support	—
2016 Voting	63.0

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	18.0
Healthy Places Index Score for Project Location (b)	53.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health and Equity Evaluation Scorecard not completed.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Based on developed time frame
Construction: Off-Road Equipment	Tractor/Loader/Backhoes replaced by Crawler Tractors for site prep and grading
Construction: Dust From Material Movement	No Import or Export
Operations: Hearths	Rule 445
Operations: Vehicle Data	Trip rate apportioned based on traffic report and ratio of weekday to weekend trip
Operations: Water and Waste Water	20% reduction in indoor water use based on CALGreen plumbing fixture flow rates as compared to CalEEMod 2000 data set for nonresidential land uses.
Operations: Refrigerants	Per 17 CCR 95371, new refrigeration equipment containing >50 lbs of refrigerant in new facilities is prohibited from utilizing refrigerants with a GWP of 150 or greater as of 1 Jan 2022.

ATTACHMENT B

CALEEMOD 2022 PROPOSED PROJECT EMISSIONS MODEL OUTPUTS – OPERATION

Keller Crossing 2028 Ops Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

2.5. Operations Emissions by Sector, Unmitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.2. Unmitigated

4.4. Water Emissions by Land Use

4.4.2. Unmitigated

4.5. Waste Emissions by Land Use

4.5.2. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	Keller Crossing 2028 Ops
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	14.0
Location	33.63226674287439, -117.09626207992557
County	Riverside-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5545
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Pharmacy/Drugstore w/o Drive Thru	14.0	1000sqft	0.32	14,000	0.00	—	—	—
Other Non-Asphalt Surfaces	48.3	Acre	48.3	0.00	0.00	—	—	—

City Park	6.50	Acre	6.50	0.00	283,140	283,140	—	—
Fast Food Restaurant with Drive Thru	10.5	1000sqft	0.24	10,500	0.00	—	—	—
Retirement Community	80.0	Dwelling Unit	16.0	84,800	0.00	—	258	—
Single Family Housing	356	Dwelling Unit	116	694,200	4,169,777	—	1,150	—
Strip Mall	102	1000sqft	3.31	101,500	0.00	—	—	—
Supermarket	50.0	1000sqft	1.15	50,000	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	81.5	101	40.5	281	0.71	1.67	21.7	23.3	1.65	3.85	5.49	453	88,858	89,311	49.7	2.98	591	92,031
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	75.7	95.1	42.0	212	0.67	1.65	21.7	23.3	1.62	3.85	5.47	453	85,018	85,471	49.8	3.06	413	88,042
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	53.0	73.4	27.7	170	0.43	1.01	13.7	14.7	1.00	2.44	3.44	453	56,443	56,895	48.9	2.14	459	59,214

Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	9.67	13.4	5.05	30.9	0.08	0.19	2.51	2.69	0.18	0.45	0.63	74.9	9,345	9,420	8.10	0.35	75.9	9,804

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	75.9	73.4	25.3	242	0.61	0.44	21.7	22.1	0.42	3.85	4.27	—	62,603	62,603	2.52	2.71	182	63,655
Area	4.56	26.8	6.82	35.0	0.04	0.55	—	0.55	0.55	—	0.55	0.00	8,352	8,352	0.16	0.02	—	8,360
Energy	0.98	0.49	8.45	4.17	0.05	0.68	—	0.68	0.68	—	0.68	—	17,240	17,240	1.57	0.10	—	17,308
Water	—	—	—	—	—	—	—	—	—	—	—	61.4	664	725	6.35	0.16	—	931
Waste	—	—	—	—	—	—	—	—	—	—	—	391	0.00	391	39.1	0.00	—	1,369
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	409	409
Total	81.5	101	40.5	281	0.71	1.67	21.7	23.3	1.65	3.85	5.49	453	88,858	89,311	49.7	2.98	591	92,031
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	73.9	71.3	27.0	205	0.58	0.44	21.7	22.1	0.42	3.85	4.27	—	58,861	58,861	2.62	2.79	4.73	59,764
Area	0.76	23.2	6.50	2.77	0.04	0.53	—	0.53	0.53	—	0.53	0.00	8,254	8,254	0.16	0.02	—	8,262
Energy	0.98	0.49	8.45	4.17	0.05	0.68	—	0.68	0.68	—	0.68	—	17,240	17,240	1.57	0.10	—	17,308
Water	—	—	—	—	—	—	—	—	—	—	—	61.4	664	725	6.35	0.16	—	931
Waste	—	—	—	—	—	—	—	—	—	—	—	391	0.00	391	39.1	0.00	—	1,369
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	409	409
Total	75.7	95.1	42.0	212	0.67	1.65	21.7	23.3	1.62	3.85	5.47	453	85,018	85,471	49.8	3.06	413	88,042
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Mobile	49.3	47.6	18.6	143	0.37	0.29	13.7	14.0	0.27	2.44	2.71	—	37,907	37,907	1.86	1.88	49.9	38,565
Area	2.65	25.3	0.66	22.3	< 0.005	0.05	—	0.05	0.05	—	0.05	0.00	632	632	0.01	< 0.005	—	633
Energy	0.98	0.49	8.45	4.17	0.05	0.68	—	0.68	0.68	—	0.68	—	17,240	17,240	1.57	0.10	—	17,308
Water	—	—	—	—	—	—	—	—	—	—	—	61.4	664	725	6.35	0.16	—	931
Waste	—	—	—	—	—	—	—	—	—	—	—	391	0.00	391	39.1	0.00	—	1,369
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	409	409
Total	53.0	73.4	27.7	170	0.43	1.01	13.7	14.7	1.00	2.44	3.44	453	56,443	56,895	48.9	2.14	459	59,214
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	9.01	8.69	3.39	26.1	0.07	0.05	2.51	2.56	0.05	0.45	0.49	—	6,276	6,276	0.31	0.31	8.26	6,385
Area	0.48	4.62	0.12	4.07	< 0.005	0.01	—	0.01	0.01	—	0.01	0.00	105	105	< 0.005	< 0.005	—	105
Energy	0.18	0.09	1.54	0.76	0.01	0.12	—	0.12	0.12	—	0.12	—	2,854	2,854	0.26	0.02	—	2,865
Water	—	—	—	—	—	—	—	—	—	—	—	10.2	110	120	1.05	0.03	—	154
Waste	—	—	—	—	—	—	—	—	—	—	—	64.8	0.00	64.8	6.48	0.00	—	227
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	67.7	67.7
Total	9.67	13.4	5.05	30.9	0.08	0.19	2.51	2.69	0.18	0.45	0.63	74.9	9,345	9,420	8.10	0.35	75.9	9,804

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Pharmacy/Drugstore	5.31	5.13	1.76	16.8	0.04	0.03	0.25	0.28	0.03	0.08	0.11	—	4,314	4,314	0.18	0.19	12.5	4,387
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
City Park	2.39	2.31	0.79	7.55	0.02	0.01	0.11	0.13	0.01	0.03	0.05	—	1,942	1,942	0.08	0.08	5.65	1,975
Fast Food Restaurant with Drive Thru	16.9	16.3	5.59	53.3	0.13	0.10	0.79	0.88	0.09	0.24	0.33	—	13,710	13,710	0.56	0.60	39.9	13,942
Retirement Community	0.98	0.95	0.33	3.24	0.01	0.01	0.05	0.06	0.01	0.02	0.02	—	872	872	0.03	0.04	2.55	886
Single Family Housing	11.4	11.0	3.84	37.4	0.10	0.07	0.58	0.65	0.07	0.18	0.25	—	10,066	10,066	0.37	0.42	29.5	10,228
Strip Mall	15.8	15.3	5.25	50.1	0.13	0.09	0.74	0.83	0.09	0.23	0.31	—	12,870	12,870	0.53	0.56	37.4	13,088
Supermarket	23.2	22.4	7.68	73.2	0.18	0.13	1.08	1.21	0.13	0.33	0.46	—	18,829	18,829	0.77	0.82	54.7	19,148
Total	75.9	73.4	25.3	242	0.61	0.44	3.59	4.04	0.42	1.11	1.53	—	62,603	62,603	2.52	2.71	182	63,655
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	5.16	4.98	1.89	14.3	0.04	0.03	0.25	0.28	0.03	0.08	0.11	—	4,056	4,056	0.18	0.19	0.33	4,119
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
City Park	2.32	2.24	0.85	6.44	0.02	0.01	0.11	0.13	0.01	0.03	0.05	—	1,826	1,826	0.08	0.09	0.15	1,855

Fast Food Restaurant with Drive Thru	16.4	15.8	5.99	45.5	0.13	0.10	0.79	0.88	0.09	0.24	0.34	—	12,891	12,891	0.59	0.62	1.03	13,091
Retirement Community	0.96	0.93	0.36	2.71	0.01	0.01	0.05	0.06	0.01	0.02	0.02	—	819	819	0.03	0.04	0.07	831
Single Family Housing	11.1	10.7	4.12	31.3	0.09	0.07	0.58	0.65	0.07	0.18	0.25	—	9,460	9,460	0.38	0.43	0.76	9,598
Strip Mall	15.4	14.9	5.62	42.7	0.12	0.09	0.74	0.83	0.09	0.23	0.31	—	12,102	12,102	0.55	0.58	0.97	12,290
Supermarket	22.5	21.8	8.23	62.5	0.17	0.13	1.08	1.21	0.13	0.33	0.46	—	17,705	17,705	0.80	0.85	1.42	17,979
Total	73.9	71.3	27.0	205	0.58	0.44	3.59	4.04	0.42	1.11	1.53	—	58,861	58,861	2.62	2.79	4.73	59,764
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	0.52	0.50	0.19	1.48	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	324	324	0.02	0.02	0.42	330
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
City Park	0.22	0.21	0.08	0.64	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	160	160	0.01	0.01	0.21	163
Fast Food Restaurant with Drive Thru	1.57	1.52	0.58	4.42	0.01	0.01	0.06	0.07	0.01	0.02	0.03	—	943	943	0.06	0.05	1.22	962
Retirement Community	0.16	0.16	0.06	0.49	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	130	130	0.01	0.01	0.17	132

Single Family Housing	1.93	1.86	0.75	5.78	0.02	0.01	0.10	0.12	0.01	0.03	0.04	—	1,545	1,545	0.06	0.07	2.06	1,569
Strip Mall	2.52	2.43	0.96	7.38	0.02	0.02	0.12	0.14	0.01	0.04	0.05	—	1,852	1,852	0.08	0.09	2.45	1,883
Supermarket	2.08	2.01	0.77	5.92	0.01	0.01	0.09	0.10	0.01	0.03	0.04	—	1,322	1,322	0.07	0.07	1.72	1,347
Total	9.01	8.69	3.39	26.1	0.07	0.05	0.42	0.47	0.05	0.13	0.18	—	6,276	6,276	0.31	0.31	8.26	6,385

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	—	—	—	—	—	—	—	130	130	0.01	< 0.005	—	130
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
City Park	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Fast Food Restaurant with Drive Thru	—	—	—	—	—	—	—	—	—	—	—	—	350	350	0.03	< 0.005	—	352
Retirement Community	—	—	—	—	—	—	—	—	—	—	—	—	520	520	0.05	0.01	—	523

Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	3,153	3,153	0.30	0.04	—	3,172
Strip Mall	—	—	—	—	—	—	—	—	—	—	—	—	939	939	0.09	0.01	—	945
Supermarket	—	—	—	—	—	—	—	—	—	—	—	—	1,521	1,521	0.15	0.02	—	1,530
Total	—	—	—	—	—	—	—	—	—	—	—	—	6,613	6,613	0.63	0.08	—	6,652
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	—	—	—	—	—	—	—	130	130	0.01	< 0.005	—	130
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
City Park	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Fast Food Restaurant with Drive Thru	—	—	—	—	—	—	—	—	—	—	—	—	350	350	0.03	< 0.005	—	352
Retirement Community	—	—	—	—	—	—	—	—	—	—	—	—	520	520	0.05	0.01	—	523
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	3,153	3,153	0.30	0.04	—	3,172
Strip Mall	—	—	—	—	—	—	—	—	—	—	—	—	939	939	0.09	0.01	—	945
Supermarket	—	—	—	—	—	—	—	—	—	—	—	—	1,521	1,521	0.15	0.02	—	1,530
Total	—	—	—	—	—	—	—	—	—	—	—	—	6,613	6,613	0.63	0.08	—	6,652

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	—	—	—	—	—	—	—	21.5	21.5	< 0.005	< 0.005	—	21.6
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
City Park	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Fast Food Restaurant with Drive Thru	—	—	—	—	—	—	—	—	—	—	—	—	57.9	57.9	0.01	< 0.005	—	58.2
Retirement Community	—	—	—	—	—	—	—	—	—	—	—	—	86.0	86.0	0.01	< 0.005	—	86.5
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	522	522	0.05	0.01	—	525
Strip Mall	—	—	—	—	—	—	—	—	—	—	—	—	156	156	0.01	< 0.005	—	156
Supermarket	—	—	—	—	—	—	—	—	—	—	—	—	252	252	0.02	< 0.005	—	253
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,095	1,095	0.10	0.01	—	1,101

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Pharmac w/o Drive Thru	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	19.4	19.4	< 0.005	< 0.005	—	19.5
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
City Park	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Fast Food Restaurant with Drive Thru	0.07	0.03	0.63	0.53	< 0.005	0.05	—	0.05	0.05	—	0.05	—	757	757	0.07	< 0.005	—	759
Retirement Community	0.08	0.04	0.69	0.29	< 0.005	0.06	—	0.06	0.06	—	0.06	—	870	870	0.08	< 0.005	—	873
Single Family Housing	0.75	0.37	6.39	2.72	0.04	0.52	—	0.52	0.52	—	0.52	—	8,115	8,115	0.72	0.02	—	8,138
Strip Mall	0.03	0.01	0.24	0.20	< 0.005	0.02	—	0.02	0.02	—	0.02	—	282	282	0.02	< 0.005	—	282
Supermarket	0.05	0.03	0.49	0.41	< 0.005	0.04	—	0.04	0.04	—	0.04	—	584	584	0.05	< 0.005	—	585
Total	0.98	0.49	8.45	4.17	0.05	0.68	—	0.68	0.68	—	0.68	—	10,627	10,627	0.94	0.02	—	10,656
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	19.4	19.4	< 0.005	< 0.005	—	19.5
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
City Park	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Fast Food Restaurant with Drive Thru	0.07	0.03	0.63	0.53	< 0.005	0.05	—	0.05	0.05	—	0.05	—	757	757	0.07	< 0.005	—	759
Retirement Community	0.08	0.04	0.69	0.29	< 0.005	0.06	—	0.06	0.06	—	0.06	—	870	870	0.08	< 0.005	—	873
Single Family Housing	0.75	0.37	6.39	2.72	0.04	0.52	—	0.52	0.52	—	0.52	—	8,115	8,115	0.72	0.02	—	8,138
Strip Mall	0.03	0.01	0.24	0.20	< 0.005	0.02	—	0.02	0.02	—	0.02	—	282	282	0.02	< 0.005	—	282
Supermarket	0.05	0.03	0.49	0.41	< 0.005	0.04	—	0.04	0.04	—	0.04	—	584	584	0.05	< 0.005	—	585
Total	0.98	0.49	8.45	4.17	0.05	0.68	—	0.68	0.68	—	0.68	—	10,627	10,627	0.94	0.02	—	10,656
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	3.21	3.21	< 0.005	< 0.005	—	3.22
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
City Park	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Fast Food Restaurant with Drive Thru	0.01	0.01	0.12	0.10	< 0.005	0.01	—	0.01	0.01	—	0.01	—	125	125	0.01	< 0.005	—	126
Retirement Community	0.01	0.01	0.13	0.05	< 0.005	0.01	—	0.01	0.01	—	0.01	—	144	144	0.01	< 0.005	—	144

Single Family Housing	0.14	0.07	1.17	0.50	0.01	0.09	—	0.09	0.09	—	0.09	—	1,344	1,344	0.12	< 0.005	—	1,347
Strip Mall	< 0.005	< 0.005	0.04	0.04	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	46.6	46.6	< 0.005	< 0.005	—	46.7
Supermarket	0.01	< 0.005	0.09	0.07	< 0.005	0.01	—	0.01	0.01	—	0.01	—	96.6	96.6	0.01	< 0.005	—	96.9
Total	0.18	0.09	1.54	0.76	0.01	0.12	—	0.12	0.12	—	0.12	—	1,759	1,759	0.16	< 0.005	—	1,764

4.3. Area Emissions by Source

4.3.2. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.76	0.38	6.50	2.77	0.04	0.53	—	0.53	0.53	—	0.53	0.00	8,254	8,254	0.16	0.02	—	8,262
Consumer Products	—	20.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	2.10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.80	3.57	0.31	32.2	< 0.005	0.02	—	0.02	0.03	—	0.03	—	97.6	97.6	< 0.005	< 0.005	—	98.0
Total	4.56	26.8	6.82	35.0	0.04	0.55	—	0.55	0.55	—	0.55	0.00	8,352	8,352	0.16	0.02	—	8,360
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.76	0.38	6.50	2.77	0.04	0.53	—	0.53	0.53	—	0.53	0.00	8,254	8,254	0.16	0.02	—	8,262

Consumer	—	20.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	2.10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	0.76	23.2	6.50	2.77	0.04	0.53	—	0.53	0.53	—	0.53	0.00	8,254	8,254	0.16	0.02	—	8,262
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.01	< 0.005	0.08	0.03	< 0.005	0.01	—	0.01	0.01	—	0.01	0.00	93.6	93.6	< 0.005	< 0.005	—	93.7
Consumer Products	—	3.79	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.47	0.45	0.04	4.03	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	11.1	11.1	< 0.005	< 0.005	—	11.1
Total	0.48	4.62	0.12	4.07	< 0.005	0.01	—	0.01	0.01	—	0.01	0.00	105	105	< 0.005	< 0.005	—	105

4.4. Water Emissions by Land Use

4.4.2. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	—	—	—	—	—	—	1.51	5.09	6.61	0.16	< 0.005	—	11.6

Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
City Park	—	—	—	—	—	—	—	—	—	—	—	0.00	50.2	50.2	< 0.005	< 0.005	—	50.5
Fast Food Restaurant with Drive Thru	—	—	—	—	—	—	—	—	—	—	—	4.89	16.5	21.3	0.50	0.01	—	37.5
Retirement Community	—	—	—	—	—	—	—	—	—	—	—	6.24	21.0	27.2	0.64	0.02	—	47.9
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	27.7	500	528	2.89	0.07	—	622
Strip Mall	—	—	—	—	—	—	—	—	—	—	—	11.5	38.8	50.4	1.19	0.03	—	88.5
Supermarket	—	—	—	—	—	—	—	—	—	—	—	9.45	31.8	41.3	0.97	0.02	—	72.6
Total	—	—	—	—	—	—	—	—	—	—	—	61.4	664	725	6.35	0.16	—	931
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	—	—	—	—	—	—	1.51	5.09	6.61	0.16	< 0.005	—	11.6
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
City Park	—	—	—	—	—	—	—	—	—	—	—	0.00	50.2	50.2	< 0.005	< 0.005	—	50.5

Fast Food Restaurant with Drive Thru	—	—	—	—	—	—	—	—	—	—	—	4.89	16.5	21.3	0.50	0.01	—	37.5
Retirement Community	—	—	—	—	—	—	—	—	—	—	—	6.24	21.0	27.2	0.64	0.02	—	47.9
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	27.7	500	528	2.89	0.07	—	622
Strip Mall	—	—	—	—	—	—	—	—	—	—	—	11.5	38.8	50.4	1.19	0.03	—	88.5
Supermarket	—	—	—	—	—	—	—	—	—	—	—	9.45	31.8	41.3	0.97	0.02	—	72.6
Total	—	—	—	—	—	—	—	—	—	—	—	61.4	664	725	6.35	0.16	—	931
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	—	—	—	—	—	—	0.25	0.84	1.09	0.03	< 0.005	—	1.92
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
City Park	—	—	—	—	—	—	—	—	—	—	—	0.00	8.31	8.31	< 0.005	< 0.005	—	8.36
Fast Food Restaurant with Drive Thru	—	—	—	—	—	—	—	—	—	—	—	0.81	2.73	3.53	0.08	< 0.005	—	6.21
Retirement Community	—	—	—	—	—	—	—	—	—	—	—	1.03	3.48	4.51	0.11	< 0.005	—	7.93

Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	4.59	82.8	87.4	0.48	0.01	—	103
Strip Mall	—	—	—	—	—	—	—	—	—	—	—	1.91	6.43	8.34	0.20	< 0.005	—	14.7
Supermarket	—	—	—	—	—	—	—	—	—	—	—	1.56	5.27	6.84	0.16	< 0.005	—	12.0
Total	—	—	—	—	—	—	—	—	—	—	—	10.2	110	120	1.05	0.03	—	154

4.5. Waste Emissions by Land Use

4.5.2. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	—	—	—	—	—	—	22.7	0.00	22.7	2.27	0.00	—	79.4
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
City Park	—	—	—	—	—	—	—	—	—	—	—	0.30	0.00	0.30	0.03	0.00	—	1.05
Fast Food Restaurant with Drive Thru	—	—	—	—	—	—	—	—	—	—	—	65.2	0.00	65.2	6.51	0.00	—	228
Retirement Community	—	—	—	—	—	—	—	—	—	—	—	39.4	0.00	39.4	3.93	0.00	—	138

Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	54.4	0.00	54.4	5.44	0.00	—	190
Strip Mall	—	—	—	—	—	—	—	—	—	—	—	57.4	0.00	57.4	5.74	0.00	—	201
Supermarket	—	—	—	—	—	—	—	—	—	—	—	152	0.00	152	15.2	0.00	—	532
Total	—	—	—	—	—	—	—	—	—	—	—	391	0.00	391	39.1	0.00	—	1,369
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	—	—	—	—	—	—	22.7	0.00	22.7	2.27	0.00	—	79.4
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
City Park	—	—	—	—	—	—	—	—	—	—	—	0.30	0.00	0.30	0.03	0.00	—	1.05
Fast Food Restaurant with Drive Thru	—	—	—	—	—	—	—	—	—	—	—	65.2	0.00	65.2	6.51	0.00	—	228
Retirement Community	—	—	—	—	—	—	—	—	—	—	—	39.4	0.00	39.4	3.93	0.00	—	138
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	54.4	0.00	54.4	5.44	0.00	—	190
Strip Mall	—	—	—	—	—	—	—	—	—	—	—	57.4	0.00	57.4	5.74	0.00	—	201
Supermarket	—	—	—	—	—	—	—	—	—	—	—	152	0.00	152	15.2	0.00	—	532
Total	—	—	—	—	—	—	—	—	—	—	—	391	0.00	391	39.1	0.00	—	1,369

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	—	—	—	—	—	—	3.76	0.00	3.76	0.38	0.00	—	13.1
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
City Park	—	—	—	—	—	—	—	—	—	—	—	0.05	0.00	0.05	< 0.005	0.00	—	0.17
Fast Food Restaurant with Drive Thru	—	—	—	—	—	—	—	—	—	—	—	10.8	0.00	10.8	1.08	0.00	—	37.8
Retirement Community	—	—	—	—	—	—	—	—	—	—	—	6.52	0.00	6.52	0.65	0.00	—	22.8
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	9.00	0.00	9.00	0.90	0.00	—	31.5
Strip Mall	—	—	—	—	—	—	—	—	—	—	—	9.51	0.00	9.51	0.95	0.00	—	33.3
Supermarket	—	—	—	—	—	—	—	—	—	—	—	25.2	0.00	25.2	2.51	0.00	—	88.0
Total	—	—	—	—	—	—	—	—	—	—	—	64.8	0.00	64.8	6.48	0.00	—	227

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.34	0.34
City Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Fast Food Restaurant with Drive Thru	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5.91	5.91
Retirement Community	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.01	1.01
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4.45	4.45
Strip Mall	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.53	0.53
Supermarket	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	396	396
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	409	409
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.34	0.34
City Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00

Fast Food Restaurant with Drive Thru	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5.91	5.91
Retirement Community	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.01	1.01
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4.45	4.45
Strip Mall	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.53	0.53
Supermarket	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	396	396
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	409	409
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.06	0.06
City Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Fast Food Restaurant with Drive Thru	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.98	0.98
Retirement Community	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.17	0.17
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.74	0.74

Strip Mall	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.09	0.09
Supermarket	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	65.6	65.6
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	67.7	67.7

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Sequest	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Pharmacy/Drugstore w/o Drive Thru	440	586	499	171,287	1,539	5,362	4,561	918,627
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
City Park	94.0	236	264	50,582	860	2,161	2,414	462,667
Fast Food Restaurant with Drive Thru	1,424	1,863	1,429	542,906	4,206	17,040	13,070	2,666,531
Retirement Community	84.8	72.0	68.8	29,450	1,091	926	885	378,930
Single Family Housing	968	979	876	349,167	12,459	12,597	11,268	4,492,655
Strip Mall	1,749	1,660	806	584,504	15,997	15,180	7,372	5,346,412
Supermarket	1,538	2,559	2,398	659,399	5,358	23,402	21,930	3,760,623

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

Hearth Type	Unmitigated (number)
Retirement Community	—
Wood Fireplaces	0
Gas Fireplaces	72
Propane Fireplaces	0
Electric Fireplaces	0
No Fireplaces	8
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0
Single Family Housing	—
Wood Fireplaces	0
Gas Fireplaces	320
Propane Fireplaces	0
Electric Fireplaces	0
No Fireplaces	36
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
1577475	525,825	358,678	119,559	126,237

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Pharmacy/Drugstore w/o Drive Thru	136,618	346	0.0330	0.0040	60,584
Other Non-Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00
City Park	0.00	346	0.0330	0.0040	0.00
Fast Food Restaurant with Drive Thru	368,707	346	0.0330	0.0040	1,180,261
Retirement Community	547,743	346	0.0330	0.0040	1,357,618
Single Family Housing	3,324,771	346	0.0330	0.0040	12,660,895
Strip Mall	990,477	346	0.0330	0.0040	439,233
Supermarket	1,603,986	346	0.0330	0.0040	910,586

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Pharmacy/Drugstore w/o Drive Thru	789,012	0.00
Other Non-Asphalt Surfaces	0.00	0.00
City Park	0.00	9,976,413
Fast Food Restaurant with Drive Thru	2,549,683	0.00
Retirement Community	3,253,902	0.00
Single Family Housing	14,479,864	80,806,952
Strip Mall	6,014,689	0.00
Supermarket	4,930,729	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Pharmacy/Drugstore w/o Drive Thru	42.1	0.00
Other Non-Asphalt Surfaces	0.00	0.00
City Park	0.56	0.00
Fast Food Restaurant with Drive Thru	121	0.00
Retirement Community	73.0	0.00
Single Family Housing	101	0.00
Strip Mall	107	0.00
Supermarket	282	0.00

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced

Pharmacy/Drugstore w/o Drive Thru	Household refrigerators and/or freezers	R-134a	1,430	0.45	0.60	0.00	1.00
Pharmacy/Drugstore w/o Drive Thru	Other commercial A/C and heat pumps	User Defined	750	< 0.005	4.00	4.00	18.0
City Park	Other commercial A/C and heat pumps	User Defined	750	< 0.005	4.00	4.00	18.0
City Park	Stand-alone retail refrigerators and freezers	R-134a	1,430	0.04	1.00	0.00	1.00
Fast Food Restaurant with Drive Thru	Household refrigerators and/or freezers	R-134a	1,430	0.00	0.60	0.00	1.00
Fast Food Restaurant with Drive Thru	Other commercial A/C and heat pumps	User Defined	750	1.80	4.00	4.00	18.0
Fast Food Restaurant with Drive Thru	Walk-in refrigerators and freezers	R-404A	3,922	< 0.005	7.50	7.50	20.0
Retirement Community	Average room A/C & Other residential A/C and heat pumps	User Defined	750	< 0.005	2.50	2.50	10.0
Retirement Community	Household refrigerators and/or freezers	R-134a	1,430	0.22	0.60	0.00	1.00
Single Family Housing	Average room A/C & Other residential A/C and heat pumps	User Defined	750	< 0.005	2.50	2.50	10.0
Single Family Housing	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00
Strip Mall	Other commercial A/C and heat pumps	User Defined	750	< 0.005	4.00	4.00	18.0
Strip Mall	Stand-alone retail refrigerators and freezers	R-134a	1,430	0.04	1.00	0.00	1.00
Strip Mall	Walk-in refrigerators and freezers	R-404A	3,922	< 0.005	7.50	7.50	20.0
Supermarket	Other commercial A/C and heat pumps	User Defined	750	< 0.005	4.00	4.00	18.0

Supermarket	Supermarket refrigeration and condensing units	User Defined	150	26.5	16.5	16.5	18.0

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type	Fuel Type
—	—

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	28.9	annual days of extreme heat
Extreme Precipitation	2.65	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	27.9	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack	N/A	N/A	N/A	N/A
Air Quality	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack	N/A	N/A	N/A	N/A

Air Quality	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	80.0
AQ-PM	37.9
AQ-DPM	44.4
Drinking Water	10.2
Lead Risk Housing	9.44
Pesticides	0.00
Toxic Releases	14.8
Traffic	16.4
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	5.57
Impaired Water Bodies	58.7
Solid Waste	0.00

Sensitive Population	—
Asthma	29.8
Cardio-vascular	78.4
Low Birth Weights	36.1
Socioeconomic Factor Indicators	—
Education	27.6
Housing	13.6
Linguistic	17.3
Poverty	41.5
Unemployment	87.4

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	73.36070833
Employed	15.11612986
Education	—
Bachelor's or higher	49.0183498
High school enrollment	9.611189529
Preschool enrollment	44.32182728
Transportation	—
Auto Access	92.6344155
Active commuting	1.039394328
Social	—
2-parent households	67.89426408
Voting	50.86616194

Neighborhood	—
Alcohol availability	97.0101373
Park access	2.194276915
Retail density	3.195175157
Supermarket access	12.42140382
Tree canopy	3.284999358
Housing	—
Homeownership	79.76389067
Housing habitability	86.52636982
Low-inc homeowner severe housing cost burden	61.08045682
Low-inc renter severe housing cost burden	79.71256256
Uncrowded housing	59.34813294
Health Outcomes	—
Insured adults	89.88836135
Arthritis	14.6
Asthma ER Admissions	91.2
High Blood Pressure	23.1
Cancer (excluding skin)	16.1
Asthma	49.0
Coronary Heart Disease	25.9
Chronic Obstructive Pulmonary Disease	35.3
Diagnosed Diabetes	68.9
Life Expectancy at Birth	59.4
Cognitively Disabled	68.5
Physically Disabled	41.1
Heart Attack ER Admissions	13.8
Mental Health Not Good	60.0

Chronic Kidney Disease	55.3
Obesity	44.9
Pedestrian Injuries	58.6
Physical Health Not Good	57.2
Stroke	51.7
Health Risk Behaviors	—
Binge Drinking	15.4
Current Smoker	54.4
No Leisure Time for Physical Activity	70.6
Climate Change Exposures	—
Wildfire Risk	4.5
SLR Inundation Area	0.0
Children	3.5
Elderly	83.1
English Speaking	72.6
Foreign-born	27.2
Outdoor Workers	51.2
Climate Change Adaptive Capacity	—
Impervious Surface Cover	68.6
Traffic Density	14.8
Traffic Access	23.0
Other Indices	—
Hardship	36.3
Other Decision Support	—
2016 Voting	63.0

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	18.0
Healthy Places Index Score for Project Location (b)	53.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health and Equity Evaluation Scorecard not completed.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Based on developed time frame
Construction: Off-Road Equipment	Tractor/Loader/Backhoes replaced by Crawler Tractors for site prep and grading
Construction: Dust From Material Movement	No Import or Export
Operations: Hearths	Rule 445
Operations: Vehicle Data	Trip rate apportioned based on traffic report and ratio of weekday to weekend trip
Operations: Water and Waste Water	20% reduction in indoor water use based on CALGreen plumbing fixture flow rates as compared to CalEEMod 2000 data set for nonresidential land uses.
Operations: Refrigerants	Per 17 CCR 95371, new refrigeration equipment containing >50 lbs of refrigerant in new facilities is prohibited from utilizing refrigerants with a GWP of 150 or greater as of 1 Jan 2022. New air conditioning equipment is prohibited from utilizing refrigerants with a GWP of 750 or greater as of 1 Jan 2025.
Land Use	Based on Project site plan

ATTACHMENT C

CALEEMOD 2022 PROPOSED PROJECT EMISSIONS MODEL OUTPUTS – 2020 PROJECT SCENARIO

Keller Crossing 2020 Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

2.5. Operations Emissions by Sector, Unmitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.2. Unmitigated

4.4. Water Emissions by Land Use

4.4.2. Unmitigated

4.5. Waste Emissions by Land Use

4.5.2. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	Keller Crossing 2020
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	14.0
Location	33.63226674287439, -117.09626207992557
County	Riverside-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5545
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Pharmacy/Drugstore w/o Drive Thru	14.0	1000sqft	0.32	14,000	0.00	—	—	—
Other Non-Asphalt Surfaces	48.3	Acre	48.3	0.00	0.00	—	—	—

City Park	6.50	Acre	6.50	0.00	283,140	283,140	—	—
Fast Food Restaurant with Drive Thru	10.5	1000sqft	0.24	10,500	0.00	—	—	—
Retirement Community	80.0	Dwelling Unit	16.0	84,800	0.00	—	258	—
Single Family Housing	356	Dwelling Unit	116	694,200	4,169,777	—	1,150	—
Strip Mall	102	1000sqft	3.31	101,500	0.00	—	—	—
Supermarket	50.0	1000sqft	1.15	50,000	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—
Unmit.	453	103,585	104,038	50.8	3.75	10,760	117,186
Daily, Winter (Max)	—	—	—	—	—	—	—
Unmit.	453	98,907	99,359	50.9	3.89	10,399	112,192
Average Daily (Max)	—	—	—	—	—	—	—
Unmit.	453	66,804	67,256	49.7	2.70	10,491	79,795
Annual (Max)	—	—	—	—	—	—	—
Unmit.	74.9	11,060	11,135	8.23	0.45	1,737	13,211

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—
Mobile	—	73,425	73,425	3.59	3.48	371	74,923
Area	0.00	8,352	8,352	0.16	0.02	—	8,360
Energy	—	20,789	20,789	1.57	0.10	—	20,857
Water	61.4	1,020	1,081	6.35	0.16	—	1,287
Waste	391	0.00	391	39.1	0.00	—	1,369
Refrig.	—	—	—	—	—	10,389	10,389
Total	453	103,585	104,038	50.8	3.75	10,760	117,186
Daily, Winter (Max)	—	—	—	—	—	—	—
Mobile	—	68,844	68,844	3.75	3.62	9.61	70,027
Area	0.00	8,254	8,254	0.16	0.02	—	8,262
Energy	—	20,789	20,789	1.57	0.10	—	20,857
Water	61.4	1,020	1,081	6.35	0.16	—	1,287
Waste	391	0.00	391	39.1	0.00	—	1,369
Refrig.	—	—	—	—	—	10,389	10,389
Total	453	98,907	99,359	50.9	3.89	10,399	112,192
Average Daily	—	—	—	—	—	—	—
Mobile	—	44,363	44,363	2.68	2.44	101	45,260
Area	0.00	632	632	0.01	< 0.005	—	633
Energy	—	20,789	20,789	1.57	0.10	—	20,857
Water	61.4	1,020	1,081	6.35	0.16	—	1,287
Waste	391	0.00	391	39.1	0.00	—	1,369
Refrig.	—	—	—	—	—	10,389	10,389
Total	453	66,804	67,256	49.7	2.70	10,491	79,795
Annual	—	—	—	—	—	—	—
Mobile	—	7,345	7,345	0.44	0.40	16.8	7,493

Area	0.00	105	105	< 0.005	< 0.005	—	105
Energy	—	3,442	3,442	0.26	0.02	—	3,453
Water	10.2	169	179	1.05	0.03	—	213
Waste	64.8	0.00	64.8	6.48	0.00	—	227
Refrig.	—	—	—	—	—	1,720	1,720
Total	74.9	11,060	11,135	8.23	0.45	1,737	13,211

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	5,060	5,060	0.25	0.24	25.5	5,164
Other Non-Asphalt Surfaces	—	0.00	0.00	0.00	0.00	0.00	0.00
City Park	—	2,278	2,278	0.11	0.11	11.5	2,325
Fast Food Restaurant with Drive Thru	—	16,080	16,080	0.80	0.77	81.1	16,411
Retirement Community	—	1,023	1,023	0.05	0.05	5.19	1,043
Single Family Housing	—	11,805	11,805	0.52	0.54	59.9	12,038
Strip Mall	—	15,095	15,095	0.75	0.72	76.1	15,406
Supermarket	—	22,084	22,084	1.10	1.06	111	22,538
Total	—	73,425	73,425	3.59	3.48	371	74,923
Daily, Winter (Max)	—	—	—	—	—	—	—

Pharmacy/Drugstore w/o Drive Thru	—	4,744	4,744	0.26	0.25	0.66	4,827
Other Non-Asphalt Surfaces	—	0.00	0.00	0.00	0.00	0.00	0.00
City Park	—	2,136	2,136	0.12	0.11	0.30	2,173
Fast Food Restaurant with Drive Thru	—	15,078	15,078	0.84	0.80	2.10	15,340
Retirement Community	—	958	958	0.05	0.05	0.13	974
Single Family Housing	—	11,064	11,064	0.54	0.56	1.55	11,245
Strip Mall	—	14,155	14,155	0.79	0.75	1.97	14,401
Supermarket	—	20,708	20,708	1.15	1.10	2.89	21,068
Total	—	68,844	68,844	3.75	3.62	9.61	70,027
Annual	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	379	379	0.03	0.02	0.86	387
Other Non-Asphalt Surfaces	—	0.00	0.00	0.00	0.00	0.00	0.00
City Park	—	188	188	0.01	0.01	0.43	191
Fast Food Restaurant with Drive Thru	—	1,104	1,104	0.08	0.07	2.49	1,129
Retirement Community	—	152	152	0.01	0.01	0.35	155
Single Family Housing	—	1,807	1,807	0.09	0.09	4.19	1,841
Strip Mall	—	2,167	2,167	0.12	0.12	4.98	2,209
Supermarket	—	1,547	1,547	0.11	0.09	3.51	1,581
Total	—	7,345	7,345	0.44	0.40	16.8	7,493

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	199	199	0.01	< 0.005	—	200
Other Non-Asphalt Surfaces	—	0.00	0.00	0.00	0.00	—	0.00
City Park	—	0.00	0.00	0.00	0.00	—	0.00
Fast Food Restaurant with Drive Thru	—	537	537	0.03	< 0.005	—	539
Retirement Community	—	798	798	0.05	0.01	—	801
Single Family Housing	—	4,846	4,846	0.30	0.04	—	4,864
Strip Mall	—	1,444	1,444	0.09	0.01	—	1,449
Supermarket	—	2,338	2,338	0.15	0.02	—	2,347
Total	—	10,162	10,162	0.63	0.08	—	10,201
Daily, Winter (Max)	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	199	199	0.01	< 0.005	—	200
Other Non-Asphalt Surfaces	—	0.00	0.00	0.00	0.00	—	0.00
City Park	—	0.00	0.00	0.00	0.00	—	0.00
Fast Food Restaurant with Drive Thru	—	537	537	0.03	< 0.005	—	539
Retirement Community	—	798	798	0.05	0.01	—	801
Single Family Housing	—	4,846	4,846	0.30	0.04	—	4,864
Strip Mall	—	1,444	1,444	0.09	0.01	—	1,449
Supermarket	—	2,338	2,338	0.15	0.02	—	2,347
Total	—	10,162	10,162	0.63	0.08	—	10,201
Annual	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	33.0	33.0	< 0.005	< 0.005	—	33.1

Other Non-Asphalt Surfaces	—	0.00	0.00	0.00	0.00	—	0.00
City Park	—	0.00	0.00	0.00	0.00	—	0.00
Fast Food Restaurant with Drive Thru	—	89.0	89.0	0.01	< 0.005	—	89.3
Retirement Community	—	132	132	0.01	< 0.005	—	133
Single Family Housing	—	802	802	0.05	0.01	—	805
Strip Mall	—	239	239	0.01	< 0.005	—	240
Supermarket	—	387	387	0.02	< 0.005	—	389
Total	—	1,682	1,682	0.10	0.01	—	1,689

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	19.4	19.4	< 0.005	< 0.005	—	19.5
Other Non-Asphalt Surfaces	—	0.00	0.00	0.00	0.00	—	0.00
City Park	—	0.00	0.00	0.00	0.00	—	0.00
Fast Food Restaurant with Drive Thru	—	757	757	0.07	< 0.005	—	759
Retirement Community	—	870	870	0.08	< 0.005	—	873
Single Family Housing	—	8,115	8,115	0.72	0.02	—	8,138
Strip Mall	—	282	282	0.02	< 0.005	—	282
Supermarket	—	584	584	0.05	< 0.005	—	585
Total	—	10,627	10,627	0.94	0.02	—	10,656
Daily, Winter (Max)	—	—	—	—	—	—	—

Pharmacy/Drugstore w/o Drive Thru	—	19.4	19.4	< 0.005	< 0.005	—	19.5
Other Non-Asphalt Surfaces	—	0.00	0.00	0.00	0.00	—	0.00
City Park	—	0.00	0.00	0.00	0.00	—	0.00
Fast Food Restaurant with Drive Thru	—	757	757	0.07	< 0.005	—	759
Retirement Community	—	870	870	0.08	< 0.005	—	873
Single Family Housing	—	8,115	8,115	0.72	0.02	—	8,138
Strip Mall	—	282	282	0.02	< 0.005	—	282
Supermarket	—	584	584	0.05	< 0.005	—	585
Total	—	10,627	10,627	0.94	0.02	—	10,656
Annual	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	3.21	3.21	< 0.005	< 0.005	—	3.22
Other Non-Asphalt Surfaces	—	0.00	0.00	0.00	0.00	—	0.00
City Park	—	0.00	0.00	0.00	0.00	—	0.00
Fast Food Restaurant with Drive Thru	—	125	125	0.01	< 0.005	—	126
Retirement Community	—	144	144	0.01	< 0.005	—	144
Single Family Housing	—	1,344	1,344	0.12	< 0.005	—	1,347
Strip Mall	—	46.6	46.6	< 0.005	< 0.005	—	46.7
Supermarket	—	96.6	96.6	0.01	< 0.005	—	96.9
Total	—	1,759	1,759	0.16	< 0.005	—	1,764

4.3. Area Emissions by Source

4.3.2. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—
Architectural Coatings	—	—	—	—	—	—	—
Hearths	0.00	8,254	8,254	0.16	0.02	—	8,262
Consumer Products	—	—	—	—	—	—	—
Landscape Equipment	—	97.6	97.6	< 0.005	< 0.005	—	98.0
Total	0.00	8,352	8,352	0.16	0.02	—	8,360
Daily, Winter (Max)	—	—	—	—	—	—	—
Architectural Coatings	—	—	—	—	—	—	—
Hearths	0.00	8,254	8,254	0.16	0.02	—	8,262
Consumer Products	—	—	—	—	—	—	—
Total	0.00	8,254	8,254	0.16	0.02	—	8,262
Annual	—	—	—	—	—	—	—
Architectural Coatings	—	—	—	—	—	—	—
Hearths	0.00	93.6	93.6	< 0.005	< 0.005	—	93.7
Consumer Products	—	—	—	—	—	—	—
Landscape Equipment	—	11.1	11.1	< 0.005	< 0.005	—	11.1
Total	0.00	105	105	< 0.005	< 0.005	—	105

4.4. Water Emissions by Land Use

4.4.2. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	1.51	7.83	9.34	0.16	< 0.005	—	14.3

Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	—	0.00
City Park	0.00	77.2	77.2	< 0.005	< 0.005	—	77.5
Fast Food Restaurant with Drive Thru	4.89	25.3	30.2	0.50	0.01	—	46.4
Retirement Community	6.24	32.3	38.5	0.64	0.02	—	59.2
Single Family Housing	27.7	769	796	2.89	0.07	—	891
Strip Mall	11.5	59.7	71.2	1.19	0.03	—	109
Supermarket	9.45	48.9	58.4	0.97	0.02	—	89.6
Total	61.4	1,020	1,081	6.35	0.16	—	1,287
Daily, Winter (Max)	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	1.51	7.83	9.34	0.16	< 0.005	—	14.3
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	—	0.00
City Park	0.00	77.2	77.2	< 0.005	< 0.005	—	77.5
Fast Food Restaurant with Drive Thru	4.89	25.3	30.2	0.50	0.01	—	46.4
Retirement Community	6.24	32.3	38.5	0.64	0.02	—	59.2
Single Family Housing	27.7	769	796	2.89	0.07	—	891
Strip Mall	11.5	59.7	71.2	1.19	0.03	—	109
Supermarket	9.45	48.9	58.4	0.97	0.02	—	89.6
Total	61.4	1,020	1,081	6.35	0.16	—	1,287
Annual	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	0.25	1.30	1.55	0.03	< 0.005	—	2.37
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	—	0.00
City Park	0.00	12.8	12.8	< 0.005	< 0.005	—	12.8

Fast Food Restaurant with Drive Thru	0.81	4.19	5.00	0.08	< 0.005	—	7.67
Retirement Community	1.03	5.34	6.38	0.11	< 0.005	—	9.79
Single Family Housing	4.59	127	132	0.48	0.01	—	147
Strip Mall	1.91	9.88	11.8	0.20	< 0.005	—	18.1
Supermarket	1.56	8.10	9.66	0.16	< 0.005	—	14.8
Total	10.2	169	179	1.05	0.03	—	213

4.5. Waste Emissions by Land Use

4.5.2. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	22.7	0.00	22.7	2.27	0.00	—	79.4
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	—	0.00
City Park	0.30	0.00	0.30	0.03	0.00	—	1.05
Fast Food Restaurant with Drive Thru	65.2	0.00	65.2	6.51	0.00	—	228
Retirement Community	39.4	0.00	39.4	3.93	0.00	—	138
Single Family Housing	54.4	0.00	54.4	5.44	0.00	—	190
Strip Mall	57.4	0.00	57.4	5.74	0.00	—	201
Supermarket	152	0.00	152	15.2	0.00	—	532
Total	391	0.00	391	39.1	0.00	—	1,369
Daily, Winter (Max)	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	22.7	0.00	22.7	2.27	0.00	—	79.4

Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	—	0.00
City Park	0.30	0.00	0.30	0.03	0.00	—	1.05
Fast Food Restaurant with Drive Thru	65.2	0.00	65.2	6.51	0.00	—	228
Retirement Community	39.4	0.00	39.4	3.93	0.00	—	138
Single Family Housing	54.4	0.00	54.4	5.44	0.00	—	190
Strip Mall	57.4	0.00	57.4	5.74	0.00	—	201
Supermarket	152	0.00	152	15.2	0.00	—	532
Total	391	0.00	391	39.1	0.00	—	1,369
Annual	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	3.76	0.00	3.76	0.38	0.00	—	13.1
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	—	0.00
City Park	0.05	0.00	0.05	< 0.005	0.00	—	0.17
Fast Food Restaurant with Drive Thru	10.8	0.00	10.8	1.08	0.00	—	37.8
Retirement Community	6.52	0.00	6.52	0.65	0.00	—	22.8
Single Family Housing	9.00	0.00	9.00	0.90	0.00	—	31.5
Strip Mall	9.51	0.00	9.51	0.95	0.00	—	33.3
Supermarket	25.2	0.00	25.2	2.51	0.00	—	88.0
Total	64.8	0.00	64.8	6.48	0.00	—	227

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	0.36	0.36
City Park	—	—	—	—	—	0.00	0.00
Fast Food Restaurant with Drive Thru	—	—	—	—	—	16.4	16.4
Retirement Community	—	—	—	—	—	1.08	1.08
Single Family Housing	—	—	—	—	—	4.97	4.97
Strip Mall	—	—	—	—	—	0.63	0.63
Supermarket	—	—	—	—	—	10,366	10,366
Total	—	—	—	—	—	10,389	10,389
Daily, Winter (Max)	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	0.36	0.36
City Park	—	—	—	—	—	0.00	0.00
Fast Food Restaurant with Drive Thru	—	—	—	—	—	16.4	16.4
Retirement Community	—	—	—	—	—	1.08	1.08
Single Family Housing	—	—	—	—	—	4.97	4.97
Strip Mall	—	—	—	—	—	0.63	0.63
Supermarket	—	—	—	—	—	10,366	10,366
Total	—	—	—	—	—	10,389	10,389
Annual	—	—	—	—	—	—	—
Pharmacy/Drugstore w/o Drive Thru	—	—	—	—	—	0.06	0.06
City Park	—	—	—	—	—	0.00	0.00
Fast Food Restaurant with Drive Thru	—	—	—	—	—	2.72	2.72
Retirement Community	—	—	—	—	—	0.18	0.18
Single Family Housing	—	—	—	—	—	0.82	0.82

Strip Mall	—	—	—	—	—	0.10	0.10
Supermarket	—	—	—	—	—	1,716	1,716
Total	—	—	—	—	—	1,720	1,720

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—

Avoided	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Pharmacy/Drugstore w/o Drive Thru	440	586	499	171,287	1,539	5,362	4,561	918,627
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
City Park	94.0	236	264	50,582	860	2,161	2,414	462,667
Fast Food Restaurant with Drive Thru	1,424	1,863	1,429	542,906	4,206	17,040	13,070	2,666,531
Retirement Community	84.8	72.0	68.8	29,450	1,091	926	885	378,930
Single Family Housing	968	979	876	349,167	12,459	12,597	11,268	4,492,655
Strip Mall	1,749	1,660	806	584,504	15,997	15,180	7,372	5,346,412
Supermarket	1,538	2,559	2,398	659,399	5,358	23,402	21,930	3,760,623

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

Hearth Type	Unmitigated (number)
Retirement Community	—
Wood Fireplaces	0
Gas Fireplaces	72
Propane Fireplaces	0
Electric Fireplaces	0
No Fireplaces	8
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0
Single Family Housing	—
Wood Fireplaces	0
Gas Fireplaces	320
Propane Fireplaces	0
Electric Fireplaces	0
No Fireplaces	36
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
1577475	525,825	358,678	119,559	126,237

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Pharmacy/Drugstore w/o Drive Thru	136,618	532	0.0330	0.0040	60,584
Other Non-Asphalt Surfaces	0.00	532	0.0330	0.0040	0.00
City Park	0.00	532	0.0330	0.0040	0.00
Fast Food Restaurant with Drive Thru	368,707	532	0.0330	0.0040	1,180,261
Retirement Community	547,743	532	0.0330	0.0040	1,357,618
Single Family Housing	3,324,771	532	0.0330	0.0040	12,660,895
Strip Mall	990,477	532	0.0330	0.0040	439,233
Supermarket	1,603,986	532	0.0330	0.0040	910,586

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Pharmacy/Drugstore w/o Drive Thru	789,012	0.00
Other Non-Asphalt Surfaces	0.00	0.00
City Park	0.00	9,976,413
Fast Food Restaurant with Drive Thru	2,549,683	0.00
Retirement Community	3,253,902	0.00
Single Family Housing	14,479,864	80,806,952
Strip Mall	6,014,689	0.00
Supermarket	4,930,729	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Pharmacy/Drugstore w/o Drive Thru	42.1	0.00
Other Non-Asphalt Surfaces	0.00	0.00
City Park	0.56	0.00
Fast Food Restaurant with Drive Thru	121	0.00
Retirement Community	73.0	0.00
Single Family Housing	101	0.00
Strip Mall	107	0.00
Supermarket	282	0.00

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Pharmacy/Drugstore w/o Drive Thru	Household refrigerators and/or freezers	R-134a	1,430	0.45	0.60	0.00	1.00
Pharmacy/Drugstore w/o Drive Thru	Other commercial A/C and heat pumps	R-410A	2,088	< 0.005	4.00	4.00	18.0
City Park	Other commercial A/C and heat pumps	R-410A	2,088	< 0.005	4.00	4.00	18.0
City Park	Stand-alone retail refrigerators and freezers	R-134a	1,430	0.04	1.00	0.00	1.00
Fast Food Restaurant with Drive Thru	Household refrigerators and/or freezers	R-134a	1,430	0.00	0.60	0.00	1.00
Fast Food Restaurant with Drive Thru	Other commercial A/C and heat pumps	R-410A	2,088	1.80	4.00	4.00	18.0
Fast Food Restaurant with Drive Thru	Walk-in refrigerators and freezers	R-404A	3,922	< 0.005	7.50	7.50	20.0
Retirement Community	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Retirement Community	Household refrigerators and/or freezers	R-134a	1,430	0.22	0.60	0.00	1.00
Single Family Housing	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Single Family Housing	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00
Strip Mall	Other commercial A/C and heat pumps	R-410A	2,088	< 0.005	4.00	4.00	18.0
Strip Mall	Stand-alone retail refrigerators and freezers	R-134a	1,430	0.04	1.00	0.00	1.00
Strip Mall	Walk-in refrigerators and freezers	R-404A	3,922	< 0.005	7.50	7.50	20.0

Supermarket	Other commercial A/C and heat pumps	R-410A	2,088	< 0.005	4.00	4.00	18.0
Supermarket	Supermarket refrigeration and condensing units	R-404A	3,922	26.5	16.5	16.5	18.0

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type	Fuel Type
—	—

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	28.9	annual days of extreme heat
Extreme Precipitation	2.65	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	27.9	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack	N/A	N/A	N/A	N/A
Air Quality	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack	N/A	N/A	N/A	N/A

Air Quality	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	80.0
AQ-PM	37.9
AQ-DPM	44.4
Drinking Water	10.2
Lead Risk Housing	9.44
Pesticides	0.00
Toxic Releases	14.8
Traffic	16.4
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	5.57
Impaired Water Bodies	58.7
Solid Waste	0.00

Sensitive Population	—
Asthma	29.8
Cardio-vascular	78.4
Low Birth Weights	36.1
Socioeconomic Factor Indicators	—
Education	27.6
Housing	13.6
Linguistic	17.3
Poverty	41.5
Unemployment	87.4

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	73.36070833
Employed	15.11612986
Education	—
Bachelor's or higher	49.0183498
High school enrollment	9.611189529
Preschool enrollment	44.32182728
Transportation	—
Auto Access	92.6344155
Active commuting	1.039394328
Social	—
2-parent households	67.89426408
Voting	50.86616194

Neighborhood	—
Alcohol availability	97.0101373
Park access	2.194276915
Retail density	3.195175157
Supermarket access	12.42140382
Tree canopy	3.284999358
Housing	—
Homeownership	79.76389067
Housing habitability	86.52636982
Low-inc homeowner severe housing cost burden	61.08045682
Low-inc renter severe housing cost burden	79.71256256
Uncrowded housing	59.34813294
Health Outcomes	—
Insured adults	89.88836135
Arthritis	14.6
Asthma ER Admissions	91.2
High Blood Pressure	23.1
Cancer (excluding skin)	16.1
Asthma	49.0
Coronary Heart Disease	25.9
Chronic Obstructive Pulmonary Disease	35.3
Diagnosed Diabetes	68.9
Life Expectancy at Birth	59.4
Cognitively Disabled	68.5
Physically Disabled	41.1
Heart Attack ER Admissions	13.8
Mental Health Not Good	60.0

Chronic Kidney Disease	55.3
Obesity	44.9
Pedestrian Injuries	58.6
Physical Health Not Good	57.2
Stroke	51.7
Health Risk Behaviors	—
Binge Drinking	15.4
Current Smoker	54.4
No Leisure Time for Physical Activity	70.6
Climate Change Exposures	—
Wildfire Risk	4.5
SLR Inundation Area	0.0
Children	3.5
Elderly	83.1
English Speaking	72.6
Foreign-born	27.2
Outdoor Workers	51.2
Climate Change Adaptive Capacity	—
Impervious Surface Cover	68.6
Traffic Density	14.8
Traffic Access	23.0
Other Indices	—
Hardship	36.3
Other Decision Support	—
2016 Voting	63.0

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	18.0
Healthy Places Index Score for Project Location (b)	53.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health and Equity Evaluation Scorecard not completed.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Based on developed time frame
Construction: Off-Road Equipment	Tractor/Loader/Backhoes replaced by Crawler Tractors for site prep and grading
Construction: Dust From Material Movement	No Import or Export
Operations: Hearths	Rule 445
Operations: Vehicle Data	Trip rate apportioned based on traffic report and ratio of weekday to weekend trip
Operations: Water and Waste Water	20% reduction in indoor water use based on CALGreen plumbing fixture flow rates as compared to CalEEMod 2000 data set for nonresidential land uses.
Operations: Refrigerants	Per 17 CCR 95371, new refrigeration equipment containing >50 lbs of refrigerant in new facilities is prohibited from utilizing refrigerants with a GWP of 150 or greater as of 1 Jan 2022.

ATTACHMENT D
LOCALIZED SIGNIFICANCE AERMOD INPUTS/OUTPUTS

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Cons CO\13649 Cons
CO.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 1 8
   URBANOPT 2189641
   POLLUTID CO
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Cons CO.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
** Source Parameters **
   SRCPARAM VOL1         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL2         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL3         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL4         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL5         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL6         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL7         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL8         0.0574084143     5.000    46.363     1.400
```

```
   SRCPARAM VOL9         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL10        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL11        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL12        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL13        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL14        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL15        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL16        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL17        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL18        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL19        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL20        0.0574084143     5.000    46.363     1.400
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL1         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
```

```
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL10        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Cons CO.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
```

```
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 1 1ST
   RECTABLE 8 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "13649 CONS CO.AD\01H1GALL.PLT" 31
   PLOTFILE 8 ALL 1ST "13649 CONS CO.AD\08H1GALL.PLT" 32
   SUMMFILE "13649 Cons CO.sum"
OU FINISHED
**
**************************************
** Project Parameters
**************************************
** PROJCTN  CoordinateSystemUTM
** DESCPTN  UTM: Universal Transverse Mercator
** DATUM    North American Datum 1983
** DTMRGN   CONUS
** UNITS    m
** ZONE     11
** ZONEINX  0
**
```

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Cons CO\13649 Cons
CO.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 1 8
   URBANOPT 2189641
   POLLUTID CO
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Cons CO.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
** Source Parameters **
   SRCPARAM VOL1         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL2         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL3         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL4         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL5         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL6         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL7         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL8         0.0574084143     5.000    46.363     1.400
```

```
   SRCPARAM VOL9         0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL10        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL11        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL12        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL13        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL14        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL15        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL16        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL17        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL18        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL19        0.0574084143     5.000    46.363     1.400
   SRCPARAM VOL20        0.0574084143     5.000    46.363     1.400
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL1         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
```

```
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL10        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Cons CO.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
```

```
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 1 1ST
   RECTABLE 8 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "13649 CONS CO.AD\01H1GALL.PLT" 31
   PLOTFILE 8 ALL 1ST "13649 CONS CO.AD\08H1GALL.PLT" 32
   SUMMFILE "13649 Cons CO.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186     406       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used          0.50
 ME W187     406       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 **********************************
 *** SETUP Finishes Successfully ***
 **********************************

FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:04:49

                      PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                            ***     MODEL SETUP OPTIONS SUMMARY       ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - -

 **Model Is Setup For Calculation of Average CONCentration Values.

   --  DEPOSITION LOGIC  --
 **NO GAS DEPOSITION Data Provided.
 **NO PARTICLE DEPOSITION Data Provided.
```

```
**Model Uses NO DRY DEPLETION.  DRYDPLT  =  F
**Model Uses NO WET DEPLETION.  WETDPLT  =  F

**Model Uses URBAN Dispersion Algorithm for the SBL for    20 Source(s),
  for Total of    1 Urban Area(s):
  Urban Population =   2189641.0 ;  Urban Roughness Length =  1.000 m

**Model Uses Regulatory DEFAULT Options:
        1. Stack-tip Downwash.
        2. Model Accounts for ELEVated Terrain Effects.
        3. Use Calms Processing Routine.
        4. Use Missing Data Processing Routine.
        5. No Exponential Decay.
        6. Urban Roughness Length of 1.0 Meter Assumed.

**Other Options Specified:
        ADJ_U*   - Use ADJ_U* option for SBL in AERMET
        CCVR_Sub - Meteorological data includes CCVR substitutions
        TEMP_Sub - Meteorological data includes TEMP substitutions

**Model Accepts FLAGPOLE Receptor Heights.

**The User Specified a Pollutant Type of:  CO

**Model Calculates  2 Short Term Average(s) of:   1-HR   8-HR

**This Run Includes:     20 Source(s);       1 Source Group(s); and      13 Receptor(s)

               with:      0 POINT(s), including
                          0 POINTCAP(s) and      0 POINTHOR(s)
                and:     20 VOLUME source(s)
                and:      0 AREA type source(s)
                and:      0 LINE source(s)
                and:      0 RLINE/RLINEXT source(s)
                and:      0 OPENPIT source(s)
                and:      0 BUOYANT LINE source(s) with a total of     0 line(s)


**Model Set To Continue RUNning After the Setup Testing.

**The AERMET Input Meteorological Data Version Date:  16216

**Output Options Selected:
         Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
         Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
         Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)

**NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
                                                                m for Missing Hours
                                                                b for Both Calm and Missing
                                                                Hours

**Misc. Inputs:  Base Elev. for Pot. Temp. Profile (m MSL) =   442.00 ;  Decay Coef. =
0.000     ;  Rot. Angle =     0.0
                Emission Units = GRAMS/SEC                                ;  Emission Rate
                Unit Factor =   0.10000E+07
                Output Units   = MICROGRAMS/M**3

**Approximate Storage Requirements of Model =      3.5 MB of RAM.

**Input Runstream File:
aermod.inp
**Output Print File:
aermod.out

**Detailed Error/Message File:   13649 Cons
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER URBAN SOURCE PART.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ	EMISSION RATE SCALAR VARY BY
VOL1	0	0.57408E-01	490703.8	3721527.3	461.1	5.00	46.36	1.40	YES HRDOW
VOL2	0	0.57408E-01	490903.7	3721526.8	464.1	5.00	46.36	1.40	YES HRDOW
VOL3	0	0.57408E-01	491101.9	3721527.9	465.4	5.00	46.36	1.40	YES HRDOW
VOL4	0	0.57408E-01	491301.3	3721529.0	464.5	5.00	46.36	1.40	YES HRDOW
VOL5	0	0.57408E-01	491499.5	3721530.2	460.1	5.00	46.36	1.40	YES HRDOW
VOL6	0	0.57408E-01	491698.9	3721531.3	453.4	5.00	46.36	1.40	YES HRDOW
VOL7	0	0.57408E-01	490704.3	3721328.5	465.0	5.00	46.36	1.40	YES HRDOW
VOL8	0	0.57408E-01	490903.7	3721327.4	462.9	5.00	46.36	1.40	YES HRDOW
VOL9	0	0.57408E-01	491103.1	3721327.4	465.5	5.00	46.36	1.40	YES HRDOW
VOL10	0	0.57408E-01	491302.4	3721328.5	447.0	5.00	46.36	1.40	YES HRDOW
VOL11	0	0.57408E-01	491502.9	3721329.7	455.5	5.00	46.36	1.40	YES HRDOW
VOL12	0	0.57408E-01	490706.6	3721126.9	456.9	5.00	46.36	1.40	YES HRDOW
VOL13	0	0.57408E-01	490902.5	3721129.2	454.3	5.00	46.36	1.40	YES HRDOW
VOL14	0	0.57408E-01	491103.1	3721128.0	452.6	5.00	46.36	1.40	YES HRDOW
VOL15	0	0.57408E-01	491304.7	3721128.0	439.7	5.00	46.36	1.40	YES HRDOW
VOL16	0	0.57408E-01	491398.1	3721218.0	441.1	5.00	46.36	1.40	YES HRDOW
VOL17	0	0.57408E-01	490710.0	3720943.5	448.5	5.00	46.36	1.40	YES HRDOW
VOL18	0	0.57408E-01	490911.7	3720943.5	442.9	5.00	46.36	1.40	YES HRDOW
VOL19	0	0.57408E-01	491108.7	3720944.1	439.0	5.00	46.36	1.40	YES HRDOW
VOL20	0	0.57408E-01	491292.2	3720944.6	436.9	5.00	46.36	1.40	YES HRDOW

*** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs
ALL	VOL1 , VOL2 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 , VOL9 , VOL10 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18 , VOL19 , VOL20 ,

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs
	2189641.	VOL1 , VOL2 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 , VOL9 , VOL10 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18 , VOL19 , VOL20 ,

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL1 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
- - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								
DAY OF WEEK = SATURDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								
DAY OF WEEK = SUNDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								
DAY OF WEEK = SATURDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22													

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - -

```
 SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - -
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL14 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

FF *** AERMOD - VERSION 21112 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con *** 06/09/22
*** AERMET - VERSION 16216 ***
*** *** 12:04:49

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

DAY OF WEEK = SUNDAY

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL18 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)

(METERS)

(491040.1, 3720811.8, 433.9, 576.0, 2.0); (491099.4, 3720760.9, 432.5, 576.0, 2.0);
(490861.0, 3720813.2, 437.6, 576.0, 2.0); (490967.8, 3720814.9, 435.4, 576.0, 2.0);
(490715.4, 3720813.7, 441.3, 576.0, 2.0); (490594.5, 3720810.1, 444.4, 576.0, 2.0);
(490594.0, 3720978.4, 451.4, 576.0, 2.0); (491550.8, 3721106.1, 437.3, 482.0, 2.0);
(491910.3, 3721316.8, 442.1, 470.0, 2.0); (490497.7, 3721301.7, 457.7, 576.0, 2.0);
(490559.2, 3721553.5, 461.3, 576.0, 2.0); (491004.7, 3721834.3, 476.8, 575.0, 2.0);
(491547.7, 3720420.1, 428.0, 775.0, 2.0);

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
(1=YES; 0=NO)

1 1 1

Profile file:
PERI_V9_ADJU\PERI_v9.PFL
Surface format:
FREE

Profile format:
FREE

Surface station no.: 3171 Upper air station no.: 3190
Name: UNKNOWN Name:
UNKNOWN
Year: 2010 Year: 2010

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT
10	01	01	1	01	-7.9	0.125	-9.000	-9.000	-999.	106.	21.2	0.19	0.61	1.00	1.30	335.	9.1	282.5	5.5
10	01	01	1	02	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	142.	9.1	280.9	5.5
10	01	01	1	03	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	324.	9.1	280.4	5.5
10	01	01	1	04	-1.3	0.064	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	294.	9.1	278.8	5.5
10	01	01	1	05	-3.9	0.088	-9.000	-9.000	-999.	62.	15.0	0.19	0.61	1.00	0.90	205.	9.1	278.1	5.5
10	01	01	1	06	-1.3	0.065	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	3.	9.1	277.0	5.5
10	01	01	1	07	-8.0	0.125	-9.000	-9.000	-999.	106.	21.0	0.19	0.61	1.00	1.30	99.	9.1	277.0	5.5
10	01	01	1	08	-3.3	0.086	-9.000	-9.000	-999.	61.	16.8	0.19	0.61	0.54	0.90	319.	9.1	278.8	5.5
10	01	01	1	09	20.1	0.128	0.307	0.010	49.	110.	-9.0	0.19	0.61	0.33	0.90	239.	9.1	284.2	5.5
10	01	01	1	10	56.7	0.087	0.560	0.010	107.	62.	-1.0	0.19	0.61	0.26	0.40	188.	9.1	289.2	5.5
10	01	01	1	11	81.5	0.323	0.867	0.008	277.	441.	-35.9	0.19	0.61	0.23	2.70	310.	9.1	290.9	5.5
10	01	01	1	12	97.1	0.281	1.058	0.008	421.	357.	-19.7	0.19	0.61	0.22	2.20	357.	9.1	293.1	5.5
10	01	01	1	13	92.2	0.279	1.117	0.008	523.	354.	-20.4	0.19	0.61	0.22	2.20	356.	9.1	293.8	5.5
10	01	01	1	14	77.6	0.275	1.102	0.008	595.	347.	-23.2	0.19	0.61	0.23	2.20	50.	9.1	294.2	5.5
10	01	01	1	15	54.9	0.230	1.006	0.008	640.	266.	-19.2	0.19	0.61	0.27	1.80	53.	9.1	293.8	5.5
10	01	01	1	16	12.3	0.206	0.613	0.008	648.	225.	-61.5	0.19	0.61	0.36	1.80	11.	9.1	292.5	5.5
10	01	01	1	17	-3.6	0.087	-9.000	-9.000	-999.	71.	15.6	0.19	0.61	0.64	0.90	351.	9.1	290.4	5.5
10	01	01	1	18	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90	186.	9.1	287.5	5.5
10	01	01	1	19	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90	275.	9.1	285.9	5.5
10	01	01	1	20	-1.2	0.064	-9.000	-9.000	-999.	39.	18.1	0.19	0.61	1.00	0.40	181.	9.1	285.4	5.5
10	01	01	1	21	-7.8	0.125	-9.000	-9.000	-999.	106.	21.3	0.19	0.61	1.00	1.30	318.	9.1	284.9	5.5
10	01	01	1	22	-3.8	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	196.	9.1	283.1	5.5
10	01	01	1	23	-3.8	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	330.	9.1	281.4	5.5
10	01	01	1	24	-7.9	0.125	-9.000	-9.000	-999.	106.	21.2	0.19	0.61	1.00	1.30	332.	9.1	280.9	5.5

```
 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 10 01 01 01    5.5 0 -999.  -99.00   282.6   99.0  -99.00  -99.00
 10 01 01 01    9.1 1  335.    1.30  -999.0   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:04:49

                      PAGE  28
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                             *** THE   1ST HIGHEST  1-HR AVERAGE CONCENTRATION   VALUES FOR
                             SOURCE GROUP:  ALL      ***
                                 INCLUDING SOURCE(S):     VOL1        , VOL2        ,
                                 VOL3        , VOL4        , VOL5        ,
                  VOL6        , VOL7        , VOL8        , VOL9        , VOL10       ,
                  VOL11       , VOL12       , VOL13       ,
                  VOL14       , VOL15       , VOL16       , VOL17       , VOL18       ,
                  VOL19       , VOL20       ,

                                          *** DISCRETE CARTESIAN RECEPTOR POINTS ***

                                       ** CONC OF CO       IN
                                       MICROGRAMS/M**3                         **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)  Y-COORD
      (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - -
        491040.14   3720811.82       21.37001  (10121516)               491099.44
        3720760.90       16.76623  (10121516)
        490860.97   3720813.22       21.46818  (11010316)               490967.82
        3720814.92       21.63817  (10121516)
        490715.43   3720813.68       20.25839  (11010316)               490594.55
        3720810.14       21.06245  (11010316)
        490593.96   3720978.45       26.56246  (16010616)               491550.75
        3721106.14       18.98536  (10121516)
        491910.34   3721316.76        8.38696  (10121516)               490497.69
        3721301.70       16.51053  (16010616)
        490559.17   3721553.49       20.30191  (16010616)               491004.68
        3721834.26       17.30379  (10121716)
        491547.68   3720420.06        7.07117
        (11112416)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:04:49

                      PAGE  29
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                             *** THE   1ST HIGHEST  8-HR AVERAGE CONCENTRATION   VALUES FOR
                             SOURCE GROUP:  ALL      ***
                                 INCLUDING SOURCE(S):     VOL1        , VOL2        ,
                                 VOL3        , VOL4        , VOL5        ,
                  VOL6        , VOL7        , VOL8        , VOL9        , VOL10       ,
                  VOL11       , VOL12       , VOL13       ,
                  VOL14       , VOL15       , VOL16       , VOL17       , VOL18       ,
                  VOL19       , VOL20       ,

                                          *** DISCRETE CARTESIAN RECEPTOR POINTS ***
```

** CONC OF CO IN
MICROGRAMS/M**3 **

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)
491040.14	3720811.82	6.36198	(11010316)	491099.44	3720760.90	4.88007	(16122216)
490860.97	3720813.22	7.08294	(11010316)	490967.82	3720814.92	6.88385	(11010316)
490715.43	3720813.68	7.28863	(11010316)	490594.55	3720810.14	4.82166	(11010316)
490593.96	3720978.45	6.93031	(10121516)	491550.75	3721106.14	4.97578	(14120116)
491910.34	3721316.76	1.66097	(14040116)	490497.69	3721301.70	4.30024	(10121516)
490559.17	3721553.49	5.81768	(11121216)	491004.68	3721834.26	3.75795	(10121716)
491547.68	3720420.06	1.82282	(14120116)				

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF CO IN
MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	NETWORK OF TYPE	GRID-ID
ALL	HIGH 1ST HIGH VALUE IS	26.56246	ON 16010616: AT (490593.96, 3720978.45, 451.38, 576.00, 2.00)	DC	

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** THE SUMMARY OF HIGHEST 8-HR RESULTS ***

** CONC OF CO IN
MICROGRAMS/M**3 **

- - - -

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Cons NO2\13649 Cons
NO2.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 1
   URBANOPT 2189641
   POLLUTID NOX
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Cons NO2.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
** Source Parameters **
   SRCPARAM VOL1         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL2         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL3         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL4         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL5         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL6         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL7         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL8         0.0751262363     5.000    46.363     1.400
```

```
   SRCPARAM VOL9         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL10        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL11        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL12        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL13        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL14        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL15        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL16        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL17        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL18        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL19        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL20        0.0751262363     5.000    46.363     1.400
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL1         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
```

```
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL10        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Cons NO2.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
```

```
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 1 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "13649 CONS NO2.AD\01H1GALL.PLT" 31
   SUMMFILE "13649 Cons NO2.sum"
OU FINISHED
**
**************************************
** Project Parameters
**************************************
** PROJCTN  CoordinateSystemUTM
** DESCPTN  UTM: Universal Transverse Mercator
** DATUM    North American Datum 1983
** DTMRGN   CONUS
** UNITS    m
** ZONE     11
** ZONEINX  0
**
```

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Cons NO2\13649 Cons
NO2.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 1
   URBANOPT 2189641
   POLLUTID NOX
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Cons NO2.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
** Source Parameters **
   SRCPARAM VOL1         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL2         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL3         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL4         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL5         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL6         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL7         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL8         0.0751262363     5.000    46.363     1.400
```

```
   SRCPARAM VOL9         0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL10        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL11        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL12        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL13        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL14        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL15        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL16        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL17        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL18        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL19        0.0751262363     5.000    46.363     1.400
   SRCPARAM VOL20        0.0751262363     5.000    46.363     1.400
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL1         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
```

```
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL10        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Cons NO2.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
```

```
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 1 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "13649 CONS NO2.AD\01H1GALL.PLT" 31
   SUMMFILE "13649 Cons NO2.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186     406       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used          0.50
 ME W187     406       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 **********************************
 *** SETUP Finishes Successfully ***
 **********************************

FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:10:49

                      PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                          ***     MODEL SETUP OPTIONS SUMMARY       ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - -

 **Model Is Setup For Calculation of Average CONCentration Values.

   --  DEPOSITION LOGIC  --
 **NO GAS DEPOSITION Data Provided.
 **NO PARTICLE DEPOSITION Data Provided.
 **Model Uses NO DRY DEPLETION.  DRYDPLT  =  F
 **Model Uses NO WET DEPLETION.  WETDPLT  =  F
```

```
**Model Uses URBAN Dispersion Algorithm for the SBL for    20 Source(s),
  for Total of    1 Urban Area(s):
  Urban Population =   2189641.0 ;  Urban Roughness Length =  1.000 m

**Model Uses Regulatory DEFAULT Options:
        1. Stack-tip Downwash.
        2. Model Accounts for ELEVated Terrain Effects.
        3. Use Calms Processing Routine.
        4. Use Missing Data Processing Routine.
        5. No Exponential Decay.
        6. Urban Roughness Length of 1.0 Meter Assumed.

**Other Options Specified:
        ADJ_U*   - Use ADJ_U* option for SBL in AERMET
        CCVR_Sub - Meteorological data includes CCVR substitutions
        TEMP_Sub - Meteorological data includes TEMP substitutions

**Model Accepts FLAGPOLE Receptor Heights.

**The User Specified a Pollutant Type of:  NOX

**Model Calculates  1 Short Term Average(s) of:   1-HR

**This Run Includes:     20 Source(s);       1 Source Group(s); and      13 Receptor(s)

               with:      0 POINT(s), including
                          0 POINTCAP(s) and      0 POINTHOR(s)
                and:     20 VOLUME source(s)
                and:      0 AREA type source(s)
                and:      0 LINE source(s)
                and:      0 RLINE/RLINEXT source(s)
                and:      0 OPENPIT source(s)
                and:      0 BUOYANT LINE source(s) with a total of     0 line(s)


**Model Set To Continue RUNning After the Setup Testing.

**The AERMET Input Meteorological Data Version Date:  16216

**Output Options Selected:
         Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
         Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
         Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)

**NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
                                                                m for Missing Hours
                                                                b for Both Calm and Missing
                                                                Hours

**Misc. Inputs:  Base Elev. for Pot. Temp. Profile (m MSL) =   442.00 ;  Decay Coef. =
0.000     ;  Rot. Angle =     0.0
                Emission Units = GRAMS/SEC                                     ;  Emission Rate
                Unit Factor =   0.10000E+07
                Output Units   = MICROGRAMS/M**3

**Approximate Storage Requirements of Model =      3.5 MB of RAM.

**Input Runstream File:
aermod.inp
**Output Print File:
aermod.out

**Detailed Error/Message File:   13649 Cons
NO2.err
**File for Summary of Results:   13649 Cons
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER URBAN SOURCE PART.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	EMISSION RATE SCALAR VARY BY
VOL1	0	0.75126E-01	490703.8	3721527.3	461.1	5.00	46.36	1.40	YES HRDOW
VOL2	0	0.75126E-01	490903.7	3721526.8	464.1	5.00	46.36	1.40	YES HRDOW
VOL3	0	0.75126E-01	491101.9	3721527.9	465.4	5.00	46.36	1.40	YES HRDOW
VOL4	0	0.75126E-01	491301.3	3721529.0	464.5	5.00	46.36	1.40	YES HRDOW
VOL5	0	0.75126E-01	491499.5	3721530.2	460.1	5.00	46.36	1.40	YES HRDOW
VOL6	0	0.75126E-01	491698.9	3721531.3	453.4	5.00	46.36	1.40	YES HRDOW
VOL7	0	0.75126E-01	490704.3	3721328.5	465.0	5.00	46.36	1.40	YES HRDOW
VOL8	0	0.75126E-01	490903.7	3721327.4	462.9	5.00	46.36	1.40	YES HRDOW
VOL9	0	0.75126E-01	491103.1	3721327.4	465.5	5.00	46.36	1.40	YES HRDOW
VOL10	0	0.75126E-01	491302.4	3721328.5	447.0	5.00	46.36	1.40	YES HRDOW
VOL11	0	0.75126E-01	491502.9	3721329.7	455.5	5.00	46.36	1.40	YES HRDOW
VOL12	0	0.75126E-01	490706.6	3721126.9	456.9	5.00	46.36	1.40	YES HRDOW
VOL13	0	0.75126E-01	490902.5	3721129.2	454.3	5.00	46.36	1.40	YES HRDOW
VOL14	0	0.75126E-01	491103.1	3721128.0	452.6	5.00	46.36	1.40	YES HRDOW
VOL15	0	0.75126E-01	491304.7	3721128.0	439.7	5.00	46.36	1.40	YES HRDOW
VOL16	0	0.75126E-01	491398.1	3721218.0	441.1	5.00	46.36	1.40	YES HRDOW
VOL17	0	0.75126E-01	490710.0	3720943.5	448.5	5.00	46.36	1.40	YES HRDOW
VOL18	0	0.75126E-01	490911.7	3720943.5	442.9	5.00	46.36	1.40	YES HRDOW
VOL19	0	0.75126E-01	491108.7	3720944.1	439.0	5.00	46.36	1.40	YES HRDOW
VOL20	0	0.75126E-01	491292.2	3720944.6	436.9	5.00	46.36	1.40	YES HRDOW

*** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs
ALL	VOL1 , VOL2 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 ,
	VOL9 , VOL10 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 ,
	VOL17 , VOL18 , VOL19 , VOL20 ,

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs
	2189641.	VOL1 , VOL2 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 ,
		VOL9 , VOL10 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 ,
		VOL17 , VOL18 , VOL19 , VOL20 ,

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL1 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								
DAY OF WEEK = SATURDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00												

DAY OF WEEK = SUNDAY

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL3 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

```
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***        12:10:49

                     PAGE   8
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                   (HRDOW) *

 SOURCE ID = VOL4         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***        12:10:49

                     PAGE   9
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                   (HRDOW) *
```

SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                  (HRDOW) *

SOURCE ID = VOL7   ; SOURCE TYPE = VOLUME   :
 HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
 SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - -

```
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:10:49

                     PAGE  13
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                   (HRDOW) *

 SOURCE ID = VOL9         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:10:49

                     PAGE  14
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                   (HRDOW) *

 SOURCE ID = VOL10        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
```

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - -

- - - - - - - - - - - - - - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL13 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

- - - - - - - - - - - - - - - - -

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL14 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - -

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00

```
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:10:49

                     PAGE  22
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                   (HRDOW) *

 SOURCE ID = VOL18        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:10:49

                     PAGE  23
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                   (HRDOW) *

 SOURCE ID = VOL19        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
```

.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - -

(491040.1, 3720811.8, 433.9, 576.0, 2.0); (491099.4, 3720760.9, 432.5, 576.0, 2.0);
(490861.0, 3720813.2, 437.6, 576.0, 2.0); (490967.8, 3720814.9, 435.4, 576.0, 2.0);
(490715.4, 3720813.7, 441.3, 576.0, 2.0); (490594.5, 3720810.1, 444.4, 576.0, 2.0);
(490594.0, 3720978.4, 451.4, 576.0, 2.0); (491550.8, 3721106.1, 437.3, 482.0, 2.0);
(491910.3, 3721316.8, 442.1, 470.0, 2.0); (490497.7, 3721301.7, 457.7, 576.0, 2.0);
(490559.2, 3721553.5, 461.3, 576.0, 2.0); (491004.7, 3721834.3, 476.8, 575.0, 2.0);
(491547.7, 3720420.1, 428.0, 775.0, 2.0);

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
(1=YES; 0=NO)

1 1 1

Surface format:
FREE

Profile format:
FREE

Surface station no.: 3171 Upper air station no.: 3190
Name: UNKNOWN Name:
UNKNOWN
Year: 2010 Year: 2010

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT
10	01	01	1	01	-7.9	0.125	-9.000	-9.000	-999.	106.	21.2	0.19	0.61	1.00	1.30	335.	9.1	282.5	5.5
10	01	01	1	02	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	142.	9.1	280.9	5.5
10	01	01	1	03	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	324.	9.1	280.4	5.5
10	01	01	1	04	-1.3	0.064	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	294.	9.1	278.8	5.5
10	01	01	1	05	-3.9	0.088	-9.000	-9.000	-999.	62.	15.0	0.19	0.61	1.00	0.90	205.	9.1	278.1	5.5
10	01	01	1	06	-1.3	0.065	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	3.	9.1	277.0	5.5
10	01	01	1	07	-8.0	0.125	-9.000	-9.000	-999.	106.	21.0	0.19	0.61	1.00	1.30	99.	9.1	277.0	5.5
10	01	01	1	08	-3.3	0.086	-9.000	-9.000	-999.	61.	16.8	0.19	0.61	0.54	0.90	319.	9.1	278.8	5.5
10	01	01	1	09	20.1	0.128	0.307	0.010	49.	110.	-9.0	0.19	0.61	0.33	0.90	239.	9.1	284.2	5.5
10	01	01	1	10	56.7	0.087	0.560	0.010	107.	62.	-1.0	0.19	0.61	0.26	0.40	188.	9.1	289.2	5.5
10	01	01	1	11	81.5	0.323	0.867	0.008	277.	441.	-35.9	0.19	0.61	0.23	2.70	310.	9.1	290.9	5.5
10	01	01	1	12	97.1	0.281	1.058	0.008	421.	357.	-19.7	0.19	0.61	0.22	2.20	357.	9.1	293.1	5.5
10	01	01	1	13	92.2	0.279	1.117	0.008	523.	354.	-20.4	0.19	0.61	0.22	2.20	356.	9.1	293.8	5.5
10	01	01	1	14	77.6	0.275	1.102	0.008	595.	347.	-23.2	0.19	0.61	0.23	2.20	50.	9.1	294.2	5.5
10	01	01	1	15	54.9	0.230	1.006	0.008	640.	266.	-19.2	0.19	0.61	0.27	1.80	53.	9.1	293.8	5.5
10	01	01	1	16	12.3	0.206	0.613	0.008	648.	225.	-61.5	0.19	0.61	0.36	1.80	11.	9.1	292.5	5.5
10	01	01	1	17	-3.6	0.087	-9.000	-9.000	-999.	71.	15.6	0.19	0.61	0.64	0.90	351.	9.1	290.4	5.5
10	01	01	1	18	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90	186.	9.1	287.5	5.5
10	01	01	1	19	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90	275.	9.1	285.9	5.5
10	01	01	1	20	-1.2	0.064	-9.000	-9.000	-999.	39.	18.1	0.19	0.61	1.00	0.40	181.	9.1	285.4	5.5
10	01	01	1	21	-7.8	0.125	-9.000	-9.000	-999.	106.	21.3	0.19	0.61	1.00	1.30	318.	9.1	284.9	5.5
10	01	01	1	22	-3.8	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	196.	9.1	283.1	5.5
10	01	01	1	23	-3.8	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	330.	9.1	281.4	5.5
10	01	01	1	24	-7.9	0.125	-9.000	-9.000	-999.	106.	21.2	0.19	0.61	1.00	1.30	332.	9.1	280.9	5.5

```
 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 10 01 01 01    5.5 0 -999.  -99.00   282.6   99.0  -99.00  -99.00
 10 01 01 01    9.1 1  335.    1.30  -999.0   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:10:49

                      PAGE  28
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                             *** THE   1ST HIGHEST  1-HR AVERAGE CONCENTRATION   VALUES FOR
                             SOURCE GROUP:  ALL      ***
                                 INCLUDING SOURCE(S):     VOL1        , VOL2        ,
                                 VOL3        , VOL4        , VOL5        ,
                  VOL6        , VOL7        , VOL8        , VOL9        , VOL10       ,
                  VOL11       , VOL12       , VOL13       ,
                  VOL14       , VOL15       , VOL16       , VOL17       , VOL18       ,
                  VOL19       , VOL20       ,

                                       *** DISCRETE CARTESIAN RECEPTOR POINTS ***

                                    ** CONC OF NOX      IN
                                    MICROGRAMS/M**3                         **

     X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)  Y-COORD
     (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - -
       491040.14   3720811.82       27.96539  (10121516)               491099.44
       3720760.90       21.94075  (10121516)
       490860.97   3720813.22       28.09385  (11010316)               490967.82
       3720814.92       28.31630  (10121516)
       490715.43   3720813.68       26.51068  (11010316)               490594.55
       3720810.14       27.56290  (11010316)
       490593.96   3720978.45       34.76037  (16010616)               491550.75
       3721106.14       24.84476  (10121516)
       491910.34   3721316.76       10.97541  (10121516)               490497.69
       3721301.70       21.60614  (16010616)
       490559.17   3721553.49       26.56764  (16010616)               491004.68
       3721834.26       22.64422  (10121716)
       491547.68   3720420.06        9.25353
       (11112416)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:10:49

                      PAGE  29
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                          *** THE SUMMARY OF HIGHEST  1-HR RESULTS ***


                                    ** CONC OF NOX      IN
                                    MICROGRAMS/M**3                         **


                                                 DATE
                                                                                NETWORK
GROUP ID                          AVERAGE CONC     (YYMMDDHH)              RECEPTOR  (XR, YR,
ZELEV, ZHILL, ZFLAG)    OF TYPE  GRID-ID
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
```

ALL HIGH 1ST HIGH VALUE IS 34.76037 ON 16010616: AT (490593.96, 3720978.45, 451.38, 576.00, 2.00) DC

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

--------- Summary of Total Messages --------

A Total of 0 Fatal Error Message(s)
A Total of 4 Warning Message(s)
A Total of 2028 Informational Message(s)

A Total of 43824 Hours Were Processed

A Total of 978 Calm Hours Identified

A Total of 1050 Missing Hours Identified (2.40 Percent)

******** FATAL ERROR MESSAGES ********
*** NONE ***

******** WARNING MESSAGES ********
ME W186 406 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50
ME W187 406 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET
MX W450 17521 CHKDAT: Record Out of Sequence in Meteorological File at: 14010101
MX W450 17521 CHKDAT: Record Out of Sequence in Meteorological File at: 2 year gap

****
*** AERMOD Finishes Successfully ***
****

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Cons PM10\13649 Cons
PM10.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 2189641
   POLLUTID PM_10
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Cons PM10.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
   LOCATION PAREA1       AREAPOLY   490600.653  3721629.282      463.000
** Source Parameters **
   SRCPARAM VOL1         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL2         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL3         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL4         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL5         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL6         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL7         0.0038593151     5.000    46.363     1.400
```

```
   SRCPARAM VOL8         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL9         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL10        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL11        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL12        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL13        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL14        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL15        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL16        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL17        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL18        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL19        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL20        0.0038593151     5.000    46.363     1.400
   SRCPARAM PAREA1       1.7212E-07     0.000         6     1.000
   AREAVERT PAREA1       490600.653 3721629.282 491851.521 3721637.257
   AREAVERT PAREA1       491308.111 3720856.889 491272.795 3720856.889
   AREAVERT PAREA1       491248.872 3720848.914 490610.906 3720843.218
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL1         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
```

```
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9          HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL10         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT PAREA1       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Cons PM10.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "13649 Cons PM10.AD\24H1GALL.PLT" 31
   SUMMFILE "13649 Cons PM10.sum"
OU FINISHED
**
**************************************
** Project Parameters
**************************************
** PROJCTN  CoordinateSystemUTM
** DESCPTN  UTM: Universal Transverse Mercator
** DATUM    North American Datum 1983
** DTMRGN   CONUS
** UNITS    m
** ZONE     11
** ZONEINX  0
**
```

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Cons PM10\13649 Cons
PM10.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 2189641
   POLLUTID PM_10
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Cons PM10.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
   LOCATION PAREA1       AREAPOLY   490600.653  3721629.282      463.000
** Source Parameters **
   SRCPARAM VOL1         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL2         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL3         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL4         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL5         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL6         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL7         0.0038593151     5.000    46.363     1.400
```

```
   SRCPARAM VOL8         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL9         0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL10        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL11        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL12        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL13        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL14        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL15        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL16        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL17        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL18        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL19        0.0038593151     5.000    46.363     1.400
   SRCPARAM VOL20        0.0038593151     5.000    46.363     1.400
   SRCPARAM PAREA1       1.7212E-07     0.000         6     1.000
   AREAVERT PAREA1       490600.653 3721629.282 491851.521 3721637.257
   AREAVERT PAREA1       491308.111 3720856.889 491272.795 3720856.889
   AREAVERT PAREA1       491248.872 3720848.914 490610.906 3720843.218
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL1         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
```

```
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9          HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL10         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT PAREA1       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Cons PM10.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "13649 Cons PM10.AD\24H1GALL.PLT" 31
   SUMMFILE "13649 Cons PM10.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186     426       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used          0.50
 ME W187     426       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 *********************************
 *** SETUP Finishes Successfully ***
 *********************************
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** MODEL SETUP OPTIONS SUMMARY ***

- - - -

m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 442.00 ; Decay Coef. = 0.000 ; Rot. Angle = 0.0
Emission Units = GRAMS/SEC ; Emission Rate
Unit Factor = 0.10000E+07
Output Units = MICROGRAMS/M**3

**Approximate Storage Requirements of Model = 3.5 MB of RAM.

**Input Runstream File:
aermod.inp
**Output Print File:
aermod.out

**Detailed Error/Message File: 13649 Cons
PM10.err
**File for Summary of Results: 13649 Cons
PM10.sum

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER URBAN SOURCE PART.	EMISSION RATE (GRAMS/SEC) SCALAR VARY BY	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	
VOL1	0	0.38593E-02	490703.8	3721527.3	461.1	5.00	46.36	1.40	YES HRDOW
VOL2	0	0.38593E-02	490903.7	3721526.8	464.1	5.00	46.36	1.40	YES HRDOW
VOL3	0	0.38593E-02	491101.9	3721527.9	465.4	5.00	46.36	1.40	YES HRDOW
VOL4	0	0.38593E-02	491301.3	3721529.0	464.5	5.00	46.36	1.40	YES HRDOW
VOL5	0	0.38593E-02	491499.5	3721530.2	460.1	5.00	46.36	1.40	YES HRDOW
VOL6	0	0.38593E-02	491698.9	3721531.3	453.4	5.00	46.36	1.40	YES HRDOW
VOL7	0	0.38593E-02	490704.3	3721328.5	465.0	5.00	46.36	1.40	YES HRDOW
VOL8	0	0.38593E-02	490903.7	3721327.4	462.9	5.00	46.36	1.40	YES HRDOW
VOL9	0	0.38593E-02	491103.1	3721327.4	465.5	5.00	46.36	1.40	YES HRDOW
VOL10	0	0.38593E-02	491302.4	3721328.5	447.0	5.00	46.36	1.40	YES HRDOW
VOL11	0	0.38593E-02	491502.9	3721329.7	455.5	5.00	46.36	1.40	YES HRDOW
VOL12	0	0.38593E-02	490706.6	3721126.9	456.9	5.00	46.36	1.40	YES HRDOW
VOL13	0	0.38593E-02	490902.5	3721129.2	454.3	5.00	46.36	1.40	

```
 YES   HRDOW
 VOL14            0   0.38593E-02  491103.1 3721128.0   452.6     5.00    46.36     1.40
 YES   HRDOW
 VOL15            0   0.38593E-02  491304.7 3721128.0   439.7     5.00    46.36     1.40
 YES   HRDOW
 VOL16            0   0.38593E-02  491398.1 3721218.0   441.1     5.00    46.36     1.40
 YES   HRDOW
 VOL17            0   0.38593E-02  490710.0 3720943.5   448.5     5.00    46.36     1.40
 YES   HRDOW
 VOL18            0   0.38593E-02  490911.7 3720943.5   442.9     5.00    46.36     1.40
 YES   HRDOW
 VOL19            0   0.38593E-02  491108.7 3720944.1   439.0     5.00    46.36     1.40
 YES   HRDOW
 VOL20            0   0.38593E-02  491292.2 3720944.6   436.9     5.00    46.36     1.40
 YES   HRDOW
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       11:36:00

                      PAGE   3
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                              *** AREAPOLY SOURCE DATA ***

              NUMBER EMISSION RATE   LOCATION OF AREA  BASE     RELEASE  NUMBER      INIT.
              URBAN  EMISSION RATE
   SOURCE       PART.  (GRAMS/SEC       X        Y      ELEV.    HEIGHT  OF VERTS.     SZ
   SOURCE  SCALAR VARY
     ID         CATS.   /METER**2)   (METERS) (METERS) (METERS) (METERS)
     (METERS)              BY
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - -

 PAREA1           0   0.17212E-06  490600.7 3721629.3   463.0     0.00       6         1.00
 YES   HRDOW
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       11:36:00

                      PAGE   4
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                          *** SOURCE IDs DEFINING SOURCE GROUPS ***

 SRCGROUP ID                                          SOURCE IDs
 -----------                                          ----------


  ALL        VOL1        , VOL2        , VOL3        , VOL4        , VOL5        , VOL6        ,
  VOL7        , VOL8        ,

             VOL9        , VOL10       , VOL11       , VOL12       , VOL13       , VOL14       ,
             VOL15       , VOL16       ,

             VOL17       , VOL18       , VOL19       , VOL20       , PAREA1      ,
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       11:36:00

                      PAGE   5
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs
	2189641.	VOL1 , VOL2 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 , VOL9 , VOL10 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18 , VOL19 , VOL20 , PAREA1 ,

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL1 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								
DAY OF WEEK = SATURDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								
DAY OF WEEK = SUNDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR

```
 SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - -
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

FF *** AERMOD - VERSION 21112 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con *** 06/09/22
*** AERMET - VERSION 16216 ***
*** *** 11:36:00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	

.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

DAY OF WEEK = SUNDAY

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

```
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       11:36:00

                     PAGE  15
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                   (HRDOW) *

 SOURCE ID = VOL10        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       11:36:00

                     PAGE  16
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                   (HRDOW) *
```

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                  (HRDOW) *

SOURCE ID = VOL13   ; SOURCE TYPE = VOLUME   :
 HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
 SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - -

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

FF *** AERMOD - VERSION 21112 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con *** 06/09/22
*** AERMET - VERSION 16216 ***
*** *** 11:36:00

PAGE 22

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

FF *** AERMOD - VERSION 21112 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con *** 06/09/22
*** AERMET - VERSION 16216 ***
*** *** 11:36:00

PAGE 23

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL18 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

- - - - - - - - - - - - - - - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - - - - - - - - - - - - - -

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = PAREA1 ; SOURCE TYPE = AREAPOLY :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(491040.1, 3720811.8, 433.9, 576.0, 2.0); (491099.4, 3720760.9, 432.5, 576.0, 2.0);
(490861.0, 3720813.2, 437.6, 576.0, 2.0); (490967.8, 3720814.9, 435.4, 576.0, 2.0);
(490715.4, 3720813.7, 441.3, 576.0, 2.0); (490594.5, 3720810.1, 444.4, 576.0, 2.0);
(490594.0, 3720978.4, 451.4, 576.0, 2.0); (491550.8, 3721106.1, 437.3, 482.0, 2.0);
(491910.3, 3721316.8, 442.1, 470.0, 2.0); (490497.7, 3721301.7, 457.7, 576.0, 2.0);
(490559.2, 3721553.5, 461.3, 576.0, 2.0); (491004.7, 3721834.3, 476.8, 575.0, 2.0);
(491547.7, 3720420.1, 428.0, 775.0, 2.0);

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
(1=YES; 0=NO)

1 1 1

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

Surface file:
PERI_V9_ADJU\PERI_v9.SFC Met
Version: 16216
Profile file:
PERI_V9_ADJU\PERI_v9.PFL
Surface format:
FREE

Profile format:
FREE

Surface station no.: 3171 Upper air station no.: 3190
Name: UNKNOWN Name:
UNKNOWN
Year: 2010 Year: 2010

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT
10	01	01	1	01	-7.9	0.125	-9.000	-9.000	-999.	106.	21.2	0.19	0.61	1.00	1.30	335.	9.1	282.5	5.5
10	01	01	1	02	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	142.	9.1	280.9	5.5
10	01	01	1	03	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	324.	9.1	280.4	5.5
10	01	01	1	04	-1.3	0.064	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	294.	9.1	278.8	5.5
10	01	01	1	05	-3.9	0.088	-9.000	-9.000	-999.	62.	15.0	0.19	0.61	1.00	0.90	205.	9.1	278.1	5.5
10	01	01	1	06	-1.3	0.065	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	3.	9.1	277.0	5.5
10	01	01	1	07	-8.0	0.125	-9.000	-9.000	-999.	106.	21.0	0.19	0.61	1.00	1.30	99.	9.1	277.0	5.5
10	01	01	1	08	-3.3	0.086	-9.000	-9.000	-999.	61.	16.8	0.19	0.61	0.54	0.90	319.	9.1	278.8	5.5
10	01	01	1	09	20.1	0.128	0.307	0.010	49.	110.	-9.0	0.19	0.61	0.33	0.90	239.	9.1	284.2	5.5
10	01	01	1	10	56.7	0.087	0.560	0.010	107.	62.	-1.0	0.19	0.61	0.26	0.40	188.	9.1	289.2	5.5
10	01	01	1	11	81.5	0.323	0.867	0.008	277.	441.	-35.9	0.19	0.61	0.23	2.70	310.	9.1	290.9	5.5
10	01	01	1	12	97.1	0.281	1.058	0.008	421.	357.	-19.7	0.19	0.61	0.22	2.20	357.	9.1	293.1	5.5
10	01	01	1	13	92.2	0.279	1.117	0.008	523.	354.	-20.4	0.19	0.61	0.22	2.20	356.	9.1	293.8	5.5
10	01	01	1	14	77.6	0.275	1.102	0.008	595.	347.	-23.2	0.19	0.61	0.23	2.20	50.	9.1	294.2	5.5
10	01	01	1	15	54.9	0.230	1.006	0.008	640.	266.	-19.2	0.19	0.61	0.27	1.80	53.	9.1	293.8	5.5
10	01	01	1	16	12.3	0.206	0.613	0.008	648.	225.	-61.5	0.19	0.61	0.36	1.80	11.	9.1	292.5	5.5
10	01	01	1	17	-3.6	0.087	-9.000	-9.000	-999.	71.	15.6	0.19	0.61	0.64	0.90	351.	9.1	290.4	5.5
10	01	01	1	18	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90	186.	9.1	287.5	5.5
10	01	01	1	19	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90				

```
 275.    9.1  285.9    5.5
 10 01 01   1 20   -1.2  0.064 -9.000 -9.000 -999.   39.     18.1  0.19   0.61   1.00    0.40
 181.    9.1  285.4    5.5
 10 01 01   1 21   -7.8  0.125 -9.000 -9.000 -999.  106.     21.3  0.19   0.61   1.00    1.30
 318.    9.1  284.9    5.5
 10 01 01   1 22   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61   1.00    0.90
 196.    9.1  283.1    5.5
 10 01 01   1 23   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61   1.00    0.90
 330.    9.1  281.4    5.5
 10 01 01   1 24   -7.9  0.125 -9.000 -9.000 -999.  106.     21.2  0.19   0.61   1.00    1.30
 332.    9.1  280.9    5.5


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 10 01 01 01    5.5 0 -999.  -99.00   282.6   99.0  -99.00  -99.00
 10 01 01 01    9.1 1  335.    1.30  -999.0   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       11:36:00

                     PAGE  30
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                             *** THE   1ST HIGHEST 24-HR AVERAGE CONCENTRATION   VALUES FOR
                             SOURCE GROUP:  ALL      ***
                                 INCLUDING SOURCE(S):     VOL1        , VOL2        ,
                                 VOL3        , VOL4        , VOL5        ,
                  VOL6        , VOL7        , VOL8        , VOL9        , VOL10       ,
                  VOL11       , VOL12       , VOL13       ,
                  VOL14       , VOL15       , VOL16       , VOL17       , VOL18       ,
                  VOL19       , VOL20       , PAREA1      ,

                                       *** DISCRETE CARTESIAN RECEPTOR POINTS ***

                                    ** CONC OF PM_10    IN
                                    MICROGRAMS/M**3                          **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)  Y-COORD
      (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - -
        491040.14   3720811.82        0.59116  (16122224)               491099.44
        3720760.90        0.45129  (16122224)
        490860.97   3720813.22        0.60609  (16122224)               490967.82
        3720814.92        0.61354  (16122224)
        490715.43   3720813.68        0.55386  (16122224)               490594.55
        3720810.14        0.37799c (15012824)
        490593.96   3720978.45        0.66176c (10122124)               491550.75
        3721106.14        0.33253  (16122224)
        491910.34   3721316.76        0.13256  (14040124)               490497.69
        3721301.70        0.46308  (10121524)
        490559.17   3721553.49        0.65972  (10121524)               491004.68
        3721834.26        0.34227c (10121724)
        491547.68   3720420.06        0.13301
        (16122224)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       11:36:00

                     PAGE  31
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF PM_10 IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE	NETWORK GRID-ID
ALL	HIGH 1ST HIGH VALUE IS	0.66176c	ON 10122124: AT (490593.96, 3720978.45, 451.38, 576.00, 2.00)	DC	

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

FF *** AERMOD - VERSION 21112 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con *** 06/09/22
*** AERMET - VERSION 16216 ***
*** *** 11:36:00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

--------- Summary of Total Messages --------

A Total of 0 Fatal Error Message(s)
A Total of 4 Warning Message(s)
A Total of 2028 Informational Message(s)

A Total of 43824 Hours Were Processed

A Total of 978 Calm Hours Identified

A Total of 1050 Missing Hours Identified (2.40 Percent)

******** FATAL ERROR MESSAGES ********
*** NONE ***

******** WARNING MESSAGES ********

ME W186	426	MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used		0.50
ME W187	426	MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET		
MX W450	17521	CHKDAT: Record Out of Sequence in Meteorological File at:		14010101
MX W450	17521	CHKDAT: Record Out of Sequence in Meteorological File at:		2 year gap

****
*** AERMOD Finishes Successfully ***
****

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Cons PM25\13649 Cons
PM25.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 2189641
   POLLUTID PM_2.5
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Cons PM25.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
   LOCATION PAREA1       AREAPOLY   490600.653  3721629.282      463.000
** Source Parameters **
   SRCPARAM VOL1         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL2         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL3         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL4         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL5         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL6         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL7         0.0035518803     5.000    46.363     1.400
```

```
   SRCPARAM VOL8         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL9         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL10        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL11        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL12        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL13        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL14        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL15        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL16        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL17        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL18        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL19        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL20        0.0035518803     5.000    46.363     1.400
   SRCPARAM PAREA1       7.5832E-08     0.000         6     1.000
   AREAVERT PAREA1       490600.653 3721629.282 491851.521 3721637.257
   AREAVERT PAREA1       491308.111 3720856.889 491272.795 3720856.889
   AREAVERT PAREA1       491248.872 3720848.914 490610.906 3720843.218
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL1         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
```

```
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9          HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL10         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT PAREA1       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Cons PM25.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "13649 CONS PM25.AD\24H1GALL.PLT" 31
   SUMMFILE "13649 Cons PM25.sum"
OU FINISHED
**
**************************************
** Project Parameters
**************************************
** PROJCTN  CoordinateSystemUTM
** DESCPTN  UTM: Universal Transverse Mercator
** DATUM    North American Datum 1983
** DTMRGN   CONUS
** UNITS    m
** ZONE     11
** ZONEINX  0
**
```

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Cons PM25\13649 Cons
PM25.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 2189641
   POLLUTID PM_2.5
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Cons PM25.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
   LOCATION PAREA1       AREAPOLY   490600.653  3721629.282      463.000
** Source Parameters **
   SRCPARAM VOL1         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL2         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL3         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL4         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL5         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL6         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL7         0.0035518803     5.000    46.363     1.400
```

```
   SRCPARAM VOL8         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL9         0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL10        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL11        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL12        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL13        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL14        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL15        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL16        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL17        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL18        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL19        0.0035518803     5.000    46.363     1.400
   SRCPARAM VOL20        0.0035518803     5.000    46.363     1.400
   SRCPARAM PAREA1       7.5832E-08     0.000         6     1.000
   AREAVERT PAREA1       490600.653 3721629.282 491851.521 3721637.257
   AREAVERT PAREA1       491308.111 3720856.889 491272.795 3720856.889
   AREAVERT PAREA1       491248.872 3720848.914 490610.906 3720843.218
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL1         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
```

```
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9          HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL10         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT PAREA1       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Cons PM25.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "13649 CONS PM25.AD\24H1GALL.PLT" 31
   SUMMFILE "13649 Cons PM25.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186     426       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used          0.50
 ME W187     426       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 *********************************
 *** SETUP Finishes Successfully ***
 *********************************
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** MODEL SETUP OPTIONS SUMMARY ***

- - - -

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 442.00 ; Decay Coef. = 0.000 ; Rot. Angle = 0.0
Emission Units = GRAMS/SEC ; Emission Rate
Unit Factor = 0.10000E+07
Output Units = MICROGRAMS/M**3

**Approximate Storage Requirements of Model = 3.5 MB of RAM.

**Input Runstream File:
aermod.inp
**Output Print File:
aermod.out

**Detailed Error/Message File: 13649 Cons
PM25.err
**File for Summary of Results: 13649 Cons
PM25.sum

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER URBAN SOURCE PART.	EMISSION RATE (GRAMS/SEC) SCALAR VARY BY	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	
VOL1	0	0.35519E-02	490703.8	3721527.3	461.1	5.00	46.36	1.40	YES HRDOW
VOL2	0	0.35519E-02	490903.7	3721526.8	464.1	5.00	46.36	1.40	YES HRDOW
VOL3	0	0.35519E-02	491101.9	3721527.9	465.4	5.00	46.36	1.40	YES HRDOW
VOL4	0	0.35519E-02	491301.3	3721529.0	464.5	5.00	46.36	1.40	YES HRDOW
VOL5	0	0.35519E-02	491499.5	3721530.2	460.1	5.00	46.36	1.40	YES HRDOW
VOL6	0	0.35519E-02	491698.9	3721531.3	453.4	5.00	46.36	1.40	YES HRDOW
VOL7	0	0.35519E-02	490704.3	3721328.5	465.0	5.00	46.36	1.40	YES HRDOW
VOL8	0	0.35519E-02	490903.7	3721327.4	462.9	5.00	46.36	1.40	YES HRDOW
VOL9	0	0.35519E-02	491103.1	3721327.4	465.5	5.00	46.36	1.40	YES HRDOW
VOL10	0	0.35519E-02	491302.4	3721328.5	447.0	5.00	46.36	1.40	YES HRDOW
VOL11	0	0.35519E-02	491502.9	3721329.7	455.5	5.00	46.36	1.40	YES HRDOW
VOL12	0	0.35519E-02	490706.6	3721126.9	456.9	5.00	46.36	1.40	YES HRDOW
VOL13	0	0.35519E-02	490902.5	3721129.2	454.3	5.00	46.36	1.40	

```
 YES   HRDOW
 VOL14            0   0.35519E-02  491103.1 3721128.0   452.6     5.00    46.36     1.40
 YES   HRDOW
 VOL15            0   0.35519E-02  491304.7 3721128.0   439.7     5.00    46.36     1.40
 YES   HRDOW
 VOL16            0   0.35519E-02  491398.1 3721218.0   441.1     5.00    46.36     1.40
 YES   HRDOW
 VOL17            0   0.35519E-02  490710.0 3720943.5   448.5     5.00    46.36     1.40
 YES   HRDOW
 VOL18            0   0.35519E-02  490911.7 3720943.5   442.9     5.00    46.36     1.40
 YES   HRDOW
 VOL19            0   0.35519E-02  491108.7 3720944.1   439.0     5.00    46.36     1.40
 YES   HRDOW
 VOL20            0   0.35519E-02  491292.2 3720944.6   436.9     5.00    46.36     1.40
 YES   HRDOW
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       11:38:07

                      PAGE   3
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                              *** AREAPOLY SOURCE DATA ***

              NUMBER EMISSION RATE   LOCATION OF AREA  BASE     RELEASE  NUMBER      INIT.
              URBAN  EMISSION RATE
   SOURCE       PART.  (GRAMS/SEC       X        Y      ELEV.    HEIGHT  OF VERTS.     SZ
   SOURCE  SCALAR VARY
     ID         CATS.   /METER**2)   (METERS) (METERS) (METERS) (METERS)
     (METERS)              BY
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - -

 PAREA1           0   0.75832E-07  490600.7 3721629.3   463.0     0.00       6         1.00
 YES   HRDOW
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       11:38:07

                      PAGE   4
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                          *** SOURCE IDs DEFINING SOURCE GROUPS ***

 SRCGROUP ID                                          SOURCE IDs
 -----------                                          ----------


  ALL        VOL1        , VOL2        , VOL3        , VOL4        , VOL5        , VOL6        ,
  VOL7        , VOL8        ,

             VOL9        , VOL10       , VOL11       , VOL12       , VOL13       , VOL14       ,
             VOL15       , VOL16       ,

             VOL17       , VOL18       , VOL19       , VOL20       , PAREA1      ,
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       11:38:07

                      PAGE   5
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs
	2189641.	VOL1 , VOL2 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 , VOL9 , VOL10 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18 , VOL19 , VOL20 , PAREA1 ,

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL1 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								
DAY OF WEEK = SATURDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								
DAY OF WEEK = SUNDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR

```
 SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - -
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								
DAY OF WEEK = SATURDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								
DAY OF WEEK = SUNDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

FF *** AERMOD - VERSION 21112 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con *** 06/09/22
*** AERMET - VERSION 16216 ***
*** *** 11:38:07

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								
DAY OF WEEK = SATURDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								
DAY OF WEEK = SUNDAY													
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00												

DAY OF WEEK = SUNDAY

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

```
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       11:38:07

                     PAGE  15
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                   (HRDOW) *

 SOURCE ID = VOL10        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       11:38:07

                     PAGE  16
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                   (HRDOW) *
```

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                  (HRDOW) *

SOURCE ID = VOL13   ; SOURCE TYPE = VOLUME   :
 HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
 SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - -

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00
13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00
19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00
13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00
19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

FF *** AERMOD - VERSION 21112 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con *** 06/09/22
*** AERMET - VERSION 16216 ***
*** *** 11:38:07

PAGE 22

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01
13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00
19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00
13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00
19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00
13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00
19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

FF *** AERMOD - VERSION 21112 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con *** 06/09/22
*** AERMET - VERSION 16216 ***
*** *** 11:38:07

PAGE 23

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL18 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR						

- - - - - - - - - - - - - - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

FF *** AERMOD - VERSION 21112 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con *** 06/09/22

*** AERMET - VERSION 16216 ***

*** *** 11:38:07

PAGE 24

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

- - - - - - - - - - - - - - - - -

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = PAREA1 ; SOURCE TYPE = AREAPOLY :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00
8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00								

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(491040.1, 3720811.8, 433.9, 576.0, 2.0); (491099.4, 3720760.9, 432.5, 576.0, 2.0);
(490861.0, 3720813.2, 437.6, 576.0, 2.0); (490967.8, 3720814.9, 435.4, 576.0, 2.0);
(490715.4, 3720813.7, 441.3, 576.0, 2.0); (490594.5, 3720810.1, 444.4, 576.0, 2.0);
(490594.0, 3720978.4, 451.4, 576.0, 2.0); (491550.8, 3721106.1, 437.3, 482.0, 2.0);
(491910.3, 3721316.8, 442.1, 470.0, 2.0); (490497.7, 3721301.7, 457.7, 576.0, 2.0);
(490559.2, 3721553.5, 461.3, 576.0, 2.0); (491004.7, 3721834.3, 476.8, 575.0, 2.0);
(491547.7, 3720420.1, 428.0, 775.0, 2.0);

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
(1=YES; 0=NO)

1 1 1

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

Surface file:
PERI_V9_ADJU\PERI_v9.SFC Met
Version: 16216
Profile file:
PERI_V9_ADJU\PERI_v9.PFL
Surface format:
FREE

Profile format:
FREE

Surface station no.: 3171 Upper air station no.: 3190
Name: UNKNOWN Name:
UNKNOWN
Year: 2010 Year: 2010

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT
10	01	01	1	01	-7.9	0.125	-9.000	-9.000	-999.	106.	21.2	0.19	0.61	1.00	1.30	335.	9.1	282.5	5.5
10	01	01	1	02	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	142.	9.1	280.9	5.5
10	01	01	1	03	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	324.	9.1	280.4	5.5
10	01	01	1	04	-1.3	0.064	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	294.	9.1	278.8	5.5
10	01	01	1	05	-3.9	0.088	-9.000	-9.000	-999.	62.	15.0	0.19	0.61	1.00	0.90	205.	9.1	278.1	5.5
10	01	01	1	06	-1.3	0.065	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	3.	9.1	277.0	5.5
10	01	01	1	07	-8.0	0.125	-9.000	-9.000	-999.	106.	21.0	0.19	0.61	1.00	1.30	99.	9.1	277.0	5.5
10	01	01	1	08	-3.3	0.086	-9.000	-9.000	-999.	61.	16.8	0.19	0.61	0.54	0.90	319.	9.1	278.8	5.5
10	01	01	1	09	20.1	0.128	0.307	0.010	49.	110.	-9.0	0.19	0.61	0.33	0.90	239.	9.1	284.2	5.5
10	01	01	1	10	56.7	0.087	0.560	0.010	107.	62.	-1.0	0.19	0.61	0.26	0.40	188.	9.1	289.2	5.5
10	01	01	1	11	81.5	0.323	0.867	0.008	277.	441.	-35.9	0.19	0.61	0.23	2.70	310.	9.1	290.9	5.5
10	01	01	1	12	97.1	0.281	1.058	0.008	421.	357.	-19.7	0.19	0.61	0.22	2.20	357.	9.1	293.1	5.5
10	01	01	1	13	92.2	0.279	1.117	0.008	523.	354.	-20.4	0.19	0.61	0.22	2.20	356.	9.1	293.8	5.5
10	01	01	1	14	77.6	0.275	1.102	0.008	595.	347.	-23.2	0.19	0.61	0.23	2.20	50.	9.1	294.2	5.5
10	01	01	1	15	54.9	0.230	1.006	0.008	640.	266.	-19.2	0.19	0.61	0.27	1.80	53.	9.1	293.8	5.5
10	01	01	1	16	12.3	0.206	0.613	0.008	648.	225.	-61.5	0.19	0.61	0.36	1.80	11.	9.1	292.5	5.5
10	01	01	1	17	-3.6	0.087	-9.000	-9.000	-999.	71.	15.6	0.19	0.61	0.64	0.90	351.	9.1	290.4	5.5
10	01	01	1	18	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90	186.	9.1	287.5	5.5
10	01	01	1	19	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90				

```
 275.    9.1  285.9    5.5
 10 01 01   1 20   -1.2  0.064 -9.000 -9.000 -999.   39.     18.1  0.19   0.61   1.00    0.40
 181.    9.1  285.4    5.5
 10 01 01   1 21   -7.8  0.125 -9.000 -9.000 -999.  106.     21.3  0.19   0.61   1.00    1.30
 318.    9.1  284.9    5.5
 10 01 01   1 22   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61   1.00    0.90
 196.    9.1  283.1    5.5
 10 01 01   1 23   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61   1.00    0.90
 330.    9.1  281.4    5.5
 10 01 01   1 24   -7.9  0.125 -9.000 -9.000 -999.  106.     21.2  0.19   0.61   1.00    1.30
 332.    9.1  280.9    5.5


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 10 01 01 01    5.5 0 -999.  -99.00   282.6   99.0  -99.00  -99.00
 10 01 01 01    9.1 1  335.    1.30  -999.0   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       11:38:07

                     PAGE  30
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                            *** THE   1ST HIGHEST 24-HR AVERAGE CONCENTRATION   VALUES FOR
                            SOURCE GROUP:  ALL      ***
                                INCLUDING SOURCE(S):     VOL1        , VOL2        ,
                                VOL3        , VOL4        , VOL5        ,
                  VOL6        , VOL7        , VOL8        , VOL9        , VOL10       ,
                  VOL11       , VOL12       , VOL13       ,
                  VOL14       , VOL15       , VOL16       , VOL17       , VOL18       ,
                  VOL19       , VOL20       , PAREA1      ,

                                       *** DISCRETE CARTESIAN RECEPTOR POINTS ***

                                    ** CONC OF PM_2.5   IN
                                    MICROGRAMS/M**3                          **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)  Y-COORD
      (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - -
        491040.14   3720811.82        0.32540  (16122224)               491099.44
        3720760.90        0.25129  (16122224)
        490860.97   3720813.22        0.33265  (16122224)               490967.82
        3720814.92        0.33774  (16122224)
        490715.43   3720813.68        0.32275c (11010324)               490594.55
        3720810.14        0.21856c (11010324)
        490593.96   3720978.45        0.35695  (10121524)               491550.75
        3721106.14        0.19980  (14120124)
        491910.34   3721316.76        0.07626  (14040124)               490497.69
        3721301.70        0.25025  (10121524)
        490559.17   3721553.49        0.35193  (10121524)               491004.68
        3721834.26        0.19487c (10121724)
        491547.68   3720420.06        0.07385
        (14120124)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       11:38:07

                     PAGE  31
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF PM_2.5 IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE	NETWORK GRID-ID
ALL	HIGH 1ST HIGH VALUE IS	0.35695	ON 10121524: AT (490593.96, 3720978.45, 451.38, 576.00, 2.00)	DC	

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

FF *** AERMOD - VERSION 21112 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con *** 06/09/22
*** AERMET - VERSION 16216 ***
*** *** 11:38:07

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

--------- Summary of Total Messages --------

A Total of 0 Fatal Error Message(s)
A Total of 4 Warning Message(s)
A Total of 2028 Informational Message(s)

A Total of 43824 Hours Were Processed

A Total of 978 Calm Hours Identified

A Total of 1050 Missing Hours Identified (2.40 Percent)

******** FATAL ERROR MESSAGES ********
*** NONE ***

******** WARNING MESSAGES ********

ME W186	426	MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used		0.50
ME W187	426	MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET		
MX W450	17521	CHKDAT: Record Out of Sequence in Meteorological File at:		14010101
MX W450	17521	CHKDAT: Record Out of Sequence in Meteorological File at:		2 year gap

****
*** AERMOD Finishes Successfully ***
****

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Ops CO\13649 Ops CO.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 1 8
   URBANOPT 2189641
   POLLUTID CO
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Ops CO.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
** Source Parameters **
   SRCPARAM VOL1         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL2         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL3         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL4         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL5         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL6         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL7         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL8         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL9         0.0166317202     5.000    46.363     1.400
```

```
   SRCPARAM VOL10        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL11        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL12        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL13        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL14        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL15        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL16        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL17        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL18        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL19        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL20        0.0166317202     5.000    46.363     1.400
   URBANSRC ALL
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Ops CO.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 1 1ST
   RECTABLE 8 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "13649 OPS CO.AD\01H1GALL.PLT" 31
   PLOTFILE 8 ALL 1ST "13649 OPS CO.AD\08H1GALL.PLT" 32
   SUMMFILE "13649 Ops CO.sum"
OU FINISHED
**
**************************************
** Project Parameters
**************************************
** PROJCTN  CoordinateSystemUTM
** DESCPTN  UTM: Universal Transverse Mercator
** DATUM    North American Datum 1983
** DTMRGN   CONUS
** UNITS    m
** ZONE     11
** ZONEINX  0
**
```

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Ops CO\13649 Ops CO.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 1 8
   URBANOPT 2189641
   POLLUTID CO
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Ops CO.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
** Source Parameters **
   SRCPARAM VOL1         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL2         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL3         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL4         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL5         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL6         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL7         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL8         0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL9         0.0166317202     5.000    46.363     1.400
```

```
   SRCPARAM VOL10        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL11        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL12        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL13        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL14        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL15        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL16        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL17        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL18        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL19        0.0166317202     5.000    46.363     1.400
   SRCPARAM VOL20        0.0166317202     5.000    46.363     1.400
   URBANSRC ALL
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Ops CO.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 1 1ST
   RECTABLE 8 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "13649 OPS CO.AD\01H1GALL.PLT" 31
   PLOTFILE 8 ALL 1ST "13649 OPS CO.AD\08H1GALL.PLT" 32
   SUMMFILE "13649 Ops CO.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
              ***  NONE  ***
```

```
   ********   WARNING MESSAGES   ********
 ME W186     103       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used          0.50
 ME W187     103       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 **********************************
 *** SETUP Finishes Successfully ***
 **********************************

FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:23:06

                      PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                          ***     MODEL SETUP OPTIONS SUMMARY       ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - -

 **Model Is Setup For Calculation of Average CONCentration Values.

   --  DEPOSITION LOGIC  --
 **NO GAS DEPOSITION Data Provided.
 **NO PARTICLE DEPOSITION Data Provided.
 **Model Uses NO DRY DEPLETION.  DRYDPLT  =  F
 **Model Uses NO WET DEPLETION.  WETDPLT  =  F

 **Model Uses URBAN Dispersion Algorithm for the SBL for    20 Source(s),
   for Total of    1 Urban Area(s):
   Urban Population =   2189641.0 ;  Urban Roughness Length =  1.000 m

 **Model Uses Regulatory DEFAULT Options:
        1. Stack-tip Downwash.
        2. Model Accounts for ELEVated Terrain Effects.
        3. Use Calms Processing Routine.
        4. Use Missing Data Processing Routine.
        5. No Exponential Decay.
        6. Urban Roughness Length of 1.0 Meter Assumed.

 **Other Options Specified:
        ADJ_U*   - Use ADJ_U* option for SBL in AERMET
        CCVR_Sub - Meteorological data includes CCVR substitutions
        TEMP_Sub - Meteorological data includes TEMP substitutions

 **Model Accepts FLAGPOLE Receptor Heights.

 **The User Specified a Pollutant Type of:  CO

 **Model Calculates  2 Short Term Average(s) of:   1-HR   8-HR

 **This Run Includes:     20 Source(s);       1 Source Group(s); and      13 Receptor(s)

               with:       0 POINT(s), including
                           0 POINTCAP(s) and      0 POINTHOR(s)
                and:      20 VOLUME source(s)
                and:       0 AREA type source(s)
                and:       0 LINE source(s)
                and:       0 RLINE/RLINEXT source(s)
                and:       0 OPENPIT source(s)
                and:       0 BUOYANT LINE source(s) with a total of     0 line(s)


 **Model Set To Continue RUNning After the Setup Testing.
```

**The AERMET Input Meteorological Data Version Date: 16216

**Output Options Selected:
Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 442.00 ; Decay Coef. = 0.000 ; Rot. Angle = 0.0
Emission Units = GRAMS/SEC ; Emission Rate
Unit Factor = 0.10000E+07
Output Units = MICROGRAMS/M**3

**Approximate Storage Requirements of Model = 3.5 MB of RAM.

**Input Runstream File:
aermod.inp
**Output Print File:
aermod.out

**Detailed Error/Message File: 13649 Ops
CO.err
**File for Summary of Results: 13649 Ops
CO.sum

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER URBAN SOURCE PART.	EMISSION RATE (GRAMS/SEC) SCALAR VARY BY	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ
VOL1	0	0.16632E-01	490703.8	3721527.3	461.1	5.00	46.36	1.40 YES
VOL2	0	0.16632E-01	490903.7	3721526.8	464.1	5.00	46.36	1.40 YES
VOL3	0	0.16632E-01	491101.9	3721527.9	465.4	5.00	46.36	1.40 YES
VOL4	0	0.16632E-01	491301.3	3721529.0	464.5	5.00	46.36	1.40 YES
VOL5	0	0.16632E-01	491499.5	3721530.2	460.1	5.00	46.36	1.40 YES
VOL6	0	0.16632E-01	491698.9	3721531.3	453.4	5.00	46.36	1.40 YES
VOL7	0	0.16632E-01	490704.3	3721328.5	465.0	5.00	46.36	1.40 YES
VOL8	0	0.16632E-01	490903.7	3721327.4	462.9	5.00	46.36	1.40 YES
VOL9	0	0.16632E-01	491103.1	3721327.4	465.5	5.00	46.36	1.40

```
 YES
 VOL10           0   0.16632E-01  491302.4 3721328.5   447.0     5.00    46.36     1.40
 YES
 VOL11           0   0.16632E-01  491502.9 3721329.7   455.5     5.00    46.36     1.40
 YES
 VOL12           0   0.16632E-01  490706.6 3721126.9   456.9     5.00    46.36     1.40
 YES
 VOL13           0   0.16632E-01  490902.5 3721129.2   454.3     5.00    46.36     1.40
 YES
 VOL14           0   0.16632E-01  491103.1 3721128.0   452.6     5.00    46.36     1.40
 YES
 VOL15           0   0.16632E-01  491304.7 3721128.0   439.7     5.00    46.36     1.40
 YES
 VOL16           0   0.16632E-01  491398.1 3721218.0   441.1     5.00    46.36     1.40
 YES
 VOL17           0   0.16632E-01  490710.0 3720943.5   448.5     5.00    46.36     1.40
 YES
 VOL18           0   0.16632E-01  490911.7 3720943.5   442.9     5.00    46.36     1.40
 YES
 VOL19           0   0.16632E-01  491108.7 3720944.1   439.0     5.00    46.36     1.40
 YES
 VOL20           0   0.16632E-01  491292.2 3720944.6   436.9     5.00    46.36     1.40
 YES
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***        12:23:06

                     PAGE   3
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                       *** SOURCE IDs DEFINING SOURCE GROUPS ***

 SRCGROUP ID                                          SOURCE IDs
 -----------                                          ----------


  ALL        VOL1        , VOL2        , VOL3        , VOL4        , VOL5        , VOL6        ,
  VOL7        , VOL8        ,

             VOL9        , VOL10       , VOL11       , VOL12       , VOL13       , VOL14       ,
             VOL15       , VOL16       ,

             VOL17       , VOL18       , VOL19       , VOL20       ,
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***        12:23:06

                     PAGE   4
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                       *** SOURCE IDs DEFINED AS URBAN SOURCES ***

  URBAN ID   URBAN POP                                 SOURCE IDs
  --------   ---------                                 ----------


              2189641.   VOL1        , VOL2        , VOL3        , VOL4        , VOL5        ,
              VOL6        , VOL7        ,
 VOL8        ,

             VOL9        , VOL10       , VOL11       , VOL12       , VOL13       , VOL14       ,
             VOL15       , VOL16       ,
```

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(491040.1, 3720811.8, 433.9, 576.0, 2.0); (491099.4, 3720760.9, 432.5, 576.0, 2.0);
(490861.0, 3720813.2, 437.6, 576.0, 2.0); (490967.8, 3720814.9, 435.4, 576.0, 2.0);
(490715.4, 3720813.7, 441.3, 576.0, 2.0); (490594.5, 3720810.1, 444.4, 576.0, 2.0);
(490594.0, 3720978.4, 451.4, 576.0, 2.0); (491550.8, 3721106.1, 437.3, 482.0, 2.0);
(491910.3, 3721316.8, 442.1, 470.0, 2.0); (490497.7, 3721301.7, 457.7, 576.0, 2.0);
(490559.2, 3721553.5, 461.3, 576.0, 2.0); (491004.7, 3721834.3, 476.8, 575.0, 2.0);
(491547.7, 3720420.1, 428.0, 775.0, 2.0);

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
(1=YES; 0=NO)

1 1 1

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

Surface file:
PERI_V9_ADJU\PERI_v9.SFC Met
Version: 16216
Profile file:
PERI_V9_ADJU\PERI_v9.PFL
Surface format:
FREE

Profile format:
FREE

Surface station no.: 3171 Upper air station no.: 3190
Name: UNKNOWN Name:
UNKNOWN
Year: 2010 Year: 2010

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT
10	01	01	1	01	-7.9	0.125	-9.000	-9.000	-999.	106.	21.2	0.19	0.61	1.00	1.30	335.	9.1	282.5	5.5
10	01	01	1	02	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	142.	9.1	280.9	5.5
10	01	01	1	03	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	324.	9.1	280.4	5.5
10	01	01	1	04	-1.3	0.064	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	294.	9.1	278.8	5.5
10	01	01	1	05	-3.9	0.088	-9.000	-9.000	-999.	62.	15.0	0.19	0.61	1.00	0.90	205.	9.1	278.1	5.5
10	01	01	1	06	-1.3	0.065	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	3.	9.1	277.0	5.5
10	01	01	1	07	-8.0	0.125	-9.000	-9.000	-999.	106.	21.0	0.19	0.61	1.00	1.30	99.	9.1	277.0	5.5
10	01	01	1	08	-3.3	0.086	-9.000	-9.000	-999.	61.	16.8	0.19	0.61	0.54	0.90	319.	9.1	278.8	5.5
10	01	01	1	09	20.1	0.128	0.307	0.010	49.	110.	-9.0	0.19	0.61	0.33	0.90	239.	9.1	284.2	5.5
10	01	01	1	10	56.7	0.087	0.560	0.010	107.	62.	-1.0	0.19	0.61	0.26	0.40	188.	9.1	289.2	5.5
10	01	01	1	11	81.5	0.323	0.867	0.008	277.	441.	-35.9	0.19	0.61	0.23	2.70	310.	9.1	290.9	5.5
10	01	01	1	12	97.1	0.281	1.058	0.008	421.	357.	-19.7	0.19	0.61	0.22	2.20	357.	9.1	293.1	5.5
10	01	01	1	13	92.2	0.279	1.117	0.008	523.	354.	-20.4	0.19	0.61	0.22	2.20	356.	9.1	293.8	5.5
10	01	01	1	14	77.6	0.275	1.102	0.008	595.	347.	-23.2	0.19	0.61	0.23	2.20	50.	9.1	294.2	5.5
10	01	01	1	15	54.9	0.230	1.006	0.008	640.	266.	-19.2	0.19	0.61	0.27	1.80	53.	9.1	293.8	5.5
10	01	01	1	16	12.3	0.206	0.613	0.008	648.	225.	-61.5	0.19	0.61	0.36	1.80	11.	9.1	292.5	5.5
10	01	01	1	17	-3.6	0.087	-9.000	-9.000	-999.	71.	15.6	0.19	0.61	0.64	0.90	351.	9.1	290.4	5.5
10	01	01	1	18	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90	186.	9.1	287.5	5.5

```
 10 01 01   1 19   -3.8  0.087 -9.000 -9.000 -999.   62.     15.2  0.19   0.61   1.00    0.90
 275.    9.1  285.9    5.5
 10 01 01   1 20   -1.2  0.064 -9.000 -9.000 -999.   39.     18.1  0.19   0.61   1.00    0.40
 181.    9.1  285.4    5.5
 10 01 01   1 21   -7.8  0.125 -9.000 -9.000 -999.  106.     21.3  0.19   0.61   1.00    1.30
 318.    9.1  284.9    5.5
 10 01 01   1 22   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61   1.00    0.90
 196.    9.1  283.1    5.5
 10 01 01   1 23   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61   1.00    0.90
 330.    9.1  281.4    5.5
 10 01 01   1 24   -7.9  0.125 -9.000 -9.000 -999.  106.     21.2  0.19   0.61   1.00    1.30
 332.    9.1  280.9    5.5


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 10 01 01 01    5.5 0 -999.  -99.00   282.6   99.0  -99.00  -99.00
 10 01 01 01    9.1 1  335.    1.30  -999.0   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:23:06

                     PAGE   8
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                            *** THE   1ST HIGHEST  1-HR AVERAGE CONCENTRATION   VALUES FOR
                            SOURCE GROUP:  ALL      ***
                                INCLUDING SOURCE(S):     VOL1        , VOL2        ,
                                VOL3        , VOL4        , VOL5        ,
                  VOL6        , VOL7        , VOL8        , VOL9        , VOL10       ,
                  VOL11       , VOL12       , VOL13       ,
                  VOL14       , VOL15       , VOL16       , VOL17       , VOL18       ,
                  VOL19       , VOL20       ,

                                       *** DISCRETE CARTESIAN RECEPTOR POINTS ***

                                    ** CONC OF CO       IN
                                    MICROGRAMS/M**3                         **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)  Y-COORD
      (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - -
        491040.14   3720811.82        6.30027  (16062006)               491099.44
        3720760.90        4.94356  (16062006)
        490860.97   3720813.22        6.21952  (11010316)               490967.82
        3720814.92        6.37924  (16062006)
        490715.43   3720813.68        5.86903  (11010316)               490594.55
        3720810.14        6.10198  (11010316)
        490593.96   3720978.45        7.69538  (16010616)               491550.75
        3721106.14        6.86166  (11091107)
        491910.34   3721316.76        3.25631  (14013117)               490497.69
        3721301.70        5.36460  (16090218)
        490559.17   3721553.49        6.22850  (14090218)               491004.68
        3721834.26        5.52738  (15082722)
        491547.68   3720420.06        2.24244
        (14012917)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:23:06

                     PAGE   9
```

*** THE 1ST HIGHEST 8-HR AVERAGE CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
INCLUDING SOURCE(S): VOL1 , VOL2 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 , VOL9 , VOL10 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18 , VOL19 , VOL20 ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF CO IN MICROGRAMS/M**3 **

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)
491040.14	3720811.82	5.49619m	(10060508)	491099.44	3720760.90	4.30928m	(10060508)
490860.97	3720813.22	5.30738m	(10060508)	490967.82	3720814.92	5.56555m	(10060508)
490715.43	3720813.68	4.74666m	(10060508)	490594.55	3720810.14	3.85076	(14122324)
490593.96	3720978.45	5.62142	(11010224)	491550.75	3721106.14	4.87751m	(10060508)
491910.34	3721316.76	2.15640	(14042608)	490497.69	3721301.70	4.21831m	(10042324)
490559.17	3721553.49	4.82896	(16123108)	491004.68	3721834.26	4.99389	(14113024)
491547.68	3720420.06	1.79948	(15012508)				

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF CO IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	NETWORK OF TYPE	GRID-ID
ALL	HIGH 1ST HIGH VALUE IS	7.69538	ON 16010616: AT (490593.96, 3720978.45, 451.38, 576.00, 2.00)	DC	

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** THE SUMMARY OF HIGHEST 8-HR RESULTS ***

** CONC OF CO   IN
MICROGRAMS/M**3   **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	NETWORK OF TYPE	GRID-ID
ALL	HIGH 1ST HIGH VALUE IS	5.62142	ON 11010224: AT (490593.96, 3720978.45, 451.38, 576.00, 2.00)	DC	

*** RECEPTOR TYPES: GC = GRIDCART
                     GP = GRIDPOLR
                     DC = DISCCART
                     DP = DISCPOLR

*** Message Summary : AERMOD Model Execution ***

 --------- Summary of Total Messages --------

A Total of   0 Fatal Error Message(s)
A Total of   4 Warning Message(s)
A Total of   2028 Informational Message(s)

A Total of   43824 Hours Were Processed

A Total of   978 Calm Hours Identified

A Total of   1050 Missing Hours Identified (2.40 Percent)

******** FATAL ERROR MESSAGES ********
            *** NONE ***

********   WARNING MESSAGES   ********
ME W186   103   MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used   0.50
ME W187   103   MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET
MX W450   17521   CHKDAT: Record Out of Sequence in Meteorological File at: 14010101
MX W450   17521   CHKDAT: Record Out of Sequence in Meteorological File at: 2 year gap

****
*** AERMOD Finishes Successfully ***
****

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Ops NO2\13649 Ops
NO2.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 1
   URBANOPT 2189641
   POLLUTID NOX
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Ops NO2.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
** Source Parameters **
   SRCPARAM VOL1         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL2         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL3         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL4         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL5         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL6         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL7         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL8         0.0046745214     5.000    46.363     1.400
```

```
   SRCPARAM VOL9         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL10        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL11        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL12        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL13        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL14        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL15        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL16        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL17        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL18        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL19        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL20        0.0046745214     5.000    46.363     1.400
   URBANSRC ALL
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Ops NO2.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 1 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "13649 OPS NO2.AD\01H1GALL.PLT" 31
   SUMMFILE "13649 Ops NO2.sum"
OU FINISHED
**
**************************************
** Project Parameters
**************************************
** PROJCTN  CoordinateSystemUTM
** DESCPTN  UTM: Universal Transverse Mercator
** DATUM    North American Datum 1983
** DTMRGN   CONUS
** UNITS    m
** ZONE     11
** ZONEINX  0
**
```

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Ops NO2\13649 Ops
NO2.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 1
   URBANOPT 2189641
   POLLUTID NOX
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Ops NO2.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
** Source Parameters **
   SRCPARAM VOL1         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL2         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL3         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL4         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL5         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL6         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL7         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL8         0.0046745214     5.000    46.363     1.400
```

```
   SRCPARAM VOL9         0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL10        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL11        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL12        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL13        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL14        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL15        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL16        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL17        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL18        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL19        0.0046745214     5.000    46.363     1.400
   SRCPARAM VOL20        0.0046745214     5.000    46.363     1.400
   URBANSRC ALL
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Ops NO2.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 1 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "13649 OPS NO2.AD\01H1GALL.PLT" 31
   SUMMFILE "13649 Ops NO2.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
                ***  NONE  ***
```

```
   ********   WARNING MESSAGES   ********
 ME W186     103       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used          0.50
 ME W187     103       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 **********************************
 *** SETUP Finishes Successfully ***
 **********************************

FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:58:12

                      PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                          ***     MODEL SETUP OPTIONS SUMMARY       ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - -

 **Model Is Setup For Calculation of Average CONCentration Values.

   --  DEPOSITION LOGIC  --
 **NO GAS DEPOSITION Data Provided.
 **NO PARTICLE DEPOSITION Data Provided.
 **Model Uses NO DRY DEPLETION.  DRYDPLT  =  F
 **Model Uses NO WET DEPLETION.  WETDPLT  =  F

 **Model Uses URBAN Dispersion Algorithm for the SBL for    20 Source(s),
   for Total of    1 Urban Area(s):
   Urban Population =   2189641.0 ;  Urban Roughness Length =  1.000 m

 **Model Uses Regulatory DEFAULT Options:
        1. Stack-tip Downwash.
        2. Model Accounts for ELEVated Terrain Effects.
        3. Use Calms Processing Routine.
        4. Use Missing Data Processing Routine.
        5. No Exponential Decay.
        6. Urban Roughness Length of 1.0 Meter Assumed.

 **Other Options Specified:
        ADJ_U*   - Use ADJ_U* option for SBL in AERMET
        CCVR_Sub - Meteorological data includes CCVR substitutions
        TEMP_Sub - Meteorological data includes TEMP substitutions

 **Model Accepts FLAGPOLE Receptor Heights.

 **The User Specified a Pollutant Type of:  NOX

 **Model Calculates  1 Short Term Average(s) of:   1-HR

 **This Run Includes:     20 Source(s);       1 Source Group(s); and      13 Receptor(s)

                with:      0 POINT(s), including
                           0 POINTCAP(s) and      0 POINTHOR(s)
                 and:     20 VOLUME source(s)
                 and:      0 AREA type source(s)
                 and:      0 LINE source(s)
                 and:      0 RLINE/RLINEXT source(s)
                 and:      0 OPENPIT source(s)
                 and:      0 BUOYANT LINE source(s) with a total of     0 line(s)


 **Model Set To Continue RUNning After the Setup Testing.

 **The AERMET Input Meteorological Data Version Date:  16216
```

**Output Options Selected:
Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 442.00 ; Decay Coef. = 0.000 ; Rot. Angle = 0.0
Emission Units = GRAMS/SEC ; Emission Rate
Unit Factor = 0.10000E+07
Output Units = MICROGRAMS/M**3

**Approximate Storage Requirements of Model = 3.5 MB of RAM.

**Input Runstream File:
aermod.inp
**Output Print File:
aermod.out

**Detailed Error/Message File: 13649 Ops
NO2.err
**File for Summary of Results: 13649 Ops
NO2.sum

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER URBAN SOURCE PART.	EMISSION RATE (GRAMS/SEC) SCALAR VARY BY	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ
VOL1	0	0.46745E-02	490703.8	3721527.3	461.1	5.00	46.36	1.40 YES
VOL2	0	0.46745E-02	490903.7	3721526.8	464.1	5.00	46.36	1.40 YES
VOL3	0	0.46745E-02	491101.9	3721527.9	465.4	5.00	46.36	1.40 YES
VOL4	0	0.46745E-02	491301.3	3721529.0	464.5	5.00	46.36	1.40 YES
VOL5	0	0.46745E-02	491499.5	3721530.2	460.1	5.00	46.36	1.40 YES
VOL6	0	0.46745E-02	491698.9	3721531.3	453.4	5.00	46.36	1.40 YES
VOL7	0	0.46745E-02	490704.3	3721328.5	465.0	5.00	46.36	1.40 YES
VOL8	0	0.46745E-02	490903.7	3721327.4	462.9	5.00	46.36	1.40 YES
VOL9	0	0.46745E-02	491103.1	3721327.4	465.5	5.00	46.36	1.40 YES

```
 VOL10           0   0.46745E-02  491302.4 3721328.5   447.0     5.00    46.36     1.40
 YES
 VOL11           0   0.46745E-02  491502.9 3721329.7   455.5     5.00    46.36     1.40
 YES
 VOL12           0   0.46745E-02  490706.6 3721126.9   456.9     5.00    46.36     1.40
 YES
 VOL13           0   0.46745E-02  490902.5 3721129.2   454.3     5.00    46.36     1.40
 YES
 VOL14           0   0.46745E-02  491103.1 3721128.0   452.6     5.00    46.36     1.40
 YES
 VOL15           0   0.46745E-02  491304.7 3721128.0   439.7     5.00    46.36     1.40
 YES
 VOL16           0   0.46745E-02  491398.1 3721218.0   441.1     5.00    46.36     1.40
 YES
 VOL17           0   0.46745E-02  490710.0 3720943.5   448.5     5.00    46.36     1.40
 YES
 VOL18           0   0.46745E-02  490911.7 3720943.5   442.9     5.00    46.36     1.40
 YES
 VOL19           0   0.46745E-02  491108.7 3720944.1   439.0     5.00    46.36     1.40
 YES
 VOL20           0   0.46745E-02  491292.2 3720944.6   436.9     5.00    46.36     1.40
 YES
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:58:12

                     PAGE   3
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                        *** SOURCE IDs DEFINING SOURCE GROUPS ***

 SRCGROUP ID                                              SOURCE IDs
 -----------                                              ----------


  ALL        VOL1        , VOL2        , VOL3        , VOL4        , VOL5        , VOL6        ,
  VOL7        , VOL8        ,

             VOL9        , VOL10       , VOL11       , VOL12       , VOL13       , VOL14       ,
             VOL15       , VOL16       ,

             VOL17       , VOL18       , VOL19       , VOL20       ,
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:58:12

                     PAGE   4
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                        *** SOURCE IDs DEFINED AS URBAN SOURCES ***

  URBAN ID   URBAN POP                                   SOURCE IDs
  --------   ---------                                   ----------


              2189641.   VOL1        , VOL2        , VOL3        , VOL4        , VOL5        ,
              VOL6        , VOL7        ,
 VOL8        ,

             VOL9        , VOL10       , VOL11       , VOL12       , VOL13       , VOL14       ,
             VOL15       , VOL16       ,
```

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(491040.1, 3720811.8, 433.9, 576.0, 2.0); (491099.4, 3720760.9, 432.5, 576.0, 2.0);
(490861.0, 3720813.2, 437.6, 576.0, 2.0); (490967.8, 3720814.9, 435.4, 576.0, 2.0);
(490715.4, 3720813.7, 441.3, 576.0, 2.0); (490594.5, 3720810.1, 444.4, 576.0, 2.0);
(490594.0, 3720978.4, 451.4, 576.0, 2.0); (491550.8, 3721106.1, 437.3, 482.0, 2.0);
(491910.3, 3721316.8, 442.1, 470.0, 2.0); (490497.7, 3721301.7, 457.7, 576.0, 2.0);
(490559.2, 3721553.5, 461.3, 576.0, 2.0); (491004.7, 3721834.3, 476.8, 575.0, 2.0);
(491547.7, 3720420.1, 428.0, 775.0, 2.0);

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
(1=YES; 0=NO)

1 1 1

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

Surface file:
PERI_V9_ADJU\PERI_v9.SFC   Met
Version: 16216
Profile file:
PERI_V9_ADJU\PERI_v9.PFL
Surface format:
FREE

Profile format:
FREE

Surface station no.:   3171   Upper air station no.:   3190
Name: UNKNOWN   Name:
UNKNOWN
Year: 2010   Year: 2010

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT
10	01	01	1	01	-7.9	0.125	-9.000	-9.000	-999.	106.	21.2	0.19	0.61	1.00	1.30	335.	9.1	282.5	5.5
10	01	01	1	02	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	142.	9.1	280.9	5.5
10	01	01	1	03	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	324.	9.1	280.4	5.5
10	01	01	1	04	-1.3	0.064	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	294.	9.1	278.8	5.5
10	01	01	1	05	-3.9	0.088	-9.000	-9.000	-999.	62.	15.0	0.19	0.61	1.00	0.90	205.	9.1	278.1	5.5
10	01	01	1	06	-1.3	0.065	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	3.	9.1	277.0	5.5
10	01	01	1	07	-8.0	0.125	-9.000	-9.000	-999.	106.	21.0	0.19	0.61	1.00	1.30	99.	9.1	277.0	5.5
10	01	01	1	08	-3.3	0.086	-9.000	-9.000	-999.	61.	16.8	0.19	0.61	0.54	0.90	319.	9.1	278.8	5.5
10	01	01	1	09	20.1	0.128	0.307	0.010	49.	110.	-9.0	0.19	0.61	0.33	0.90	239.	9.1	284.2	5.5
10	01	01	1	10	56.7	0.087	0.560	0.010	107.	62.	-1.0	0.19	0.61	0.26	0.40	188.	9.1	289.2	5.5
10	01	01	1	11	81.5	0.323	0.867	0.008	277.	441.	-35.9	0.19	0.61	0.23	2.70	310.	9.1	290.9	5.5
10	01	01	1	12	97.1	0.281	1.058	0.008	421.	357.	-19.7	0.19	0.61	0.22	2.20	357.	9.1	293.1	5.5
10	01	01	1	13	92.2	0.279	1.117	0.008	523.	354.	-20.4	0.19	0.61	0.22	2.20	356.	9.1	293.8	5.5
10	01	01	1	14	77.6	0.275	1.102	0.008	595.	347.	-23.2	0.19	0.61	0.23	2.20	50.	9.1	294.2	5.5
10	01	01	1	15	54.9	0.230	1.006	0.008	640.	266.	-19.2	0.19	0.61	0.27	1.80	53.	9.1	293.8	5.5
10	01	01	1	16	12.3	0.206	0.613	0.008	648.	225.	-61.5	0.19	0.61	0.36	1.80	11.	9.1	292.5	5.5
10	01	01	1	17	-3.6	0.087	-9.000	-9.000	-999.	71.	15.6	0.19	0.61	0.64	0.90	351.	9.1	290.4	5.5
10	01	01	1	18	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90	186.	9.1	287.5	5.5
10	01	01	1	19	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90				

```
 275.    9.1  285.9    5.5
 10 01 01   1 20   -1.2  0.064 -9.000 -9.000 -999.   39.     18.1  0.19   0.61   1.00    0.40
 181.    9.1  285.4    5.5
 10 01 01   1 21   -7.8  0.125 -9.000 -9.000 -999.  106.     21.3  0.19   0.61   1.00    1.30
 318.    9.1  284.9    5.5
 10 01 01   1 22   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61   1.00    0.90
 196.    9.1  283.1    5.5
 10 01 01   1 23   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61   1.00    0.90
 330.    9.1  281.4    5.5
 10 01 01   1 24   -7.9  0.125 -9.000 -9.000 -999.  106.     21.2  0.19   0.61   1.00    1.30
 332.    9.1  280.9    5.5


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 10 01 01 01    5.5 0 -999.  -99.00   282.6   99.0  -99.00  -99.00
 10 01 01 01    9.1 1  335.    1.30  -999.0   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:58:12

                     PAGE   8
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                            *** THE   1ST HIGHEST  1-HR AVERAGE CONCENTRATION   VALUES FOR
                            SOURCE GROUP:  ALL      ***
                                INCLUDING SOURCE(S):     VOL1        , VOL2        ,
                                VOL3        , VOL4        , VOL5        ,
                 VOL6        , VOL7        , VOL8        , VOL9        , VOL10       ,
                 VOL11       , VOL12       , VOL13       ,
                 VOL14       , VOL15       , VOL16       , VOL17       , VOL18       ,
                 VOL19       , VOL20       ,

                                       *** DISCRETE CARTESIAN RECEPTOR POINTS ***

                                    ** CONC OF NOX      IN
                                    MICROGRAMS/M**3                         **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)  Y-COORD
      (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - -
        491040.14   3720811.82        1.77076  (16062006)               491099.44
        3720760.90        1.38944  (16062006)
        490860.97   3720813.22        1.74806  (11010316)               490967.82
        3720814.92        1.79295  (16062006)
        490715.43   3720813.68        1.64955  (11010316)               490594.55
        3720810.14        1.71503  (11010316)
        490593.96   3720978.45        2.16287  (16010616)               491550.75
        3721106.14        1.92854  (11091107)
        491910.34   3721316.76        0.91522  (14013117)               490497.69
        3721301.70        1.50778  (16090218)
        490559.17   3721553.49        1.75059  (14090218)               491004.68
        3721834.26        1.55353  (15082722)
        491547.68   3720420.06        0.63026
        (14012917)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       12:58:12

                     PAGE   9
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF NOX IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE	NETWORK GRID-ID
ALL	1ST HIGH	1ST HIGH VALUE IS	2.16287	ON 16010616:	AT (490593.96, 3720978.45, 451.38, 576.00, 2.00) DC

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

FF *** AERMOD - VERSION 21112 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con *** 06/09/22
*** AERMET - VERSION 16216 ***
*** *** 12:58:12

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

--------- Summary of Total Messages --------

A Total of 0 Fatal Error Message(s)
A Total of 4 Warning Message(s)
A Total of 2028 Informational Message(s)

A Total of 43824 Hours Were Processed

A Total of 978 Calm Hours Identified

A Total of 1050 Missing Hours Identified (2.40 Percent)

******** FATAL ERROR MESSAGES ********
*** NONE ***

******** WARNING MESSAGES ********

ME W186	103	MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used		0.50
ME W187	103	MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET		
MX W450	17521	CHKDAT: Record Out of Sequence in Meteorological File at:		14010101
MX W450	17521	CHKDAT: Record Out of Sequence in Meteorological File at:		2 year gap

****
*** AERMOD Finishes Successfully ***
****

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Ops PM10\13649 Ops
PM10.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 2189641
   POLLUTID PM_10
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Ops PM10.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
** Source Parameters **
   SRCPARAM VOL1         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL2         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL3         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL4         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL5         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL6         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL7         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL8         0.0009034048     5.000    46.363     1.400
```

```
   SRCPARAM VOL9         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL10        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL11        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL12        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL13        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL14        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL15        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL16        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL17        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL18        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL19        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL20        0.0009034048     5.000    46.363     1.400
   URBANSRC ALL
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Ops PM10.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "13649 OPS PM10.AD\24H1GALL.PLT" 31
   SUMMFILE "13649 Ops PM10.sum"
OU FINISHED
**
**************************************
** Project Parameters
**************************************
** PROJCTN  CoordinateSystemUTM
** DESCPTN  UTM: Universal Transverse Mercator
** DATUM    North American Datum 1983
** DTMRGN   CONUS
** UNITS    m
** ZONE     11
** ZONEINX  0
**
```

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Ops PM10\13649 Ops
PM10.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 2189641
   POLLUTID PM_10
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Ops PM10.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
** Source Parameters **
   SRCPARAM VOL1         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL2         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL3         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL4         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL5         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL6         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL7         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL8         0.0009034048     5.000    46.363     1.400
```

```
   SRCPARAM VOL9         0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL10        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL11        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL12        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL13        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL14        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL15        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL16        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL17        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL18        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL19        0.0009034048     5.000    46.363     1.400
   SRCPARAM VOL20        0.0009034048     5.000    46.363     1.400
   URBANSRC ALL
   SRCGROUP ALL
SO FINISHED
**
**********************************
** AERMOD Receptor Pathway
**********************************
**
**
RE STARTING
   INCLUDED "13649 Ops PM10.rou"
RE FINISHED
**
**********************************
** AERMOD Meteorology Pathway
**********************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**********************************
** AERMOD Output Pathway
**********************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "13649 OPS PM10.AD\24H1GALL.PLT" 31
   SUMMFILE "13649 Ops PM10.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***
```

```
   ********   WARNING MESSAGES   ********
 ME W186     103       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used          0.50
 ME W187     103       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 *********************************
 *** SETUP Finishes Successfully ***
 *********************************

FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       13:28:12

                      PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                          ***     MODEL SETUP OPTIONS SUMMARY       ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - -

 **Model Is Setup For Calculation of Average CONCentration Values.

   --  DEPOSITION LOGIC  --
 **NO GAS DEPOSITION Data Provided.
 **NO PARTICLE DEPOSITION Data Provided.
 **Model Uses NO DRY DEPLETION.  DRYDPLT  =  F
 **Model Uses NO WET DEPLETION.  WETDPLT  =  F

 **Model Uses URBAN Dispersion Algorithm for the SBL for    20 Source(s),
   for Total of    1 Urban Area(s):
   Urban Population =   2189641.0 ;  Urban Roughness Length =  1.000 m

 **Model Uses Regulatory DEFAULT Options:
        1. Stack-tip Downwash.
        2. Model Accounts for ELEVated Terrain Effects.
        3. Use Calms Processing Routine.
        4. Use Missing Data Processing Routine.
        5. No Exponential Decay.
        6. Urban Roughness Length of 1.0 Meter Assumed.

 **Other Options Specified:
        ADJ_U*   - Use ADJ_U* option for SBL in AERMET
        CCVR_Sub - Meteorological data includes CCVR substitutions
        TEMP_Sub - Meteorological data includes TEMP substitutions

 **Model Accepts FLAGPOLE Receptor Heights.

 **The User Specified a Pollutant Type of:  PM_10

 **Model Calculates  1 Short Term Average(s) of:  24-HR

 **This Run Includes:     20 Source(s);       1 Source Group(s); and      13 Receptor(s)

                with:      0 POINT(s), including
                           0 POINTCAP(s) and      0 POINTHOR(s)
                 and:     20 VOLUME source(s)
                 and:      0 AREA type source(s)
                 and:      0 LINE source(s)
                 and:      0 RLINE/RLINEXT source(s)
                 and:      0 OPENPIT source(s)
                 and:      0 BUOYANT LINE source(s) with a total of     0 line(s)


 **Model Set To Continue RUNning After the Setup Testing.

 **The AERMET Input Meteorological Data Version Date:  16216
```

**Output Options Selected:
Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 442.00 ; Decay Coef. = 0.000 ; Rot. Angle = 0.0
Emission Units = GRAMS/SEC ; Emission Rate
Unit Factor = 0.10000E+07
Output Units = MICROGRAMS/M**3

**Approximate Storage Requirements of Model = 3.5 MB of RAM.

**Input Runstream File:
aermod.inp
**Output Print File:
aermod.out

**Detailed Error/Message File: 13649 Ops
PM10.err
**File for Summary of Results: 13649 Ops
PM10.sum

FF *** AERMOD - VERSION 21112 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con *** 06/09/22
*** AERMET - VERSION 16216 ***
*** *** 13:28:12

PAGE 2
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER URBAN SOURCE PART.	EMISSION RATE (GRAMS/SEC) SCALAR VARY BY	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ
VOL1	0	0.90340E-03	490703.8	3721527.3	461.1	5.00	46.36	1.40 YES
VOL2	0	0.90340E-03	490903.7	3721526.8	464.1	5.00	46.36	1.40 YES
VOL3	0	0.90340E-03	491101.9	3721527.9	465.4	5.00	46.36	1.40 YES
VOL4	0	0.90340E-03	491301.3	3721529.0	464.5	5.00	46.36	1.40 YES
VOL5	0	0.90340E-03	491499.5	3721530.2	460.1	5.00	46.36	1.40 YES
VOL6	0	0.90340E-03	491698.9	3721531.3	453.4	5.00	46.36	1.40 YES
VOL7	0	0.90340E-03	490704.3	3721328.5	465.0	5.00	46.36	1.40 YES
VOL8	0	0.90340E-03	490903.7	3721327.4	462.9	5.00	46.36	1.40 YES
VOL9	0	0.90340E-03	491103.1	3721327.4	465.5	5.00	46.36	1.40 YES

```
 VOL10           0   0.90340E-03  491302.4 3721328.5   447.0     5.00    46.36     1.40
 YES
 VOL11           0   0.90340E-03  491502.9 3721329.7   455.5     5.00    46.36     1.40
 YES
 VOL12           0   0.90340E-03  490706.6 3721126.9   456.9     5.00    46.36     1.40
 YES
 VOL13           0   0.90340E-03  490902.5 3721129.2   454.3     5.00    46.36     1.40
 YES
 VOL14           0   0.90340E-03  491103.1 3721128.0   452.6     5.00    46.36     1.40
 YES
 VOL15           0   0.90340E-03  491304.7 3721128.0   439.7     5.00    46.36     1.40
 YES
 VOL16           0   0.90340E-03  491398.1 3721218.0   441.1     5.00    46.36     1.40
 YES
 VOL17           0   0.90340E-03  490710.0 3720943.5   448.5     5.00    46.36     1.40
 YES
 VOL18           0   0.90340E-03  490911.7 3720943.5   442.9     5.00    46.36     1.40
 YES
 VOL19           0   0.90340E-03  491108.7 3720944.1   439.0     5.00    46.36     1.40
 YES
 VOL20           0   0.90340E-03  491292.2 3720944.6   436.9     5.00    46.36     1.40
 YES
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       13:28:12

                     PAGE   3
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                        *** SOURCE IDs DEFINING SOURCE GROUPS ***

 SRCGROUP ID                                              SOURCE IDs
 -----------                                              ----------


  ALL        VOL1        , VOL2        , VOL3        , VOL4        , VOL5        , VOL6        ,
  VOL7        , VOL8        ,

             VOL9        , VOL10       , VOL11       , VOL12       , VOL13       , VOL14       ,
             VOL15       , VOL16       ,

             VOL17       , VOL18       , VOL19       , VOL20       ,
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       13:28:12

                     PAGE   4
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                        *** SOURCE IDs DEFINED AS URBAN SOURCES ***

  URBAN ID   URBAN POP                                   SOURCE IDs
  --------   ---------                                   ----------


              2189641.   VOL1        , VOL2        , VOL3        , VOL4        , VOL5        ,
              VOL6        , VOL7        ,
 VOL8        ,

             VOL9        , VOL10       , VOL11       , VOL12       , VOL13       , VOL14       ,
             VOL15       , VOL16       ,
```

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(491040.1, 3720811.8, 433.9, 576.0, 2.0); (491099.4, 3720760.9, 432.5, 576.0, 2.0);
(490861.0, 3720813.2, 437.6, 576.0, 2.0); (490967.8, 3720814.9, 435.4, 576.0, 2.0);
(490715.4, 3720813.7, 441.3, 576.0, 2.0); (490594.5, 3720810.1, 444.4, 576.0, 2.0);
(490594.0, 3720978.4, 451.4, 576.0, 2.0); (491550.8, 3721106.1, 437.3, 482.0, 2.0);
(491910.3, 3721316.8, 442.1, 470.0, 2.0); (490497.7, 3721301.7, 457.7, 576.0, 2.0);
(490559.2, 3721553.5, 461.3, 576.0, 2.0); (491004.7, 3721834.3, 476.8, 575.0, 2.0);
(491547.7, 3720420.1, 428.0, 775.0, 2.0);

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
(1=YES; 0=NO)

1 1 1

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

Surface file:
PERI_V9_ADJU\PERI_v9.SFC Met
Version: 16216
Profile file:
PERI_V9_ADJU\PERI_v9.PFL
Surface format:
FREE

Profile format:
FREE

Surface station no.:   3171 Upper air station no.:   3190
Name: UNKNOWN Name:
UNKNOWN
Year: 2010 Year: 2010

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT
10	01	01	1	01	-7.9	0.125	-9.000	-9.000	-999.	106.	21.2	0.19	0.61	1.00	1.30	335.	9.1	282.5	5.5
10	01	01	1	02	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	142.	9.1	280.9	5.5
10	01	01	1	03	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	324.	9.1	280.4	5.5
10	01	01	1	04	-1.3	0.064	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	294.	9.1	278.8	5.5
10	01	01	1	05	-3.9	0.088	-9.000	-9.000	-999.	62.	15.0	0.19	0.61	1.00	0.90	205.	9.1	278.1	5.5
10	01	01	1	06	-1.3	0.065	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	3.	9.1	277.0	5.5
10	01	01	1	07	-8.0	0.125	-9.000	-9.000	-999.	106.	21.0	0.19	0.61	1.00	1.30	99.	9.1	277.0	5.5
10	01	01	1	08	-3.3	0.086	-9.000	-9.000	-999.	61.	16.8	0.19	0.61	0.54	0.90	319.	9.1	278.8	5.5
10	01	01	1	09	20.1	0.128	0.307	0.010	49.	110.	-9.0	0.19	0.61	0.33	0.90	239.	9.1	284.2	5.5
10	01	01	1	10	56.7	0.087	0.560	0.010	107.	62.	-1.0	0.19	0.61	0.26	0.40	188.	9.1	289.2	5.5
10	01	01	1	11	81.5	0.323	0.867	0.008	277.	441.	-35.9	0.19	0.61	0.23	2.70	310.	9.1	290.9	5.5
10	01	01	1	12	97.1	0.281	1.058	0.008	421.	357.	-19.7	0.19	0.61	0.22	2.20	357.	9.1	293.1	5.5
10	01	01	1	13	92.2	0.279	1.117	0.008	523.	354.	-20.4	0.19	0.61	0.22	2.20	356.	9.1	293.8	5.5
10	01	01	1	14	77.6	0.275	1.102	0.008	595.	347.	-23.2	0.19	0.61	0.23	2.20	50.	9.1	294.2	5.5
10	01	01	1	15	54.9	0.230	1.006	0.008	640.	266.	-19.2	0.19	0.61	0.27	1.80	53.	9.1	293.8	5.5
10	01	01	1	16	12.3	0.206	0.613	0.008	648.	225.	-61.5	0.19	0.61	0.36	1.80	11.	9.1	292.5	5.5
10	01	01	1	17	-3.6	0.087	-9.000	-9.000	-999.	71.	15.6	0.19	0.61	0.64	0.90	351.	9.1	290.4	5.5
10	01	01	1	18	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90	186.	9.1	287.5	5.5
10	01	01	1	19	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90				

```
 275.    9.1  285.9    5.5
 10 01 01   1 20   -1.2  0.064 -9.000 -9.000 -999.   39.     18.1  0.19   0.61   1.00    0.40
 181.    9.1  285.4    5.5
 10 01 01   1 21   -7.8  0.125 -9.000 -9.000 -999.  106.     21.3  0.19   0.61   1.00    1.30
 318.    9.1  284.9    5.5
 10 01 01   1 22   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61   1.00    0.90
 196.    9.1  283.1    5.5
 10 01 01   1 23   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61   1.00    0.90
 330.    9.1  281.4    5.5
 10 01 01   1 24   -7.9  0.125 -9.000 -9.000 -999.  106.     21.2  0.19   0.61   1.00    1.30
 332.    9.1  280.9    5.5


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 10 01 01 01    5.5 0 -999.  -99.00   282.6   99.0  -99.00  -99.00
 10 01 01 01    9.1 1  335.    1.30  -999.0   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       13:28:12

                     PAGE   8
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                            *** THE   1ST HIGHEST 24-HR AVERAGE CONCENTRATION   VALUES FOR
                            SOURCE GROUP:  ALL      ***
                                INCLUDING SOURCE(S):     VOL1        , VOL2        ,
                                VOL3        , VOL4        , VOL5        ,
                  VOL6        , VOL7        , VOL8        , VOL9        , VOL10       ,
                  VOL11       , VOL12       , VOL13       ,
                  VOL14       , VOL15       , VOL16       , VOL17       , VOL18       ,
                  VOL19       , VOL20       ,

                                       *** DISCRETE CARTESIAN RECEPTOR POINTS ***

                                    ** CONC OF PM_10    IN
                                    MICROGRAMS/M**3                          **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)  Y-COORD
      (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - -
        491040.14   3720811.82        0.21515m (15020724)               491099.44
        3720760.90        0.17320m (15020724)
        490860.97   3720813.22        0.20652m (15020724)               490967.82
        3720814.92        0.21910m (15020724)
        490715.43   3720813.68        0.18461c (14121524)               490594.55
        3720810.14        0.14021  (14122324)
        490593.96   3720978.45        0.22197  (11010224)               491550.75
        3721106.14        0.19338b (14111524)
        491910.34   3721316.76        0.08390b (14111524)               490497.69
        3721301.70        0.14933m (16031424)
        490559.17   3721553.49        0.17692m (10121824)               491004.68
        3721834.26        0.16910  (10121524)
        491547.68   3720420.06        0.05507
        (10101924)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       13:28:12

                     PAGE   9
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF PM_10 IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	NETWORK OF TYPE	GRID-ID
ALL	1ST HIGH	1ST HIGH VALUE IS	0.22197	ON 11010224:	AT (490593.96, 3720978.45, 451.38, 576.00, 2.00) DC

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

FF *** AERMOD - VERSION 21112 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con *** 06/09/22
*** AERMET - VERSION 16216 ***
*** *** 13:28:12

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

--------- Summary of Total Messages --------

A Total of 0 Fatal Error Message(s)
A Total of 4 Warning Message(s)
A Total of 2028 Informational Message(s)

A Total of 43824 Hours Were Processed

A Total of 978 Calm Hours Identified

A Total of 1050 Missing Hours Identified (2.40 Percent)

******** FATAL ERROR MESSAGES ********
*** NONE ***

******** WARNING MESSAGES ********

ME W186	103	MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used		0.50
ME W187	103	MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET		
MX W450	17521	CHKDAT: Record Out of Sequence in Meteorological File at:		14010101
MX W450	17521	CHKDAT: Record Out of Sequence in Meteorological File at:		2 year gap

****
*** AERMOD Finishes Successfully ***
****

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Ops PM25\13649 Ops
PM25.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 2189641
   POLLUTID PM_2.5
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Ops PM25.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
** Source Parameters **
   SRCPARAM VOL1         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL2         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL3         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL4         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL5         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL6         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL7         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL8         0.0004346927     5.000    46.363     1.400
```

```
   SRCPARAM VOL9         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL10        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL11        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL12        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL13        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL14        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL15        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL16        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL17        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL18        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL19        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL20        0.0004346927     5.000    46.363     1.400
   URBANSRC ALL
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Ops PM25.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "13649 OPS PM25.AD\24H1GALL.PLT" 31
   SUMMFILE "13649 Ops PM25.sum"
OU FINISHED
**
**************************************
** Project Parameters
**************************************
** PROJCTN  CoordinateSystemUTM
** DESCPTN  UTM: Universal Transverse Mercator
** DATUM    North American Datum 1983
** DTMRGN   CONUS
** UNITS    m
** ZONE     11
** ZONEINX  0
**
```

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 10.2.1
** Lakes Environmental Software Inc.
** Date: 6/9/2022
** File: C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Ops PM25\13649 Ops
PM25.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 2189641
   POLLUTID PM_2.5
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "13649 Ops PM25.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     490703.752  3721527.317      461.120
   LOCATION VOL2         VOLUME     490903.687  3721526.752      464.100
   LOCATION VOL3         VOLUME     491101.912  3721527.891      465.430
   LOCATION VOL4         VOLUME     491301.276  3721529.031      464.520
   LOCATION VOL5         VOLUME     491499.501  3721530.170      460.140
   LOCATION VOL6         VOLUME     491698.865  3721531.309      453.390
   LOCATION VOL7         VOLUME     490704.323  3721328.527      465.040
   LOCATION VOL8         VOLUME     490903.687  3721327.388      462.890
   LOCATION VOL9         VOLUME     491103.051  3721327.388      465.490
   LOCATION VOL10        VOLUME     491302.415  3721328.527      446.960
   LOCATION VOL11        VOLUME     491502.918  3721329.667      455.460
   LOCATION VOL12        VOLUME     490706.601  3721126.885      456.920
   LOCATION VOL13        VOLUME     490902.548  3721129.163      454.300
   LOCATION VOL14        VOLUME     491103.051  3721128.024      452.570
   LOCATION VOL15        VOLUME     491304.694  3721128.024      439.650
   LOCATION VOL16        VOLUME     491398.110  3721218.023      441.070
   LOCATION VOL17        VOLUME     490710.019  3720943.470      448.480
   LOCATION VOL18        VOLUME     490911.661  3720943.470      442.860
   LOCATION VOL19        VOLUME     491108.747  3720944.088      439.000
   LOCATION VOL20        VOLUME     491292.162  3720944.609      436.860
** Source Parameters **
   SRCPARAM VOL1         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL2         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL3         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL4         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL5         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL6         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL7         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL8         0.0004346927     5.000    46.363     1.400
```

```
   SRCPARAM VOL9         0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL10        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL11        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL12        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL13        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL14        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL15        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL16        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL17        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL18        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL19        0.0004346927     5.000    46.363     1.400
   SRCPARAM VOL20        0.0004346927     5.000    46.363     1.400
   URBANSRC ALL
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "13649 Ops PM25.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "13649 OPS PM25.AD\24H1GALL.PLT" 31
   SUMMFILE "13649 Ops PM25.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***
```

```
   ********   WARNING MESSAGES   ********
 ME W186     103       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used          0.50
 ME W187     103       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 *********************************
 *** SETUP Finishes Successfully ***
 *********************************

FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       13:31:52

                      PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                          ***     MODEL SETUP OPTIONS SUMMARY       ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - -

 **Model Is Setup For Calculation of Average CONCentration Values.

   --  DEPOSITION LOGIC  --
 **NO GAS DEPOSITION Data Provided.
 **NO PARTICLE DEPOSITION Data Provided.
 **Model Uses NO DRY DEPLETION.  DRYDPLT  =  F
 **Model Uses NO WET DEPLETION.  WETDPLT  =  F

 **Model Uses URBAN Dispersion Algorithm for the SBL for    20 Source(s),
   for Total of    1 Urban Area(s):
   Urban Population =   2189641.0 ;  Urban Roughness Length =  1.000 m

 **Model Uses Regulatory DEFAULT Options:
        1. Stack-tip Downwash.
        2. Model Accounts for ELEVated Terrain Effects.
        3. Use Calms Processing Routine.
        4. Use Missing Data Processing Routine.
        5. No Exponential Decay.
        6. Urban Roughness Length of 1.0 Meter Assumed.

 **Other Options Specified:
        ADJ_U*   - Use ADJ_U* option for SBL in AERMET
        CCVR_Sub - Meteorological data includes CCVR substitutions
        TEMP_Sub - Meteorological data includes TEMP substitutions

 **Model Accepts FLAGPOLE Receptor Heights.

 **The User Specified a Pollutant Type of:  PM_2.5

 **Model Calculates  1 Short Term Average(s) of:  24-HR

 **This Run Includes:     20 Source(s);       1 Source Group(s); and      13 Receptor(s)

                with:      0 POINT(s), including
                           0 POINTCAP(s) and      0 POINTHOR(s)
                 and:     20 VOLUME source(s)
                 and:      0 AREA type source(s)
                 and:      0 LINE source(s)
                 and:      0 RLINE/RLINEXT source(s)
                 and:      0 OPENPIT source(s)
                 and:      0 BUOYANT LINE source(s) with a total of     0 line(s)


 **Model Set To Continue RUNning After the Setup Testing.

 **The AERMET Input Meteorological Data Version Date:  16216
```

**Output Options Selected:
Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 442.00 ; Decay Coef. = 0.000 ; Rot. Angle = 0.0
Emission Units = GRAMS/SEC ; Emission Rate
Unit Factor = 0.10000E+07
Output Units = MICROGRAMS/M**3

**Approximate Storage Requirements of Model = 3.5 MB of RAM.

**Input Runstream File:
aermod.inp
**Output Print File:
aermod.out

**Detailed Error/Message File: 13649 Ops
PM25.err
**File for Summary of Results: 13649 Ops
PM25.sum

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER URBAN SOURCE PART.	EMISSION RATE (GRAMS/SEC) SCALAR VARY BY	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	
VOL1	0	0.43469E-03	490703.8	3721527.3	461.1	5.00	46.36	1.40	YES
VOL2	0	0.43469E-03	490903.7	3721526.8	464.1	5.00	46.36	1.40	YES
VOL3	0	0.43469E-03	491101.9	3721527.9	465.4	5.00	46.36	1.40	YES
VOL4	0	0.43469E-03	491301.3	3721529.0	464.5	5.00	46.36	1.40	YES
VOL5	0	0.43469E-03	491499.5	3721530.2	460.1	5.00	46.36	1.40	YES
VOL6	0	0.43469E-03	491698.9	3721531.3	453.4	5.00	46.36	1.40	YES
VOL7	0	0.43469E-03	490704.3	3721328.5	465.0	5.00	46.36	1.40	YES
VOL8	0	0.43469E-03	490903.7	3721327.4	462.9	5.00	46.36	1.40	YES
VOL9	0	0.43469E-03	491103.1	3721327.4	465.5	5.00	46.36	1.40	YES

```
 VOL10           0   0.43469E-03  491302.4 3721328.5   447.0     5.00    46.36     1.40
 YES
 VOL11           0   0.43469E-03  491502.9 3721329.7   455.5     5.00    46.36     1.40
 YES
 VOL12           0   0.43469E-03  490706.6 3721126.9   456.9     5.00    46.36     1.40
 YES
 VOL13           0   0.43469E-03  490902.5 3721129.2   454.3     5.00    46.36     1.40
 YES
 VOL14           0   0.43469E-03  491103.1 3721128.0   452.6     5.00    46.36     1.40
 YES
 VOL15           0   0.43469E-03  491304.7 3721128.0   439.7     5.00    46.36     1.40
 YES
 VOL16           0   0.43469E-03  491398.1 3721218.0   441.1     5.00    46.36     1.40
 YES
 VOL17           0   0.43469E-03  490710.0 3720943.5   448.5     5.00    46.36     1.40
 YES
 VOL18           0   0.43469E-03  490911.7 3720943.5   442.9     5.00    46.36     1.40
 YES
 VOL19           0   0.43469E-03  491108.7 3720944.1   439.0     5.00    46.36     1.40
 YES
 VOL20           0   0.43469E-03  491292.2 3720944.6   436.9     5.00    46.36     1.40
 YES
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       13:31:52

                     PAGE   3
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                        *** SOURCE IDs DEFINING SOURCE GROUPS ***

 SRCGROUP ID                                              SOURCE IDs
 -----------                                              ----------


  ALL        VOL1        , VOL2        , VOL3        , VOL4        , VOL5        , VOL6        ,
  VOL7        , VOL8        ,

             VOL9        , VOL10       , VOL11       , VOL12       , VOL13       , VOL14       ,
             VOL15       , VOL16       ,

             VOL17       , VOL18       , VOL19       , VOL20       ,
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       13:31:52

                     PAGE   4
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                        *** SOURCE IDs DEFINED AS URBAN SOURCES ***

  URBAN ID   URBAN POP                                   SOURCE IDs
  --------   ---------                                   ----------


              2189641.   VOL1        , VOL2        , VOL3        , VOL4        , VOL5        ,
              VOL6        , VOL7        ,
 VOL8        ,

             VOL9        , VOL10       , VOL11       , VOL12       , VOL13       , VOL14       ,
             VOL15       , VOL16       ,
```

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(491040.1, 3720811.8, 433.9, 576.0, 2.0); (491099.4, 3720760.9, 432.5, 576.0, 2.0);
(490861.0, 3720813.2, 437.6, 576.0, 2.0); (490967.8, 3720814.9, 435.4, 576.0, 2.0);
(490715.4, 3720813.7, 441.3, 576.0, 2.0); (490594.5, 3720810.1, 444.4, 576.0, 2.0);
(490594.0, 3720978.4, 451.4, 576.0, 2.0); (491550.8, 3721106.1, 437.3, 482.0, 2.0);
(491910.3, 3721316.8, 442.1, 470.0, 2.0); (490497.7, 3721301.7, 457.7, 576.0, 2.0);
(490559.2, 3721553.5, 461.3, 576.0, 2.0); (491004.7, 3721834.3, 476.8, 575.0, 2.0);
(491547.7, 3720420.1, 428.0, 775.0, 2.0);

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
(1=YES; 0=NO)

1 1 1

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

Surface file:
PERI_V9_ADJU\PERI_v9.SFC   Met
Version: 16216
Profile file:
PERI_V9_ADJU\PERI_v9.PFL
Surface format:
FREE

Profile format:
FREE

Surface station no.:   3171   Upper air station no.:   3190
Name: UNKNOWN   Name:
UNKNOWN
Year: 2010   Year: 2010

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT
10	01	01	1	01	-7.9	0.125	-9.000	-9.000	-999.	106.	21.2	0.19	0.61	1.00	1.30	335.	9.1	282.5	5.5
10	01	01	1	02	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	142.	9.1	280.9	5.5
10	01	01	1	03	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	0.90	324.	9.1	280.4	5.5
10	01	01	1	04	-1.3	0.064	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	294.	9.1	278.8	5.5
10	01	01	1	05	-3.9	0.088	-9.000	-9.000	-999.	62.	15.0	0.19	0.61	1.00	0.90	205.	9.1	278.1	5.5
10	01	01	1	06	-1.3	0.065	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	0.40	3.	9.1	277.0	5.5
10	01	01	1	07	-8.0	0.125	-9.000	-9.000	-999.	106.	21.0	0.19	0.61	1.00	1.30	99.	9.1	277.0	5.5
10	01	01	1	08	-3.3	0.086	-9.000	-9.000	-999.	61.	16.8	0.19	0.61	0.54	0.90	319.	9.1	278.8	5.5
10	01	01	1	09	20.1	0.128	0.307	0.010	49.	110.	-9.0	0.19	0.61	0.33	0.90	239.	9.1	284.2	5.5
10	01	01	1	10	56.7	0.087	0.560	0.010	107.	62.	-1.0	0.19	0.61	0.26	0.40	188.	9.1	289.2	5.5
10	01	01	1	11	81.5	0.323	0.867	0.008	277.	441.	-35.9	0.19	0.61	0.23	2.70	310.	9.1	290.9	5.5
10	01	01	1	12	97.1	0.281	1.058	0.008	421.	357.	-19.7	0.19	0.61	0.22	2.20	357.	9.1	293.1	5.5
10	01	01	1	13	92.2	0.279	1.117	0.008	523.	354.	-20.4	0.19	0.61	0.22	2.20	356.	9.1	293.8	5.5
10	01	01	1	14	77.6	0.275	1.102	0.008	595.	347.	-23.2	0.19	0.61	0.23	2.20	50.	9.1	294.2	5.5
10	01	01	1	15	54.9	0.230	1.006	0.008	640.	266.	-19.2	0.19	0.61	0.27	1.80	53.	9.1	293.8	5.5
10	01	01	1	16	12.3	0.206	0.613	0.008	648.	225.	-61.5	0.19	0.61	0.36	1.80	11.	9.1	292.5	5.5
10	01	01	1	17	-3.6	0.087	-9.000	-9.000	-999.	71.	15.6	0.19	0.61	0.64	0.90	351.	9.1	290.4	5.5
10	01	01	1	18	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90	186.	9.1	287.5	5.5
10	01	01	1	19	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	0.90				

```
 275.    9.1  285.9    5.5
 10 01 01   1 20   -1.2  0.064 -9.000 -9.000 -999.   39.     18.1  0.19   0.61   1.00    0.40
 181.    9.1  285.4    5.5
 10 01 01   1 21   -7.8  0.125 -9.000 -9.000 -999.  106.     21.3  0.19   0.61   1.00    1.30
 318.    9.1  284.9    5.5
 10 01 01   1 22   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61   1.00    0.90
 196.    9.1  283.1    5.5
 10 01 01   1 23   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61   1.00    0.90
 330.    9.1  281.4    5.5
 10 01 01   1 24   -7.9  0.125 -9.000 -9.000 -999.  106.     21.2  0.19   0.61   1.00    1.30
 332.    9.1  280.9    5.5


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 10 01 01 01    5.5 0 -999.  -99.00   282.6   99.0  -99.00  -99.00
 10 01 01 01    9.1 1  335.    1.30  -999.0   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       13:31:52

                     PAGE   8
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                            *** THE   1ST HIGHEST 24-HR AVERAGE CONCENTRATION   VALUES FOR
                            SOURCE GROUP:  ALL      ***
                                INCLUDING SOURCE(S):     VOL1        , VOL2        ,
                                VOL3        , VOL4        , VOL5        ,
                  VOL6        , VOL7        , VOL8        , VOL9        , VOL10       ,
                  VOL11       , VOL12       , VOL13       ,
                  VOL14       , VOL15       , VOL16       , VOL17       , VOL18       ,
                  VOL19       , VOL20       ,

                                       *** DISCRETE CARTESIAN RECEPTOR POINTS ***

                                    ** CONC OF PM_2.5   IN
                                    MICROGRAMS/M**3                          **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)  Y-COORD
      (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - -
        491040.14   3720811.82        0.10352m (15020724)               491099.44
        3720760.90        0.08334m (15020724)
        490860.97   3720813.22        0.09937m (15020724)               490967.82
        3720814.92        0.10543m (15020724)
        490715.43   3720813.68        0.08883c (14121524)               490594.55
        3720810.14        0.06746  (14122324)
        490593.96   3720978.45        0.10681  (11010224)               491550.75
        3721106.14        0.09305b (14111524)
        491910.34   3721316.76        0.04037b (14111524)               490497.69
        3721301.70        0.07185m (16031424)
        490559.17   3721553.49        0.08513m (10121824)               491004.68
        3721834.26        0.08137  (10121524)
        491547.68   3720420.06        0.02650
        (10101924)
FF *** AERMOD - VERSION 21112  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller
Crossing\13649 Con ***        06/09/22
 *** AERMET - VERSION  16216 ***
 ***                                                                    ***       13:31:52

                     PAGE   9
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF PM_2.5 IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE	NETWORK GRID-ID
ALL	1ST HIGH VALUE IS	0.10681	ON 11010224: AT (490593.96, 3720978.45, 451.38, 576.00, 2.00)	DC	

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

FF *** AERMOD - VERSION 21112 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\13649 Keller Crossing\13649 Con *** 06/09/22
*** AERMET - VERSION 16216 ***
*** *** 13:31:52

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

--------- Summary of Total Messages --------

A Total of 0 Fatal Error Message(s)
A Total of 4 Warning Message(s)
A Total of 2028 Informational Message(s)

A Total of 43824 Hours Were Processed

A Total of 978 Calm Hours Identified

A Total of 1050 Missing Hours Identified (2.40 Percent)

******** FATAL ERROR MESSAGES ********
*** NONE ***

******** WARNING MESSAGES ********

ME W186	103	MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used		0.50
ME W187	103	MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET		
MX W450	17521	CHKDAT: Record Out of Sequence in Meteorological File at:		14010101
MX W450	17521	CHKDAT: Record Out of Sequence in Meteorological File at:		2 year gap

****
*** AERMOD Finishes Successfully ***
****