



LOGO STYLE GUIDE

January 21, 2009

TABLE of CONTENTS

TABLE of CONTENTS.....	1
STYLE GUIDE OVERVIEW	3
THE TEMESCAL VALLEY LOGO	4
THE TEMESCAL VALLEY MAIN LOGO	5
TEMESCAL VALLEY BLACK & WHITE LOGO VARIATIONS	6
TEMESCAL VALLEY GRayscale LOGO VARIATIONS.....	7
TEMESCAL VALLEY TYPEFACES.....	8
THE TEMESCAL VALLEY COLOR PALETTE.....	9
LOGO USAGE APPLICATIONS	10
LOGO USAGE APPLICATIONS STATIONARY	11
LOGO USAGE APPLICATIONS LOGO PLACEMENT.....	12
LOGO USAGE APPLICATIONS DATA SHEETS, FLYERS, ETC.....	13
LOGO USAGE APPLICATIONS DATA SHEETS, FLYERS, ETC.....	14
LOGO USAGE APPLICATIONS ENVIRONMENTAL GRAPHICS.....	15
LOGO USAGE APPLICATIONS ENVIRONMENTAL GRAPHICS.....	16
LOGO USAGE APPLICATIONS ENVIRONMENTAL GRAPHICS.....	17
LEGAL NOTICES	18

September 2008

Page Intentionally Blank

STYLE GUIDE OVERVIEW

Every day, the Temescal Valley Logo will be noticed on communication material ranging from stationary to signage. Each impression represents the community of Temescal Valley and the County of Riverside. The logo and style guidelines unify communications and help them make a clear, strong, consistent message.

Each communication, through its content and presentation, provides information about the Temescal Valley image. Direct information is given through what is stated; indirect information is given through the clarity, tone, style, and professionalism with which the information is presented. The result of this dedication to excellence within the marketing communications will only lead to strengthening the image and character of Temescal Valley.

THE TEMESCAL VALLEY LOGO

The Temescal Valley Logo has a 10 color CMYK design treatment. The logo is designed to be reproduced primarily in CMYK*/color format.

However, PMS (Pantone Matching System) equivalents for these CMYK colors are supplied for the purposes of ensuring consistency of color reproduction

Ideally the logo will be used on a uniformly colored and patterned background for maximum impact and clarity. The logo will have a minimum of 1/3 X-Height white space around it.

*Abbreviation for cyan, magenta, yellow and key (black), the 4 process colors, which combined together in varying proportions can be made to produce the full colour spectrum.

In order to maintain legibility of the Temescal Valley Logo, the minimum height dimension is 1/2", 1.28 centimeters, 3.0 picas, or 36 points on letterhead and similar printed materials.


Ideally the logo will be used on a white background on letterhead and similar printed materials for maximum impact and clarity. The logo will have a minimum of 1/4 X-Height white space around it.

When used on signage, walls and other elements of the streetscape, the background should be a uniformly colored and patterned background.

Note: Do not attempt to construct this logo design. Electronic files in PDF format will be provided.



THE TEMESCAL VALLEY MAIN LOGO



PANTONE 583
CMYK 23C.0M.100Y.17K
RGB 178R.187G.56B
HEX afbc21



PANTONE 279
CMYK 68C.34M.0Y.0K
RGB 104R.143G.201B
HEX 5091cd



PANTONE 575
CMYK 48C.0M.100Y.53K
RGB 89R.113G.42B
HEX 4b721d



PANTONE 2725
CMYK 77C.68M.0Y.0K
RGB 87R.97G.168B
HEX 5261ac



PANTONE 5743
CMYK 33C.0M.85Y.82K
RGB 59R.71G.25B
HEX 33460d



PANTONE 5395
CMYK 100C.44M.0Y.76K
RGB 0R.42G.76B
HEX 00274c



PANTONE 457
CMYK 0C.15M.100Y.28K
RGB 185R.161G.39B
HEX c2a204



PANTONE 476
CMYK 57C.80M.100Y.45K
RGB 77R.51G.32B
HEX 53301a



PANTONE 1675
CMYK 0C.67M.100Y.28K
RGB 163R.89G.33B
HEX b95915



PANTONE BLACK
CMYK 0C.13M.49Y.98K
RGB 39R.32G.13B
HEX 261c02

TEMESCAL VALLEY BLACK & WHITE LOGO VARIATIONS



ONE COLOR (MONOCHROMATIC)

For applications where only one color is permitted. White areas/background color indicates no ink.




Example of monochromatic logo on a colored background.



Example of monochromatic logo on a white background.

TEMESCAL VALLEY GRayscale LOGO VARIATIONS



GRAYSCALE

For better legibility and clarity please use the grayscale version of the logo depending on the nature of the background.



Example of grayscale version of logo on colored background.



Example of grayscale version of logo on white background.

TEMESCAL VALLEY TYPEFACES

Savoy is the preferred font to be used in conjunction with the Temescal Valley logo. This typeface is recommended for display text (headlines) and body copy accompanying the logo.

Savoy

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z

Savoy Bold

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z

Savoy Italic

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z

Savoy Small Caps

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Savoy Small Caps Bold

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

THE TEMESCAL VALLEY COLOR PALETTE

PANTONE 583

CMYK 23C.0M.100Y.17K
RGB 178R.187G.56B
HEX afbc21

PANTONE 279

CMYK 68C.34M.0Y.0K
RGB 104R.143G.201B
HEX 5091cd

PANTONE 575

CMYK 48C.0M.100Y.53K
RGB 89R.113G.42B
HEX 4b721d

PANTONE 2725

CMYK 77C.68M.0Y.0K
RGB 87R.97G.168B
HEX 5261ac

PANTONE 5743

CMYK 33C.0M.85Y.82K
RGB 59R.71G.25B
HEX 33460d

PANTONE 5395

CMYK 100C.44M.0Y.76K
RGB 0R.42G.76B
HEX 00274c

PANTONE 457

CMYK 0C.15M.100Y.28K
RGB 185R.161G.39B
HEX c2a204

PANTONE 476

CMYK 57C.80M.100Y.45K
RGB 77R.51G.32B
HEX 53301a


PANTONE 1675

CMYK 0C.67M.100Y.28K
RGB 163R.89G.33B
HEX b95915

PANTONE BLACK

CMYK 0C.13M.49Y.98K
RGB 39R.32G.13B
HEX 261c02


LOGO USAGE APPLICATIONS



TEMESCAL VALLEY MONUMENT SIGN - NIGHT SCENE

LOGO USAGE APPLICATIONS | STATIONARY

The following information serves as a guide to creating new designs and layouts. A hierarchy of information has been established, through the use of character styles, sizes and secondary graphics. This must be carried through in all future communications to maintain consistency.








LOGO USAGE APPLICATIONS | LOGO PLACEMENT

For most applications the optimum placement for the Temescal Valley Logo is the top left corner, or right corner of the layout with 1x-height white space around it, or a reasonable margin.

If required, the logo placements shown below are also acceptable. However for signage and large applications the logo must be placed at least 3 feet from the ground.

The size and location of the logo must be in proportion to the required size of signage text and form.



LOGO USAGE APPLICATIONS | DATA SHEETS, FLYERS, ETC.



SHEET TITLE | SECONDARY INFORMATION
Cras congue orci. Etiam semper risus at neque. Donec porttitor laoreet quam. Morbi at enim non elit aliquam aliquam.

Cras congue orci. Etiam semper risus at neque. Donec porttitor laoreet elit aliquam aliquam.
Morbi at enim non elit aliquam aliquam. Sed tincidunt eros ac nulla consectetur adipiscing elit.
Etiam cursus. Lorem ipsum dolor sit amet, consectetur dolor sit amet adipiscing elit.
Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.
Cras congue orci. Etiam semper risus at neque. Donec porttitor laoreet elit aliquam aliquam.

Vivamus porta nonummy lectus. Suspendisse eget eros in odio mollis elementum. Duis magna mi, pharetra non, pellentesque et, pulvinar quis, lacus. Mauris lacus massa, facilisis lacinia, placerat quis, luctus sed, nulla. Quisque venenatis. Proin in sem vitae turpis tempor aliquam.

Aliquam erat volutpat. Vivamus pellentesque tortor vel quam. Nam nisl. Mauris a arcu. Fusce eget quam in pede lacinia tincidunt. Nunc ligula. Nullam congue.

Cras congue orci. Etiam semper risus at neque. Donec porttitor laoreet quam. Morbi at enim non elit aliquam aliquam. Sed tincidunt eros ac nulla. Etiam cursus. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed posuere pede cursus libero. iaculis nisl in arcu. Aliquam ac pede. Vestibulum quis massa et libero tincidunt sollicitudin. Etiam nibh. Praesent augue turpis, commodo in, sagittis sed, ultrices eu, erat. Cras vestibulum nibh non sem.

TEMESCAL VALLEY | 12345 American Way | Anywhere Town, California 90000

Section 1
Application Logo
Headline

Section 2
Key Feature/Message
Color: Pantone 131 U
Related Imagery

Section 3
Introduction
Body Copy

Section 4
Footer information



LOGO USAGE APPLICATIONS | DATA SHEETS, FLYERS, ETC.



SHEET TITLE | SECONDARY INFORMATION
Cras congue orci. Etiam semper risus at neque. Donec porttitor laoreet quam. Morbi at enim non elit aliquam aliquam.

Cras congue orci. Etiam semper risus at neque. Donec porttitor laoreet elit aliquam aliquam.
Morbi at enim non elit aliquam aliquam. Sed tincidunt eros ac nulla consectetur adipiscing elit.
Etiam cursus. Lorem ipsum dolor sit amet, consectetur dolor sit amet adipiscing elit.
Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.
Cras congue orci. Etiam semper risus at neque. Donec porttitor laoreet elit aliquam aliquam.

Vivamus porta nonummy lectus. Suspendisse eget eros in odio mollis elementum. Duis magna mi, pharetra non, pellentesque et, pulvinar quis, lacus. Mauris lacus massa, facilisis lacinia, placerat quis, luctus sed, nulla. Quisque venenatis. Proin in sem vitae turpis tempor aliquam.

Aliquam erat volutpat. Vivamus pellentesque tortor vel quam. Nam nisl. Mauris a arcu. Fusce eget quam in pede lacinia tincidunt. Nunc ligula. Nullam congue.



Cras congue orci. Etiam semper risus at neque. Donec porttitor laoreet quam. Morbi at enim non elit aliquam aliquam. Sed tincidunt eros ac nulla. Etiam cursus. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed posuere pede cursus libero. iaculis nisl in arcu. Aliquam ac pede. Vestibulum quis massa et libero tincidunt sollicitudin. Etiam nibh. Praesent augue turpis, commodo in, sagittis sed, ultrices eu, erat. Cras vestibulum nibh non sem.

TEMESCAL VALLEY | 12345 American Way | Anywhere Town, California 90000

- **Section 1**
Application Logo
Headline
- **Section 2**
Key Feature/Message
Color: Pantone 463 U
Related Imagery
- **Section 3**
Introduction
Body Copy
- **Section 4**
Footer information

LOGO USAGE APPLICATIONS | ENVIRONMENTAL GRAPHICS

As is evident by the examples shown below, the logo can be presented and applied to various materials without altering the colors or the main graphic language that makes up the logo. This way the integrity of the logo can be maintained while still portraying the unique Temescal Valley brand.



Note: It may be necessary to adjust dimensions to accommodate site conditions or engineering. Keep proportions the same as shown.

TEMESCAL VALLEY MONUMENT SIGN

LOGO USAGE APPLICATIONS | ENVIRONMENTAL GRAPHICS



Note: It may be necessary to adjust dimensions to accommodate site conditions or engineering. Keep proportions the same as shown.

TEMESCAL VALLEY SMALL MONUMENT SIGN

LOGO USAGE APPLICATIONS | ENVIRONMENTAL GRAPHICS



EXAMPLE OF LOGO APPLICATION ON STREET SIGN

LEGAL NOTICES

The County of Riverside is the sole and exclusive owner of the Logo. Any person, company or governmental entity who desires to use the Logo must first obtain Riverside County's prior, express written consent. If consent is given, then any party who uses the Logo agrees that they shall not change or alter the design, colors, or configuration of the Logo in any way, and shall use the logo consistent with the consent given.

Contact:

Riverside County Planning Department
(959) 955-3200
4080 Lemon Street, 9th Floor
Riverside, CA 92502

If not attached to this Style Guide, a scalable electronic file in PDF format will be provided by the County. This file must be used to lay out the logo. Do not attempt to lay out logo in a freehand manner.